Finesylla, Alta - Italia, Italianski 4.48




FALL, 1954 SPRING, 1955

STEERSREEMS

SHOOM YEE

HERRICIOUS PERFENILAIS ROSES



PRICE LIST

W E OFFER herein a complete list of hardy ornamental nursery stock. Our nursery of one thousand acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions the plant names used conform to "Standard Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

Henry Kohankie & Son

Route 20, One Mile East of Painesville
PAINESVILLE, OHIO

PLEASE READ CAREFULLY

CONDITIONS OF SALE

Prices do not include packing. A charge for the cost of the boxes and material used in baling will be made.

Stock specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

Due to the perishable nature of nursery stock we cannot guarantee growth unless we charge a premium. Losses may occur from causes beyond our control. purchaser may subject the plants to undue exposure before planting, fail to plant properly, or neglect aftercare such as cultivation, irrigation, etc. On the other hand, if properly planted and cared for, the failures will be limited to an occasional plant which may be lost for no apparent reason and which loss is to be expected. The success or failure of a planting beyond the nominal loss above referred to, is in the hands of the planter. Our method of handling and packing stock is modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to the carriers. If goods suffer through delay in transit, claim should at once be made on the transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities — We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R.; American Railway Express and Motor Freight. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery — We are in a position to arrange bulk deliveries of large orders by truck and the charges approximate railroad freight rates.

CONTENTS

Deciduous and Evergreen Trees, Shrubs and Vines 5-161
Herbaceous Material (including Rock and Alpine Plants) 162-200
Fruit Garden Material 201
Large Specimen Material 211
Plants for Special Purposes 211-212
Schedule of B&B Charges 213

PLANT CLASSIFICATIONS

Coniferous Evergreens	202-203
Broad-leaved Evergreens	203
Deciduous Shade Trees	203-204
Deciduous Small Trees	205-206
Deciduous Shrubs	206-210
Vines	210-211

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

DECIDUOUS AND EVERGREEN TREES, SHRUBS AND VINES

We recommend that all items marked with an asterisk be lifted with a ball of earth and sewed in burlap. Experience has shown that the loss of these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve extra charges, a schedule of which will be found on the last page. In all instances where "B&B" is indicated these charges are included in the printed price.

The figures printed in italics following the common name, indicate the approximate height of the plant at maturity.

maturity.				
		1-4 Each	5-24 Each	25 & up Each
Abelia chine	ensis. Chinese Abelia. 5'			
15 to	18 in., 4 in. pots\$	3.00	\$2.50	
grandifl	ora. Glossy Abelia. 3'			
12 to	15 in., 4 in. pots	1.75	1.60	1.50
15 to	18 in., 4 in. pots	2.00	1.85	1.75
18 to	24 inB&B	2.75	2.50	
schumar	nni. Schumann Abelia. 5'			
12 to	18 in., 4 in. pots	2.50	2.00	
	Silver Fir. 50'			
	tB&B 1			
	tB&B 1			
	ramidalis. $Sentinel$ $Fir.$ 50 $^{\prime}$			
18 in	n B&B	7.50		
2 f	tB&B 1	0.00		
balsame	a. Balsam Fir. 50'			
2 ft		0.00		
3 ft	tB&B 1	2.50		
4 ft	tB&B 1	5.00		
5 f	tB&B 2	20.00		
6 ft	tB&B 2	25.00		
cephalo	nica. Greek Fir. 60'		,	
2 f	ftB&B 1	0.00		

B&B 12.50

3 ft. . .

	1-4 Each	5-24 Each	25 & up Each
Abies			
concolor. White Fir. 70'			
2 ft	10.00	7.50	
3 ft		10.00	
4 ft		20,00	
5 ft			
6 ft			
7 ft			
8 ft			
For larger sizes to 14 ft., add \$		r foot	
Tot larger bibes to 11 10, aga q	71.00 pc	1 1001	
concolor violacea. Purplecone Wh	ita Fin	70 '	
5 ft		70	
6 ft			
7 ft			
8 ft			
0 1t	40.00		
firma. Momi Fir. 50'			
3 ftB&B	19.50	10.00	
		10.00	
2 TO		12.50	
5 ftB&B			
6 ftB&B			
7 ftB&B			
8 ftB&B	37.50		
1 1 1 200 20			
homolepis. Nikko Fir. 60'			
3 ft			
	15.00		
5 ft			
6 ft			
7 ft			
8 ftB&B	37.50		
lasiocarpa arizonica. Cork-bark Fi			
4 ft			-
5 ftB&B	25.00		
nordmanniana. Nordmann Fir. 78			
7 ftB&B	30.00		
procera glauca. Blueleaf Noble Fir	50'		
2 ft			
2½ ft B&B			
2/2 IV	10.00		1

Abies

veitchi. Veitch Fir. 80'			
2 ftB&B	10.00		
3 ftB&B	12.50		
4 ftB&B	15.00		
Acanthopanax henryi. Henry Acanthop	panax.	<i>10</i> ′	
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.50		
5 to 6 ft	3.50		
ricinifolium (see Kalopanax pictus	s).		
sieboldianus (pentaphyllum). $Five$ -		Aralia.	
2 to 3 ft	.85	.70	.65
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.75	1.35	1.10
5 to 6 ft	2.00	1.60	
Acer buergerianum. Trident Maple. 4	0'		
4 to 5 ft	5.00		
campestre. Hedge Maple. 25'			
3 to 4 ft	2.75	2.50	2.25
4 to 5 ft	3.25	3.00	2.75
5 to 6 ft	4.00	3.75	3.50
dasycarpum, (see saccharinum)			
ginnala. Amur Maple. 12'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft	4.00	3.25	3.00
8 to 10 ft	5.00	4.25	4.00
glabrum. Rocky Mountain Maple.	25 '		
3 to 4 ft	5.00		
4 to 5 ft	6.00		1 - 4
griseum. Paperbark Maple. 25'			
3 to 4 ft	4.00		
4 to 5 ft	5.00		

1-4 Each	5-24 Each	25 & up Each
Acer	234011	2011
japonicum aureum. Goldenmoon Maple. 2 to 3 ft. B&B 15.00 8 to 10 ft. B&B 35.00	15'	
japonicum filicifolium. Fernleaf Maple 1	0'	
2 to 3 ft		
negundo. Box Elder. 60'		
6 to 8 ft	2.25	2.00
8 to 10 ft 3.25	2.75	2.50
1 ¹ / ₄ to 1 ¹ / ₂ in. 4.50	4.00	3.50
1½ to 1¾ in. 6.00	5.50	5.00
	7.50	7.00
100	10.00	
$2\frac{1}{2}$, to 3 in	12.50	
nigrum. Black Maple. 80'		
8 to 10 ft	6.00	
1 ¹ / ₄ to 1 ¹ / ₂ in. 10.00	7.50	
1½ to 1¾ in	10.00	
palmatum. Japanese Maple. 15'		
2 to 3 ftB&B 6.00		
3 to 4 ftB&B 7.50		
4 to 5 ft		
5 to 6 ft		
5 to 5 min		
palmatum atropurpureum.		
Bloodleaf Japanese Maple. 10'		
2 to 3 ft	10.00	
3 to 4 ftB&B 17.50		
4 to 5 ft		
5 to 6 ft., heavyB&B 40.00		
6 to 8 ft., heavy B&B 50.00		
8 to 10 ft., heavyB&B 60.00		
palmatum atropurpureum dissectum.		
Purple Threadleaf Japanese Maple 6'		
18 to 24 inB&B 15.00		
palmatum elegans. 10"		
3 to 4 ftB&B 17.50		,
pennsylvanicum. Striped Maple. 25'		
4 to 5 ft 5.00		
5 to 6 ft 6.00		

Acer			1-4 Each	5-24 Each	25 & up Each
platanoide	s. No	rway Maple. 75'	Bach	Each	Each
6 to	8 (ft	5.00	4.75	4.50
8 to		ft	6.50	6.25	6.00
11/4 to	$1\frac{1}{2}$	in	9.00	8.00	7.50
1½ to	13/4	in	12.00	10.00	9.50
13/4 to	_	in	15.00	13.00	12.00
2 to	$2\frac{1}{2}$	in	20.00	17.00	16.00
2½ to	3	in	27.50	25.00	22.50
3 to	$3\frac{1}{2}$	in	40.00	35.00	
3½ to	4	in	50.00	45.00	
4 to	$4\frac{1}{2}$	in	65.00	60.00	
platanoide	s colu	ımnare. Columnar	Norwa	y Mapl	le. 75'
6 to	8 c	ft	10.00	9.00	
8 to	o 10	ft	12.50		
11/4 to	11/2	in	15.00		
nlatanoide	s aloh	oosum. Globe Nor	man M	anla	
-	_	. standards		apie.	
•	•			201	
-		wedleri. Schwedler	-		
	0 10	ft	$8.50 \\ 12.50$	7.50 10.00	
11/4 to		in		10.00	
1½ to			15.00 18.00		
134 to		in	22.50		
2 to			25.00		
2½ to) 3	in			
		Planetree Maple.	60'		
8 to		ft	7.50	6.50	
11/4 to		in	8.50		
1½ to			12.50		
13/4 to		in	15.00		
2 to		in			
2½ to	3	in	27.50		
rubrum.	Red M	Taple. 75'			
6 to	8 c	ft	5.50	5.00	
8 te	o 10	ft	7.50	6.50	
11/4 to	$1\frac{1}{2}$	in	9.00	8.00	
1½ to	13/4	in	12.00	10.00	
13/4 to	$\mathbf{p} \cdot 2$	in	15.00	13.00	
2 to	$2\frac{1}{2}$	in	20.00	17.00	
21/2 to	3	in	27.50	25.00	
3 to	$3\frac{1}{2}$	in	40.00	35.00	
3½ to	4				
4 to	5	in	65.00		

_					1-4 Each	5-24 Each	25 & up Each
Acer	•						
rubrum						75'	
6	to 8						
8	to 10						
11/2							
	to 2						
2		2 in.			27.50		
sacchari			Maple.				
6	to 8			_		2.00	1.75
8	to 10					3.00	2.50
11/4	to 1½					4.25	3.75
11/2		4 in			6.00	5.50	5.00
	to 2				8.00	7.00	6.25
2	to $2\frac{1}{2}$	2 in.			12.50	10.00	9.50
$2\frac{1}{2}$	to 3	in.			20.00	15.00	12.50
3	to 3½	2 in.			25.00	22.50	
4	to 41/2	2 in.			35.00		
sacchari	_						
Pyre	amidal		Maple.				
6	to 8				4.00	3.50	
8	to 10	ft.			5.00	4.50	
$1\frac{1}{4}$	to 11/2	ź in.			6.00	5.50	
$1\frac{1}{2}$	to 13	4 in			7.50	7.00	
· -	to 2	in.			10.00		
2	to 21/2	2 in			15.00		
$2\frac{1}{2}$	to 3	in.			20.00		
3	to 31/2	ź in			25.00		
4	to 41/2	in.			35.00		
sacchari	num w	ieri.	Wier Ma	ple.	75'		
							•
8	to 10	ft			5.50		
11/4	to 11/	2 in			6.50		
11/2	to 13/	4 in			8.00		
13/4	to 2	in.			12.50		
2	to 21/	ź in			17.50		
saccharu	ım. Su	gar M	Taple. 7	5 '			
6	to 8	ft.			5.00	4.75	4.50
8	to 10	ft.			6.50	6.25	6.00
11/4	to 1	½ in.			. 9.00	8.00	7.50
11/2	to 13/	4 in			12.00	10.00	9.50
13/4	to 2	in.	,		15.00	13.00	
2	to 2½	ź in			20.00	17.00	

	1-4 Each	5-2 4 Each	25 & up Each
Acer	Each	Bach	Bach
saccharum — Continued			
2½ to 3 in	27.50	25.00	
3 to $3\frac{1}{2}$ in.	40.00	35.00	
$3\frac{1}{2}$ to 4 in	50.00	45.00	
	65.00	60.00	
$4\frac{1}{2}$ to 5 in	75.00		
sieboldianum. Siebold Maple. 25'			
4 to 5 ft	7.50	6.50	
5 to 6 ft	10.00		
6 to 8 ft	12.50		
spicatum. Mountain Maple. 20'			
2 to 3 ft	2.50		
3 to 4 ft	3.50		
tataricum. Tatarian Maple. 20'			
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft.	3.00	2.75	2.50
6 to 8 ft	4.00	3.25	3.00
8 to 10 ft	5.00	4.25	4.00
Actinidia arguta. Bower Actinidia. 20'			
2 year	1.00	.85	.75
3 year	1.50	1.25	
Aesculus carnea. Red Horsechestnut.	40'		
	15.00		
glabra. Ohio Buckeye. 25'			
	5.00	4.50	
8 to 10 ft	6.00	5.50	1
1¼ to 1½ in	7.50		
1½ to 2 in	12.50		
2 to 2½ in	17.50		
hippocastanum. Horsechestnut. 70'			
6 to 8 ft	5.00	4.25	
8 to 10 ft	6.00	5.25	
11/4 to 11/2 in	7.50	6.50	
1½ to 1¾ in	8.50	7.50	
	12.50	10.00	9.00
	18.00	15.00	13.50
	22.50	20.00	
	30.00	25.00	
	40.00	3 5.00	
4 to 5 in	60.00		

Aesculus hippocastanum baumanni.	1-4 Each	5-24 Each	25 & up Each
Baumann Horsechestnut. 50'			
6 to 8 ft	12.50		
8 to 10 ft	15.00		
2½ to 3 in	35.00		
3 to 3½ in	45.00		
3½ to 4 in	55.00		
4 to 4½ in	75.00		
octandra. Yellow Buckeye. 60'			
6 to 8 ft	5.00	4.25	
8 to 10 ft	6.00	5.25	
11/4 to 11/2 in	7.50	6.50	
1½ to 1¾ in	8.50	7.50	7.00
13/4 to 2 in	12.50	10.00	9.00
2 to 2½ in	18.00	15.00	13.50
2½ to 3 in	22.50	20.00	18.00
3 to 3½ in	30.00	25.00	
3½ to 4 in	40.00	35.00	
4 to 5 in	60.00		
parviflora. Bottlebrush Buckeye.	12'		
15 to 18 inB&B	6.00		
18 to 24 inB&B	7.50		
Ailanthus altissima (glandulosa).			
Tree of Heaven. 50'			
6 to 8 ft	5.00	4.25	4.00
8 to 10 ft	6.00	5.25	5.00
10 to 12 ft	7.50	6.50	
1½ to 1¾ in	8.50	7.50	
13/4 to 2 in	12.50	10.00	
2 to 2½ in	15.00	13.50	
2½ to 3 in	20.00	18.00	
vilmoriniana. Vilmorin Ailanthus.	<i>50</i> ′		
1½ to 1¾ in			
134 to 2 in	12.50		
2 to 2½ in	15.00		
Akebia trifoliata. Threeleaf Akebia. 18	5 '		
2 year		.85	.75
3 year			1.00
quinata. Fiveleaf Akebia. 15'			
2 year	1.00	.85	.75
3 year		1.00	.90
	1.20	1.00	.50

5-24 25 & up 1-4 Each Each Each Albizzia julibrissin rosea. Silktree. to 6 ft......B&B 20.00 Alnus cordata. Italian Alder. 40' 6 to 8 ft. 5.00 4.50 8 10 ft. 6.00 5.501½ to 13/4 in........ 7.50 10.00 13/4 to 2 in. 12.50 10.00 2 2½ in...... to 18.00 15.00glutinosa. European Alder. 60' 8 4.25 6 to ft. 5.00 4.008 to 10 ft. 6.00 5.25 5.00 11/4 to 1½ in...... 7.50 6.75 6.25 1½ to 13/4 in..... 10.00 8.50 8.00 13/4 to 2 12.50 10.00 9.502 2½ in....... 13.50 to 17.5015.00 $2\frac{1}{2}$ to 3 in. 25.00 20.00to 3½ in........ 35.00 30.00 glutinosa laciniata. Cutleaf Alder. 40' 6 to 8 ft..... 12.50 8 to 10 ft..... 15.00hirsuta. Manchurian Alder. 60' 6 to 8 ft............. 10.00 to 10 ft..... 12.5011/4 to 1½ in...... 15.00 1½ to 134 in........ 17.50incana. Speckled Alder. 50' ft........... 8 to 10 6.005.50 11/4 to 1½ in..... 7.50 6.50 13/4 in..... 1½ to 10.00 7.50 13/4 to 2 12.50 incana pendula. Weeping Alder. 5 ft. stem japonica. Japanese Alder. 50' 2 to 3 ft..... 5.00 3 to 4 ft...... 6.00 4 to 5 ft..... 7.50rugosa. Hazel Alder. 10'

8 to 10 ft......

8.50

Amelanchier alnifolia. Saskatoon Serve 5 to 6 ft.		Each	25 & ap Each
asiatica. Asian Serviceberry. 40'			
5 to 6 ft	4.00	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	7.50		
canadensis. Shadblow Serviceberry.	<i>30</i> ′		
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.50	
8 to 10 ft	7.50	6.00	
6 to 8 ft. standards	7.50	6.00	
8 to 10 ft. standards	10.00	7.50	
grandiflora rubescens.			
Ruddy Allegheny Serviceberry.			
8 to 10 ft. standards			
10 to 12 ft. standards	15.00		•
laevis. Allegheny Serviceberry. 35'			
8 to 10 ft	7.50		
6 to 8 ft. standards	7.50		
8 to 10 ft. standards	10.00		
10 to 12 ft. standards	15.00		
oblongifolia. Thicket Serviceberry.	25'		
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft		3.00	.2.50
6 to 8 ft	5.00	4.50	
8 to 10 ft	7.50	6.00	
8 to 10 ft. clumps B&B			
10 to 12 ft. clumps B&B			

			1-4	5-24 2	25 & up
Amelanch	ier		Each	Each	
ovalis	(vul	garis). Garden Servicel	berry.	25 '	
2	to	3 ft	1.50	1.25	
3	to	4 ft	1.75	1.50	
4	to	5 ft	2.50	2.00	
5		6 ft	3.50	3.00	
6		8 ft	5.00	4.50	
8		0 ft	7.50	6.00	
6		3 ft. standards	7.50	6.00	
8	to 10	oft. standards	10.00	7.50	
8	to 1	oft. clumpsB&B	25.00		
		2 ft. clumps B&B			
sangu	inea.	Roundleaf Serviceberry	. 10'		
		8 ft	6.00	5.00	
8	to 1	0 ft	7.50		
stolon	ifera.	Running Serviceberry.	1'		
18	to 24	in	1.35	1.10	1.00
2	to	3 ft	1.75	1.50	1.25
* manusha	h n n a l				
_		nycarpa. 3' l in	1.00	.85	
		3 ft	1.00 1.25	1.10	
				1.10	
		Leadplant Amorpha. 4			
		3 in		.75	
18	to 24	in.	1.25	1.00	
frutice	osa. I	ndigobush Amorpha. 2	0'		
2	to	3 ft	1.00	.70	.60
3	to	ft.	1.25	.90	.80
4	to	5 ft	1.50	1.25	1.10
5	to	6 ft	2.00	1.75	
6	to	3 ft	2.50	2.00	
Ampelopsi	s aco	nitifolia. Monkshood V	ine 15	,	
_		· · · · · · · · · · · · · · · · · · ·	1.00	.75	.60
	- 1		1.25	.90	.75
	-		1.50	1.25	1.00
				1.20	1.00
		culata. Amur Ampelops		0.7	
	•		1.25	.85	.75
3	year		1.50	1.25	1.00

Ampelopsis	1-4 Each		25 & ur Each
brevipedunculata elegans. Basket	Amno	longia	159
2 year	1.50	1.25	10
2	2.00	1.20	
brevipedunculata maximowiczi. Porcelain Ampelopsis. 25'			
2 year	1.00	.75	.65
3 year			.75
4 year			1.00
quinquefolia. (see Parthenocissus)		
Amygdalus (see Prunus)			
Aralia elata. Japanese Aralia. 50'			
A 4 = 01	6.00		
5 to 6 ft	7.50		
6 to 8 ft			
japonica. 20'			
4 to 5 ft	6.00	5.50	
pentaphyllum (see Acanthopanax)			
spinosa. Devil's Walkingstick. 25'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft.	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft. clumps	12.50	10.00	
10 to 12 ft. clumps	15.00	12.50	
Arctostaphylos uva-ursi. Bearberry.			
3½ in. pots	1.50	1.35	1.25
	<i>30</i> ′	e	
2 year, pot grown	2.00	1.75	1.50
2 year, field grown	2.50	2.00	
tomentosa. 30'			
2 year	1.50	1.25	.90

	1-4 Each	5-24 Each	25 & up Each
Aronia arbutifolia. Red Chokeberry. 8'		Each	Each
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.95
4 to 5 ft	1.50		
melanocarpa. Black Chokeberry. 6	,		
2 to 3 ft		.80	.75
3 to 4 ft	1.25	1.00	.95
melanocarpa elata. Glossy Chokeb	erru	10'	
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.95
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.50	
prunifolia. Purplefruit Chokeberry.	10 '		
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.95
4 to 5 ft	1.50	1.25	
Artemesia abrotanum. Oldman Wormw	ood.	5 '	
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
Asimina triloba. Papaw. 30'			
2 to 3 ft	2.00		
9. 1. 1. 1. 1			
Azalea calendulacea. Flame Azalea.		0.00	5 50
18 to 24 in		6.00	5.50
2 to 3 ftB&B	7.50	7.25	7.00
canescens. Piedmont Azalea. 6'			
2 to 3 ftB&B	7.50	7.25	7.00
gandavense. Hybrid Ghent Azalea.	10'		
18 to 24 inB&B		5.50	5.00
2 to 3 ftB&B	7.50	6.50	
ledifolia (see rosmarinifolia).			
lutea. 10'	6 00	E	E 00
18 to 24 in		5.50	5.00
2 to 3 ftB&B		6.50	6.00
3 to 4 ft		8.00	7.50
4 to 5 ft		13.50	
5 to 6 ftB&B	20.00	18.00	15.00

Azalea	1-4 Each	5-24 Each	25 & up Each
mollis. Chinese Azalea. 6'	Buch	134011	Each
15 to 18 in	5.00	4.50	4.25
18 to 24 inB&B	7.00	6.50	6.25
24 to 30 inB&B	8.50	7.50	
mucronulata. Korean Azalea. 6'			
2 to 3 ftB&M	8.50	7.50	7.00
3 to 4 ftB&B	12.50	10.00	
4 to 5 ftB&B	15.00		
nudiflora. Pinxterbloom. 4'			
2 to 3 ftB&B	7.50	7.25	7.00
3 to 4 ftB&B	10.00	8.50	
obtusa amoena. Amoena Azalea.	4'		
10 to 12 inB&B	2.50		
12 to 15 inB&B	3.00		
o. japonica hinodegiri.			
Hinodegiri Kurume Azalea. 3'			
10 to 12 in	2.75		
o. kaempferi. Torch Azalea. 5'			
15 to 18 inB&B	5.00	4.50	4.00
18 to 24 inB&B	7.50	7.00	6.50
24 to 30 inB&B	10.00	8.50	8.00
30 to 36 inB&B	12.50	10.00	
rosmarinifolia. Snow Azalea. 6'			
15 to 18 inB&B	6.00	5.00	
18 to 24 in B&B	7.50	6.50	
24 to 30 inB&B	10.00		
r. sekidera. Sekidera Snow Azalea.			
15 to 18 inB&B		5.00	4.50
18 to 24 in	7.50	6.50	6.00
24 to 30 in	9.00	7.50	7.00
30 to 36 in. B&B schlippenbachi. Royal Azalea. 10'	12.50	10.00	9.00
15 to 18 inB&B	6.50	6.00	
18 to 24 in	$6.50 \\ 7.50$	$6.00 \\ 7.00$	
vaseyi. Pinkshell Azalea. 10'	1.50	7.00	
18 to 24 in	7.50	7.00	6.50
24 to 30 in	10.00	9.00	8.00
00 1 00 1	12.50	10.00	0.00
viscosa. Swamp Azalea. 6'		10.00	
18 to 24 inB&B	6.50	6.00	5.50
24 to 30 in	7.50	7.25	7.00
30 to 36 in B&B	9.00	8.50	8.00
36 to 42 inB&B	12.50	10.00	9.00

Azalea	1-4 Each	5-24 Each	25 & up Each
yedoensis. Yodogawa Azalea. 4'			
18 to 24 inB&B	6.50	6.00	
24 to 30 in B&B	8.50		
30 to 36 inB&B	10.00		
y. poukhanensis. Korean Yodogaw	a Azal	ea. 4'	
101 101	6.50	6.00	5.00
24 to 30 inB&B	8.50	7.50	7.00
30 to 36 inB&B	10.00	9.00	
Baccharis halimifolia. Eastern Bacchar	ris. 10'	•	
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.80
4 to 5 ft	1.50	1.35	1.10
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
Benzoin aestivale. (see Lindera)			
Berberis beaniana. Beans Barberry. 5	,		
15 to 18 inB&B	3.00	2.75	
18 to 24 inB&B	3.50	3.25	
candidula. Paleleaf Barberry. 5'			
15 to 18 inB&B	3.00	2.75	2.50
18 to 24 inB&B	3.50	•3.25	3.00
circumserrata. Cutleaf Barberry.	<i>5</i> ′		
18 to 24 in		3.25	
24 to 30 inB&B	4.00	3.75	
horvathi. 4'			
12 to 15 in	.75	.65	.55
15 to 18 in	1.00	.75	.65
18 to 24 in	1.25	.90	.80
gagnepaini. Black Barberry. 6'			
15 to 18 inB&B	3.00	2.75	
julianae. Wintergreen Barberry. 5			
18 to 24 inB&B	4.50	4.00	3.75
24 to 30 in	5.50	5.00	4.50
	0.00	5.00	4.50
koreana. Korean Barberry. 6' 2 to 3 ft	1.25	.85	.75
3 to 4 ft	1.50	1.10	1.00
	1.00	1.10	1.00
sargentiana. Sargent Barberry. 5'	4.00	2 50	9.00
15 to 18 in	4.00	3.50	3.00
18 to 24 inB&B	4.50	4.00	3.75

Berberis	1-4		25 & up
thunbergi. Japanese Barberry. 4'	Each	Each	Each
15 to 18 in	.50	.40	.30
18 to 24 in	.60	.50	.40
24 to 30 in	.75	.65	.55
30 to 36 in	1.00	.85	.75
2 to 2½ ft. spec	2.50	2.00	
$2\frac{1}{2}$ to 3 ft. spec.	3.00	2.50	
3 to 3½ ft. spec	3.50	3.00	
thunbergi atropurpurea.			
Redleaf Japanese Barberry. 5'			
18 to 24 in	1.00	.75	.65
24 to 30 in	1.25	.85	.75
30 to 36 in		1.25	1.00
36 to 42 in	1.75	1.50	1.25
thunbergi minor. Box Barberry. 2			
12 to 15 in	.85	.75	.70
15 to 18 in	1.10	.90	.80
18 to 24 in	1.35	1.10	
24 to 30 in		1.35	
thunbergi pluriflora. Flame Japane	se Bart	erry.	5 '
18 to 24 in	.65	.55	.45
24 to 30 in	.75	.65	.55
30 to 36 in		.85	.75
thunbergi erecta. Truehedge Column	_	5'	
12 to 15 in	.75	.65	.60
15 to 18 in	1.00	.85	.75
18 to 24 in	1.25	1.10	1.00
24 to 30 in	1.50	1.35	1.25
triacanthophora. Threespine Barber			
15 to 18 in	3.50	3.00	
18 to 24 in	4.00	3.50	
verruculosa. Warty Barberry. 3'	0.50		
10 to 12 in B&B		3.00	
12 to 15 inB&B virgatorum.	4.00	3.50	
2 to 3 ftB&B	4.00	0.75	
		3.75	
Berchemia racemosa. Japanese Suppleje	ack. 3		
2 to 3 ft		1.25	
3 to 4 ft	2.00	1.50	
Betula alba. (see pendula)			
*fontinalis. Water Birch. 40'			
5 to 6 ft	7.50		
	10.00		
8 to 10 ft	12.50		

Betula				1-4 Each		25 & up Each
*lenta.	Swe	et Bi	rch. 40'	Lach	Each	Lacu
6	to	8	ft	4.50	4.25	4.00
8	to	10	ft	5.50	5.25	5.00
$1\frac{1}{4}$	to	11/2	in	7.50	6.75	6.25
11/2	to	13/4	in	10.00	9.00	8.50
13/4	to	2	in	12.50	11.00	10.00
2	to.	21/2	in	15.00	13.50	12.50
$2^{1/2}$	to	3	in	20.00	15.00	
*lutea.	Yell	ow B	irch. 50'			
6	to	8	ft	4.50	4.25	
8	to	10	ft	5.50	5.25	
$1\frac{1}{4}$	to	$1\frac{1}{2}$	in	7.50	6.75	
11/2	to	$1\frac{3}{4}$	in	10.00	9.00	
2	to	$2\frac{1}{2}$	in	2 0.00		
*maxim	owi	czian	a. Monarch Birch.	60 '		
6	to	8	ft	6.00	5.50	5.00
3	to	10	ft	7.50	7.00	6.50
11/4	to	$1\frac{1}{2}$	in	9.00	8.00	7.50
11/2	to	$1\frac{3}{4}$	in.:	10.00	9.00	8.50
$1\frac{3}{4}$	to	2	in	15.00	12.50	11.00
2	to	$2\frac{1}{2}$	in	20.00		
*nigra.	Riv	er Bi	rch. 50'			
6	to	8	ft	5.00	4.50	4.25
8	to	10	ft	6.00	5.50	5.00
10	to	12	ft	10.00	9.00	
*papyrif	era	. Paj	per Birch. 40'			
6	to	8	ft	5.00	4.50	4.25
8	to	10	ft	6.00	5.50	5.00
11/4	to	11/2	in	7.50	7.00	
$1\frac{1}{2}$	to	13/4	in	10.00	9.00	
13/4	to	2	in	12.50	11.00	
2	to	$2\frac{1}{2}$	in	15.00		
21/2	to	3	in	20.00		
*papyrif	era	cord	lifolia. 40'			
8	to	10	ft	6.00	5.50	
$1\frac{1}{4}$	to	11/2	in	7.50	6.50	
11/2			in		10.00	
*pendula	a (a	alba).	European White	Birch.	50 '	
6	to	8	ft	5.00	4.50	4.25
8	to	10	ft	6.00	5.50	5.00
11/4	to	11/2	in	7.50	6.50	6.25
13/4	to	2	in	12.50	10.00	

.	1-4 Each		25 & up Each
Betula			
*p. fastigiata.			
Pyramidal European White Bir			
6 to 8 ft			
*p. laciniata. Cutleaf Weeping Bir			
8 to 10 ft	10.00		
*populifolia. Gray Birch. 40'			
6 to 8 ft		4.25	4.00
8 to 10 ft		5.25	5.00
1¼ to 1½ in			6.25
1½ to 1¾ in			8.50
13/4 to 2 in		11.00	10.00
2 to 2½ in		13.50	12.50
2½ to 3 in			
6 to 8 ft. clumps, B&B		10.00	
8 to 10 ft. clumps, B&B		12.50	
10 to 12 ft. clumps, B&B	30.00		
Bignonia. (see Campsis)			
Think it is a second of			
Bischofia javanica. Java Bishopwood.			
3 to 4 ft	6.00		
Broussonetia papyrifera. Paper Mulbe	rru 40	,	
4 to 5 ft		5.00	
5 to 6 ft.		0,00	
Bruckenthalia spiculifolia. Spikeheath.			
6 in., 3 inch pots			
o m., o men pots	2.50		
Buddleia alternifolia. Fountain Butter		sh. 10	,
2 to 3 ft		.75	
3 to 4 ft	1.25	1.00	
Charming. Pink Butterfly Bush.	5 '		
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.75	65
davidi. Orange-eye Butterfly Bush.	5 ′		
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.75	.65
davidi Ile de France. 4'			
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.75	.65
U 10 1 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.00	.10	.00

	1-4	5-24 25	5 & սթ
Buddleia	Each	Each	Each
davidi superba. 5'			
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.75	.65
ah			,,,,
davidi veitchi. Veitch Butterfly Bu		0.5	
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	1.00	.80
Dubonnet. 5'			
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.75	.65
farquhari. 5'			
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	.90	.80
		.00	.00
intermedia. Wisteria Butterfly Bus		0.5	
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.75	.65
lindleyana. Lindley Butterfly Bush	. 5'		
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.75	.65
microphylla. Littleleaf Butterfly B	ush.	6 '	
3 to 4 ft	1.00	.75	.70
4 to 5 ft	1.25	.90	.80
Orchid Beauty. 5'			
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.25	1.00	.90
paniculata. Panicle Butterfly Bush. 3 to 4 ft		75	e s
	1.00	.75	.65
Royal Purple. δ'			
2 to 3 ft	1.00	.75	.65
White Cloud. White Butterfly Bush	h. 5'		
2 to 3 ft		.80	.70
3 to 4 ft	1.25	.90	.80
Buxus microphylla koreana. Korean l	Littlele	af Box.	2'
8 to 12 inB&B		3.25	3.00
12 to 15 inB&B	4.00	3.50	3.25
15 to 18 inB&B	4.50	4.00	

	1-4 Each	5-24 2 Each	5 & up Each
Buxus	Lach	Наси	Each
sempervirens glauca. 4'			
12 to 15 inB&B	3.50	3.00	2.75
15 to 18 inB&B	4.00	3.50	3.25
18 to 24 inB&B	5.00	4.50	
sempervirens handsworthi. $Hands$	worth	Box. 8	•
10 to 12 inB&B	3.00	2.50	
12 to 15 inB&B	3.50	3.00	
15 to 18 inB&B	4.00	3.50	
18 to 24 in	5.00	4.50	
24 to 30 inB&B	6.00	5.00	
sempervirens suffruticosa. Truedw		ox. 4'	
6 to 8 inB&B	2.50	2.25	2.00
8 to 10 inB&B	2.75	2.50	2.25
10 to 12 inB&B	3.00	2.75	2.50
12 to 15 inB&B	3.50	3.00	2.75
	4.00	3.50	3.25
18 to 24 inB&B	5.00	4.50	4.25
Callicarpa bodinieri giraldiana. Girald	Rega	tuhorra	<i>6</i> ′
2 to 3 ft	1.25	1.00	O
b. giraldiana subincanescens. 6'	1.20	1.00	
2 to 3 ft	1.25	1.00	4
dichotoma (purpurea). Purple Bean			
18 to 24 in	1.00	.75	.60
2 to 3 ft	1.25	.90	.75
japonica. Japanese Beautyberry. 4			
18 to 24 in		.75	.60
2 to 3 ft	1.25	.90	.75
Collumn wulgarie Gart II day			
Calluna vulgaris. Scotch Heather. 2'	1 75	1.50	1.05
6 to 8 in., 4 inch pots vulgaris alba. White Scotch Heather		1.50	1.25
6 to 8 in., 4 inch pots		1.50	1.05
vulgaris alporti. Alport Scotch Heat		1.50	1.25
4 inch pots			
vulgaris aurea. Goldleaf Scotch Hed	1.75	1.50 2'	
6 to 8 in., 4 inch pots	uner. 175	1.50	1.25
vulgaris carnea. Flesh Scotch Heath			1.4
6 to 8 in., 4 inch pots	1.75	1.50	1.25
vulgaris compacta. 2'	1	1.00	1.20
6 to 8 in., 4 inch pots	1 75	1.50	1.25
vulgaris rubra. 2'	1	1.00	1.20
6 to 8 in., 4 inch pots	1.75	1.50	1.25
vulgaris searlei. 2'		2.00	1.20
12 to 15 in., 4 inch pots	1.75	1.50	1.25
The state of the s	2	2.00	1.20

		1-4 Each	5-24 Each	25 & up Each
	floridus. Sweet Shrub. 5'			
	24 in	.75	.65	.60
2 to	3 ft	1.00	.80	.75
3 to	4 ft	1.50	1.25	1.00
4 to	5 ft	1.75	1.35	
occidenta	alis. California Sweetshrub.	12'		
2 to	3 ft	1.75	1.50	
3 to	4 ft	2.00	1.75	
Campsis grai	ndiflora. Chinese Trumpetc	reener	20'	
_	ear	1.25	1.00	
	ear	1.50	1.25	
	ear	1.75	1.50	
			1.00	
	• •	<i>30</i> ′		
•	ear	.75	.60	.50
3 ye	ear	.85	.70	.6 0
	speciosa.			
Show	y Common Trumpetcreeper			
2 ye		1.00	.85	
3 ye	ar	1.50	1.25	
tagliabua	na Mme. Galen.			
•	. Galen Trumpetcreeper. 20	,		
	ear	1.50		
Caragana arl	oorescens. Siberian Peashru	b. 20'		
2 to	3 ft	.80	.65	.60
3 to	4 ft	1.25	.90	.80
4 to	5 ft	1.50	1.25	1.10
5 to	6 ft	2.00	1.75	1.50
6 to	8 ft	2.25	2.00	1.75
a lorber	gi. Lorberg Siberian Peashra	uh 10'		
	3 ft	1.75		
	4 ft	2.00		
	5 ft	3.00		
		5.00		
	is Peashrub. 10'	9.00		
	3 ft	2.00		
	4 ft	2.50		
	ns. Afghanistan Peashrub.	10'	1.6=	
	3 ft	1.75	1.35	
	4 ft	2.00	1.50	
		2.50	2.00	
5 to	6 ft	3.00	2.50	

	1-4 Each	5-24 Each	25 & up Each
Carpinus betulus. European Hornbeam.			
4 to 5 ftB&B			
5 to 6 ftB&B		20.00	
6 to 8 ftB&B	25.00	23.50	22.50
8 to 10 ftB&B		27.50	25.00
10 to 12 ftB&B	40.00	35.00	
Sheared plants, 4 to 10 ft. quote	ed on 1	request	•
betulus compactus. 25'	05.00		
5 to 6 ft			
6 to 8 ftB&B	35.00		
betulus fastigiata.			
Pyramid European Hornbeam.	40'		
5 to 6 ftB&B		22.50	
6 to 8 ftB&B		25.00	
8 to 10 ft		30.00	
10 to 12 ftB&B		35.00	
10 to 12 1t	10.00	55.00	
caroliniana. American Hornbeam.	40'		
3 to 4 ftB&B		9.00	8.00
4 to 5 ftB&B	15.00	13.00	12.00
5 to 6 ftB&B		20.00	18.50
6 to 8 ftB&B		23.50	22.50
8 to 10 ftB&B		27.50	25.00
cordata. Heartleaf Hornbeam. 50'			
6 to 8 ftB&B	25.00	23.50	
8 to 10 ftB&B	30.00	27.50	
tschonoski. Yeddo Hornbeam. 25'	10.00	0.00	0.00
3 to 4 ftB&B		9.00	8.00
4 to 5 ftB&B	15.00	13.00	
5 to 6 ftB&B		20.00	18.50
6 to 8 ftB&B		23.50	
8 to 10 ftB&B	30.00		
Carya ovata. Shagbark Hickory. 75'			
3 to 4 ft	3.00		
4 to 5 ft	4.00		
5 to 6 ft	5.50		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each	_	25 & up Each
Caryopteris incana. Bluebeard. 4'			
15 to 18 in	.75	.65	.60
18 to 24 in	1.00	.85	.75
Blue Mist. 3'			
15 to 18 in	1.00	.85	.75
18 to 24 in	1.25	1.00	
Castanea crenata. Japanese Chestnut. 3	30 '		
6 to 8 ft	10.00		
mollissima. Chinese Chestnut. 60'			
4 to 5 ft	6.00		
5 to 6 ft	7.50		
	10.00		
0 10 0 11	10.00		
Catalpa ovata. Chinese Catalpa. 30'			
5 to 6 ft	4.00		
6 to 8 ft	5.00	4.50	
8 to 10 ft	6.00	5.50	
speciosa. Northern Catalpa. 100'	0.00	0.00	
6 to 8 ft	2.50	1.75	
8 to 10 ft	3.00	2.25	
1½ to 1¾ in	4.00	3.50	
13/4 to 2 in	6.00	5.00	
2 to 2½ in	10.00	7.50	
2½ to 3 in	15.00	12.50	
	. 7	al	
Ceanothus americanus. Jerseytea Ceano			00
18 to 24 in	1.25	1.00	.90
2 to 3 ft	1.50		
Cedrela sinensis. Chinese Cedrela. 50'			
	6.00		
	7.50		
6 to 8 ft	7.50		
Cedrus deodara. Deodar Cedar. 50'			
2 ft B&B	7.50		
3 ft			
libani. Cedar of Lebanon. 50'			
2 ftB&B	7.50		
3 ft			
3 II	10.00		
Celastrus gemmata. Chinese Bittersweet.	20'		
2 year	2.00	1.50	
orbiculatus. Oriental Bittersweet. 20) '		
2 year	.65	.55	.50
•	.85	.70	.60
4 year		.90	.75

Celastrus scandens. American Bitterswee	1-4 Each et. 25'	5-24 Each	25 & up Each
2 year	.65	.55	.50
3 year	.85	.70	.60
4 year	1.25		
Celtis occidentalis. Hackberry. 50'			
5 to 6 ft	4.00	3.50	3.00
6 to 8 ft	5.00	4.50	4.00
8 to 10 ft	7.50	6.00	
	10.00	7.50	
	12.50	10.00	
	15.00	12.50	
	18.00	15.00	
	25.00	20.00	
272 to 3 m	20.00	20.00	
Cephalanthus occidentalis. Button Bush	a. 6'		
2 to 3 ft	1.00	.70	.60
3 to 4 ft	1.25	.90	.80
4 to 5 ft	1.50	1.25	
Cercidiphyllum japonicum. Katsura Tr	ee. 30 '		
	13.50	11.00	
5 to 6 ftB&B	17.50	16.00	
6 to 8 ftB&B	22.50	20.00	18.00
8 to 10 ftB&B		25.00	22.50
10 to 12 ftB&B		35.00	
8 to 10 ft. spec B&B		00.00	
10 to 12 ft. spec B&B			
12 to 14 ft. spec			
14 to 16 ft. spec B&B '			
	10.00		
Cercis canadensis. Eastern Redbud. 40'			
3 to 4 ft	2.50	1.75	1.50
	4.00	3.50	3.25
5 to 6 ft	7.50	6.25	
6 to 8 ft	12.00	10.00	
8 to 10 ft	15.00	14.00	
canadensis alba. White Eastern Re	dbud.	40'	
3 to 4 ftB&B	10.00	9.00	
4 to 5 ftB&B	12.50		
*chinensis. Chinese Redbud. 30'			
2 to 3 ft	4.00	3.50	3.25
3 to 4 ft		4.50	0120
0 00 1 100	\$.50	2.00	
Cerococarpus montanus. Mountain Mah	-	<i>6'</i>	
3 to 4 ftB&B	10.00		

Chaenomeles japonica (maulei).	1-4 Each	5-24 Each	25 & up Each
Japanese Flowering Quince. 4'			
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.90	.80
japonica alpina.			
Salmon Japanese Flowering Qui		,	
18 to 24 in.		1.50	
2 to 3 ft.			
		1.75	
lagenaria (japonica). Common Flor	vering	Quince	e. 5'
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.25	1.00	
l. alba. White Flowering Quince. 5'			
15 to 18 in			
18 to 24 in	1.75		
l. Apple Blossom. Pink Flowering Q			
2 to 3 ft	2.50	2.25	
3 to 4 ft	3.00	2.75	
1. Baltzi. Rosy Pink Flowering Quin	ce. 6'		
2 to 3 ft		2.25	
3 to 4 ft		2.50	
1. cardinalis. Red Flowering Quince.			
3 to 4 ft		2.50	
1. cathayensis. Deep Rose Flowering 3 to 4 ft	, Quin 2.00	ce. 8'	
l. Columbia. Salmon Flowering Quin			
18 to 24 in	1.75	1.50	
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.25	
1. Falconet Charlot. White Floweria	ng Qu	ince. 6	,
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.25	
l. Kermesina Semiplena.			
Rose Pink Flowering Quince. 5'			
2 to 3 ft		1.75	
l. moerloosi. Soft Pink Flowering Q			
2 to 3 ft	2.50	2.25	
1. Nivalis. White Flowering Quince.	8 '		
2 to 3 ft		2.25	

	1-4 Each	5-24 25 Each	
Chaenomeles	Litton	22110	
l. Pygmaea. Dwarf Common Flower	ing Qui	ince. 3'	
18 to 24 in		.90	
2 to 3 ft		1.25	
l. Rosea Grandiflora.	a)		
Light Pink Flowering Quince.		1.50	
18 to 24 in	1.75	$1.50 \\ 1.75$	
2 to 3 ft	2.00	2.00	
3 to 4 ft	2.50		
l. Roseaplena. Dbl. Rose Flowering	Quince	3. 5'	
2 to 3 ft	2.00	1.75	1.50
l. Rubra. Dark Red Flowering Quin	ce. 6'		
18 to 24 in			
2 to 3 ft			
		0'	
l. Semperflorens. Soft Rose Flower		2.25	2.00
2 to 3 ft			2.00
3 to 4 ft	3.00	2.50	4.20
1. superba. Light Red Flowering Q	uince. E	5 '	
18 to 24 in	2.00	1.75	1.50
2 to 3 ft	2.25	2.00	1.75
1. Umbilicata. Rose Pink Flowering	Quince	a. 8'	
2 to 3 ft	1.25	1.00	.90
	1.75	1.50	
		1.00	
1. Vermilion. Red Flowering Quince		0	
18 to 24 in	1.75	1.50	
2 to 3 ft	2.00	1.75	
l. Versicolor. White, striped red Flo	rwering	Quince.	6'
2 to 3 ft		2.25	
3 to 4 ft	3.00	2.50	
sinensis. Chinese Flowering Quince.	<i>on'</i>		
2 to 3 ft		2.25	
3 to 4 ft		2.50	
3 10 4 11	5.00	2.00	
		10	
Chamaecyparis lawsoniana. Lawson F	alsecypi	ress. 10	U
3 ft	10.00		
lawsoniana allumi.			
Scarab Lawson Falsecypress. 4	0'		
2 ftB&B	7.50		
3 ftB&B			
4 ftB&B			

%h a a a a a		1-4 Each		25 & up Each
Chamaecyparis				
lawsoniana Triomphe de B		•		
3 ft	.B&B	10.00		
nootkatensis. Nootka Falsec	_ MMM4000	75'		
3 ft			6.00	
4 ft			0.00	
5 ft				
J 16	. D&D	10.00		
nootkatensis pendula.				
Weeping Nootka Falsecy	press.	20'		
3 ft	$.\mathbf{B}\mathbf{\&}\mathbf{B}$	10.00	8.50	
4 ft	.B&B	12.50	11.00	
5 ft	$.\mathrm{B\&B}$	17.50	16.50	
6 ft	$.\mathrm{B\&B}$	22. 50		
For larger sizes to 10 f	t., add	\$5.00	per foo	ot.
obtusa compacta. Compact	Hinoki	Falsec	ypress.	10'
2 ft				
3 ft	.B&B	7.50		
5 ft.	.B&B	12.50		
obtusa nana. Dwarf Hinoki	Falsec	upress	. 3'	
15 in				
18 in	.B&B	10.00	8.00	
24 in	.B&B	12.50	10.00	
30 in	. B&B	15.00		
pisifera. Sawara Falsecypres	s. 30'			
2 ft		5.50	5.00	4.50
3 ft		7.50	6.50	6.00
4 ft			10.00	9.00
5 ft			13.50	
6 ft. spec			20.00	
7 ft. spec				
p. aurea. Golden Sawara Fe	alsecup	ress.	30 '	
3 ft		7.50		•
4 ft				
5 ft				*
6 ft				
7 ft				
8 ft				
		00.00		

		25 & up	
	Each Each	Each	
Chamaecyparis p. filifera. Thread Sawara Falsecypre	288 15'		
	7.50 6.50	6.00	
3 ft			
4 ft			
4 ft. spec. B&B 20			
5 ft. spec. B&B 25	5.00 20.00		
For larger sizes to 10 ft., add \$5.00			
Tor larger bizes to 10 10, data person	r		
p. filifera aurea.			
Yellowthread Sawara Falsecypress			
10 III. Spa.	3.00		
24 in. spd			
30 in. spd	2.50 10.00		
36 in. spd	3.50		
p. filifera aurea-variegata.			
Variegated Thread Sawara False	cupress. 10	,	
2½ ft. spdB&B 12			
2/2 10 open 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
p. plumosa. Plume Sawara Falsecypr			
2 ft. shearedB&B			
3 ft. sheared B&B	3.00 7.00		
4 ft. sheared			
5 ft. shearedB&B 15		12.50	
6 ft. shearedB&B 18	3.00 15.00		
7 ft. shearedB&B 25	5.00 22.50		
8 ft. sheared B&B 30	0.00 27.50		
For larger sizes to 12 ft., add \$7.5	50 per foo	t	
p. plumosa aurea.			
Goldplume Sawara Falsecypress.		4.50	
2 200 51100110011001	5.50 5.00		
0 10. 011001	8.00 7.00		
4 ft. sheared			
5 ft. sheared			
6 ft. shearedB&B 1			
7 ft. sheared B&B 2	5.00 22.50	,	
p. plumosa argeniea. Globe Form. 5'			
	6.00 5.00	4.50	
	7.50 6.50	6.25	
30 in			
36 in			
48 in			

Chamaecyparis 1-4 Each	5-24 Each	25 & up Each
m mlumana mulmhuman		
p. plumosa sulphurea. Sulphurplume Falsecypress. 25'		
	7.50	
3 ft	7.50 10.00	
5 ft	12.50	
6 ft	15.00	
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	20.00	
p. squarrosa. Moss Sawara Falsecypress.	<i>30</i> ′	
2 ft. sheared	5.00	4.50
3 ft. sheared	6.50	6.25
4 ft. sheared B&B 12.50	10.00	$\boldsymbol{9.00}$
5 ft. shearedB&B 15.00	12.50	
6 ft. sheared		
Chamaedaphne calyculata. Leatherleaf. 3'		
18 to 24 inB&B 6.50	6.00	5.50
24 to 30 inB&B 7.50	7.00	•
Chionanthus retusus. Chinese Fringetree. 20' 2 to 3 ft		
virginicus. White Fringetree. 30'		
2 to 3 ft	1.60	1.50
3 to 4 ft 2.75	2.50	2.25
4 to 5 ft	3.50	3.25
5 to 6 ft 5.00	4.50	
6 to 8 ft	5.50	
8 to 10 ft 10.00	7.50	
5 to 6 ft. spec B&B 15.00		
6 to 8 ft. spec B&B 18.00		
8 to 10 ft. spec		
Cladrastis lutea. American Yellowwood. 50' 5 to 6 ft. B&B 15.00 2½ to 3 in. B&B 45.00		
Clematis apiifolia. October Clematis. 25' 2 year	1.00	.90

Clematis	1-4 Each	5 · 24 2 Each	5 & ur Each
coccinea. (See texensis)			
crispa. Curly Clematis. 2 year	1.50		
flammula. Plume Clematis. 15' 3 inch pots	1.50	1.25	1.00
hybrids. Large Flowering Clematis. 2 year. 3" pots		1.25	
Jackmanni, Mad. Ed Andre, Her Ramona.	nryi,		
ligusticifolia. Western Virgins-bowe 2 year			
montana rubens. Pink Anemone Cl 3 inch pots		15'	
montana undulata. 3½ inch pots	1.50		
montana wilsoni. Wilson Anemone 3 inch pots		itis. 15	•
paniculata. Sweet Autumn Clemati 2 year 3 year	.75		
tangutica. Golden Clematis. 25' 3 inch pots	1.50	1.25	
texensis syn. coccinea. Scarlet Cle			
viorna. Leatherflower. 2 year	1.50		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Clematis	1-4 Each		25 & up Each
Clemans			
v irginiana. $Virgins$ -bower. 25'			
2 year	.75	.60	.50
3 year	1.00	.75	.60
vitalba. Travelers-joy. 25'			
2 year	1.50	1.25	
viticella. Italian Clematis. 10'			
2 year	1.50	1.25	
Clerodendron trichotomum. Harlequin	Glory	bower.	6 '
3 to 4 ft	3.00		
4 to 5 ft			
Clethra alnifolia. Summersweet Clethra	. 10'		
18 to 24 in	.85	.65	.60
24 to 30 in	1.00	.85	.80
2½ to 3 ft	1.25	1.10	1.00
a. paniculata. δ'			
18 to 24 in	1.25	1.00	
2 to 3 ft	1.50	1.25	
barbinervis. Tree Clethra. 5'			
2 to 3 ft	1.50	1.35	1.25
3 to 4 ft	1.75	1.60	1.50
4 to 5 ft		2.00	1.75
tomentosa. Wooly Clethra. 8'			
2 to 3 ft	1.75	1.50	1.25
3 to 4 ft	2.00	1.75	
Colutea arborescens. Bladder Senna. 10)*		
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	3.00	2.50	
6 to 8 ft	3.50		

	1-4 Each	5-24 Each	25 & up Each
Colutea			
cilicica. Cilician Bladder Senna. 10'			
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00	2.50	2.25
5 to 6 ft	3.50	3.00	
media. Hybrid Bladder Senna. 10'			
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	1.75	
5 to 6 ft	2.75	2.00	
Comptonia peregrina asplenifolia. Swee	etfern.	<i>5</i> ′	
18 to 24 in	1.75	1.50	
2 to 3 ft	2.00	1.75	
Cornus alba. Tatarian Dogwood. 10'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
alba argenteo-marginata. Creamedy	ge Dog	rwood.	10"
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.35	
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00		
alba sibirica. Siberian Dogwood. 10) *		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2. 25	2.00	1.75
alba spaethi. Yellowedge Dogwood	. 8'		
2 to 3 ft	1.50		
3 to 4 ft	2.00	•	
4 to 5 ft	2.50		
alternifolia. Pagoda Dogwood. 20'			
2 to 3 ft	1.00	.85	
3 to 4 ft	1.50	1.35	1.25
4 to 5 ft	2.00	1.75	1.65
5 to 6 ft	2.50	2.00	

Ea	-4 5-24 ch Each	25 & up Each
Cornus		
amomum. Silky Dogwood. 10'		
	85 .65	
3 to 4 ft		
4 to 5 ft		
5 to 6 ft		
6 to 8 ft		
8 to 10 ft 2.	50 2.25	2.00
baileyi. Bailey Dogwood. 10'		
3 to 4 ft		
4 to 5 ft	50 1.25	
florida. Flowering Dogwood. 25'		
3 to 4 ftB&B 6.0	00 5.00	4.50
4 to 5 ftB&B 8.0		
5 to 6 ftB&B 12.0		9.00
6 to 8 ftB&B 16.0		
8 to 10 ftB&B 22.	$50 ext{ } 19.00$	
5 to 14 ft. heavy spec.		
B&B at \$5.00 per foot.		
florida plena. Dbl. White Flg. Dogwo	od. 25'	
3 to 4 ftB&B 15.	00	
4 to 5 ftB&B 20.		
5 to 6 ftB&B 25.	00	
florida rubra. Red Flowering Dogwo	od. 20'	
2 to 3 ftB&B 7.	50 - 6.00)
3 to 4 ftB&B 10.	00 - 7.50)
4 to 5 ftB&B 12.	50 10.00)
5 to 6 ftB&B 17.	50 15.00	1
6 to 8 ftB&B 22.)
8 to 10 ftB&B 27.		
5 ft., heavy spec. B&B 25.		
6 ft., heavy spec B&B 30.		
For large sizes to 12 ft., add \$7.5	oo per fo	ot.
florida welchi. Varileaf Dogwood. 2		
2 to 3 ftB&B 12.	50	
kousa. Kousa Dogwood. 20'		
3 to 4 ftB&B 8.		
4 to 5 ftB&B 12.		
4 to 5 ft. heavy B&B 15.		
5 to 6 ft. heavy B&B 18.		
6 to 8 ft. heavy B&B 30.		
8 to 10 ft. heavy B&B 35.	.00 30.00)

	1-4	5-24	25 & up
Cornus	Each	Each	Each
kousa chinensis. Chinese Kousa De	o areo o d	20'	
4 ft		20	
5 ft			
6 ft			
	20.00		
mas. Corneliancherry Dogwood. 20'	0.00	1.50	
2 to 3 ft	2.00	1.50	
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.50	3.00	
5 to 6 ft	6.00	5.00	
6 to 8 ft	8.50	7.50	
8 to 10 ft	12.50	10.00	
10 to 12 ft	18.50		
officinalis. Japanesecornel Dogwood	d. 15'		,
2 to 3 ft	7.50		
3 to 4 ft	8.50		
paniculata. (see racemosa)	0,00		
paucinervis. Littleleaf Dogwood. 6	,		
3 to 4 ft	4.00		
4 to 5 ft	5.00		
pubescens. 15'	0.00		
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.20	
5 to 6 ft	2.50		
racemosa. (paniculata). Gray Dog		15 '	CO
	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.50
rugosa. Roundleaf Dogwood. 10'			
3 to 4 ft	1.50		
4 to 5 ft	2.00		
5 to 6 ft	2.50		
sanguinea. Bloodtwig Dogwood. 10) '	•	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
sanguinea viridissima. Greentwig	Dogwoo	d 10'	
2 to 3 ft	1.00	.90	
3 to 4 ft	1.50		
4 to 5 ft	2.00		
2 00 0 200	2.00		

	1-4 Each	5-24 Each	25 & up Each
Cornus			
stolonifera. Redosier Dogwood. 10	,		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
s. flaviramea. Yellowtwig Redosier	Dogw	ood. 8	,
2 to 3 ft	1.25	.85	.80
3 to 4 ft	1.50	1.25	1.10
4 to 5 ft	2.00	1.60	1.35
5 to 6 ft	2.25	2.00	
Corylopsis sinensis. Chinese Winterhaz.	el. 8'		
2 to 3 ftB&B			
Corylus americana. American Filbert.	10'		
2 to 3 ft	1.25	.90	.85
3 to 4 ft	1.50	1.35	1.15
4 to 5 ft	2.00	1.75	1.60
5 to 6 ft	2.50	2.00	1.85
6 to 8 ft	3.00	2.75	2.50
avellana. European Filbert. 15'			
2 to 3 ft	1.25	.90	.85
3 to 4 ft	1.50	1.35	1.15
4 to 5 ft	2.00	1.75	1.60
5 to 6 ft	2.50	2.00	1.85
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	5.00	4.00	3.75
avellana atropurpurea. Purple E	-		rt 15'
2 to 3 ft	5.00	4.00	
3 to 4 ft	6.00	5.00	
4 to 5 ft	7.50	6.50	
5 to 6 ft	10.00	7.50	
6 to 8 ft	12.50	10.00	
avellana aurea. Golden European	Filbert	. 15'	
3 to 4 ft	6.00	5.50	
4 to 5 ft	7.50	7.00	
5 to 6 ft		8.00	
6 to 8 ft	12.50	10.00	
colurna. Turkish Filbert. 25'			
3 to 4 ftB&B	10.00		

	1-4 Each	5-24 2 Each	5 & up Each
Corylus			
heterophylla setchuenensis. Szechw			
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	4.00	3.50	
5 to 6 ft	5.00	4.50	
6 to 8 ft	6.00	5.50	
rostrata. Beaked Filbert. 6'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.35
4 to 5 ft	2.00	1.85	
Cotinus coggygria. Common Smoketree.	<i>15</i> ′		
3 to 4 ft	2.50	2.00	
4 to 5 ft	2.75	2.25	
5 to 6 ft	3.50		
Cotoneaster acutifolia. Peking Cotonea	ster. 1	2'	
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.10	.95
4 to 5 ft	1.75	1.35	
*acutifolia villosula. 12'			
2 to 3 ft	1.00	.80	
3 to 4 ft	1.25	1.10	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.25	2.00	
acuminata. Sharpleaf Cotoneaster.	109		
3 to 4 ft. spdB&B			
o to 1 tt. spa	0.00		
adpressa. Creeping Cotoneaster. 2'			
6 to 8 in. from pots	2.50	2.35	2.25
ambigua. $6'$			
2 to 3 ftB&B	4.50		
3 to 4 ft			
3 10 4 11	0.00		
apiculata. Cranberry Cotoneaster.	6'		
9 to 12 in. from pots	2.50	2.25	2.00
12 to 15 in. from pots	3.00	2.75	
2 to 3 ftB&B	5.00	4.00	
dammeri. Bearberry Cotoneaster. 2		0	
10 to 12 in. from pots	3.00	2.75	
dammeri radicans. 2'			
2 to 3 ft. spd	6.00		

Catamanata	1-4 Each	5-24 Each	25 & up Each
Cotoneaster			
dielsiana. Diels Cotoneaster. 6'			
2 to 3 ftB&B	4.50	4.00	
3 to 4 ftB&B	6.00	5.25	
4 to 5 ftB&B	7.50	6.50	
divaricata. Spreading Cotoneaster.	6 '		
2 to 3 ftB&B	4.50	4.00	3.75
3 to 4 ft	6.00	5.25	5.00
4 to 5 ft	7.50	6.50	6.00
	1.00	0.00	0.00
foveolata. Glossy Cotoneaster. 10'			
2 to 3 ftB&B	4.50	4.00	3.75
3 to 4 ftB&B	6.00	5.50	
4 to 5 ftB&B	7.50		
himalaicus. Littleleaf Cotoneaster.	5 '		
	3.00	2.50	2.25
harizantalia David Gatamanian al			
horizontalis. Rock Cotoneaster. 3'	2 00	9.75	2.50
12 to 15 in. spd. from pots	3.00	2.75	
15 to 18 in. spd. from pots	3.75	3.25	3.00
15 to 18 in. spd	4.00	3.50	
horizontalis perpusilla. Ground Cote	oneast	er. 3'	
10 to 12 in., from pots		2.25	2.00
12 to 15 in., from pots		2.75	2.50
15 to 18 in., from pots		3.25	
hariantalia milani 1117 (1.1		~!	
horizontalis wilsoni. Wilson Cotoned			2 75
2 to 3 ftB&B		4.00	3.75
3 to 4 ftB&B	6.00	5.50	5.00
4 to 5 ftB&B	7.50	6.50	
integerrima. European Cotoneaster.	6 '		
2 to 3 ftB&B	4.50	4.00	3.75
3 to 4 ftB&B	6.00	5.50	5.00
*lucida. Hedge Cotoneaster. 10'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25		.95
4 to 5 ft	1.75	1.35	.50
I (U J 16	1.10	1.00	
melanocarpa. 6'			
3 to 4 ftB&B	6.00	5.50	
4 to 5 ft	7.50		

Cotoneaster	1-4 Each	5-24 Each	25 & up Each
microphylla. Rockspray Cotoneaste	r 3'		
10 to 12 in., 4 in. pots		2.25	2.00
microphylla thymifolia.			
Thyme Rockspray Cotoneaster.	10 '		
15 to 18 in. from pots		2.75	
15 to 18 inB&B	3.75	3.25	
moupinensis. Mupin Cotoneaster. 1	'0 '		
15 to 18 in., 4 in. pots		2.75	
2 to 3 ftB&B		4.00	
3 to 4 ftB&B	6.00	5.25	
multiflora. $6'$			
2 to 3 ftB&B	4.50	4.00	3.75
3 to 4 ftB&B	6.00	5.25	5.00
4 to 5 ftB&B	7.50	6.50	6.00
obscura. Bloodberry Cotoneaster. 1	0'		
2 to 3 ftB&B		4.00	
3 to 4 ftB&B	6.00	5.25	
4 to 5 ftB&B	7.50	6.50	
racemiflora soongarica. $Sungari\ C$	otoneas	ter 6'	
2 to 3 ftB&B	5.0 0	4.00	3.75
3 to 4 ftB&B	6.00	5.50	5.00
4 to 5 ftB&B	7.50	6.50	6.00
rotundifolia. Redbox Cotoneaster.	2'		
10 to 12 in. from pots		2.25	
12 to 15 in. from pots	3.25	2.75	
rosea. Redcurrant Cotoneaster. 10'			
2 to 3 ftB&B	4.50	4.00	3.75
3 to 4 ftB&B	6.00	5.25	5.00
4 to 5 ftB&B	7.50	6.50	6.00
5 to 6 ftB&B	8.50	7.50	7.00
salicifolia floccosa.			
Hardy Willowleaf Cotoneaster.	<i>6</i> '		
15 to 18 in. from pots	3.50		
simonsi. Simons Cotoneaster. 8'		•	
12 to 18 in., 4 in. pots	3.50		
2 to 3 ftB&B	4.50		
3 to 4 ftB&B	6.00		
tenuipes. Slender Cotoneaster. 6'			
2 to 3 ftB&B	5.00		
zabeli. Cherryberry Cotoneaster. 6'			
2 to 3 ftB&B	5.00		
3 to 4 ftB&B	6.00	5.50	

*C1	ataegu	ıs a	pri	ca. Beadle Hawthorn.	1-4 Each	5-24 Each	25 & up Each
		to		ft		4.25	
	4	-		ft		5.75	
	5	to		ft		0.10	
	_	to		ft			
		-					
	*arka	nsa	na.	Arkansas Hawthorn.	<i>30</i> ′		
	5	to	6	ft	9.50	9.25	
	6	to	8	ft	14.50	13.50	
	8	to	10	ft	16.50		
	*arno	ldia		Arnold Hawthorn.			
	3	to	4	ft	4.50	4.25	
	4	to	5	ft	6.00	5.75	
	5	to	6	ft	9.50	9.25	
	6	to	8	ft	14.50	13.50	
	8	to	10	ft	16.50	15.50	
	*calp	ode	ndr	on. Pear Hawthorn.	15 '		
	3	to	4	ft	4.50	4.25	
	4	to	5	ft	6.00	5.75	
	5	to	6	ft	9.50	9.25	9.00
	6	to	8	ft	14.50	13.50	12.50
	8	to	10	ft	16.50	15.50	
	coccir	ıea	(se	e intricata)			
	*cocci	nio	ides	. Kansas Hawthorn.	20'		
	_	to		ft		13.50	
	8	to		ft		15.50	
				phaenopyrum).			
	*crus	gall	i. (Cockspur Thorn. 30'			
				ft	4.50	4.25	4.00
	4	to	5	ft	6.00	5.75	5.50
	5	to	6	ft	9.50	9.25	9.00
	6	to	8	ft	14.50	13.50	12.50
	8	to	10	ft	16.50	15.50	15.00
	10	ft.	spe	ecB&B	35.00		
			_	innon Hawthorn. 20'			
	*cune		_	ippon Hawthorn. 20'	6.00		
	*cune	ata. to	N	ft			
	*cune 4 5	ata. to	N: 5 6	ft	6.00		
	*cune 4 5	ata. to to to	N: 5 6 8	ft	6.00 9.50		
	*cune 4 5 6 *hupe	ata. to to to	N: 5 6 8 sis.	ft	6.00 9.50 14.50	13.50	

			1-4	5-24	25 & up
Cralaegus	S		Each	Each	Each
*intric	ata (coccinea). $Thicket$ Har	wthorn.	20'	
		ft		4.25	4.00
4	to 5			5.75	5.50
5	to 6	ft	9.50	9.25	9.00
6	to 8		14.50	13.50	12.50
8	to 10	ft		15.50	15.00
*laval	lei. $\it L$	avalle Hawthorn. 20'			
3		ft	4.50	4.25	4.00
4		ft	6.00	5.75	5.50
5	to 6		9.50	9.25	9.00
6	to 8		14.50	13.50	12.50
8	to 10	ft	16.50	15.50	
*macr	acant	ha. Spike Hawthorn.	20 '		
		ft	4.50		
4	to 5	ft	6.00		
*molli	s. Do	wny Hawthorn. 20'			
3		ft	4.50	4.25	4.00
4		ft	6.00	5.75	5.50
5	to 6	ft	9.50	9.25	9.00
6		ft	14.50	13.50	12.50
8		ft	16.50	15.50	15.00
*mono	gyna.	Singleseed Hawthorn	. 20'		
	to 5		6.00	5.75	5.50
5	to 6	ft	9.50	9.25	9.00
6	to 8	ft	14.50	13.50	12.50
8	to 10	ft	16.50	15.50	
*mono	gyna	stricta.			
		lal Singleseed Hawthor	n. 20'		
-		ft	9.50		
6		ft			
*nitida	a. <i>Gla</i>	ssy Hawthorn. 15'	•		
		ft	9.50	9.25	
		ft		13.50	
		ft			
9			20.00	10.00	

Crataegus		1-4 Each	5-24 Each	25 & up Each
*oxyacantha	• English Hawthorn.	20 '		
4 to 5	ft	6.00	5.75	5.50
5 to 6	ft	9.50	9.25	9.00
6 to 8	ft	14.50	13.50	12.50
8 to 10	ft	16.50	15.50	
8 to 10	ft. spec B&B	30.00		
*o. plena. 1	oublewhite English Ha	wthorn.	<i>15</i> ′	
4 to 5	ft	7.50	6.00	•
5 to 6	ft	10.00	9.50	
6 to 8	ft	15.00	14.00	
8 to 10	ft	18.50		
*o. pauli. 1	Paul's Scarlet English I	Hawtho	rn. 15'	
4 to 5	ft	7.50		
5 to 6	ft	10.00	9.50	
6 to 8	ft		14.00	
8 to 10	ft	18.50	17.50	
°o. punicea.	Singlered English Ha	wthorn.	15 '	
4 to 5	ft	7.50		
5 to 6	ft	10.00		
6 to 8	ft	15.00		
8 to 10	ft	18.50		
_	ena. Doublepink Engli		vthorn.	<i>15</i> '
4 to 5	ft			
5 to 6	ft	10.00	9.50	
6 to 8	ft	15.00	14.00	
8 to 10	ft	18.50		
	Peregrina Hawthorn.			
	ft			
	ft			
8 to 10	ft	16.50	15.50	
*persistens.				
	ft			
6 to 8	ft			
8 to 10	ft	16.50	15.50	

	1-4 Each	5-24 Each	25 & up Each	
Crataegus				
*phaenopyrum. (cordaia)				
Washington Hawthorn. 20'				
3 to 4 ft	4.50	4.25	4.00	
4 to 5 ft	6.00	5.75	5.50	
5 to 6 ft	9.50	9.25	9.00	
6 to 8 ft	14.50	13.50	12.50	
8 to 10 ft	16.50	15.50	15.00	
*pinnatifida major. Large Chinese		thorn.	20 '	
4 to 5 ft	6.00			
5 to 6 ft	9.50			
6 to 8 ft	14.50			
*pruinosa. Frosted Hawthorn. 18'				
3 to 4 ft	4.50			
4 to 5 ft	6.00			
5 to 6 ft	9.50			
*prunifolia. Plumleaf Hawthorn. 2				
3 to 4 ft	4.50	4.25	4.00	
4 to 5 ft	6.00	5.75	5.50	
5 to 6 ft	9.50	9.25	9.00	
6 to 8 ft	14.50	13.50	12.50	
8 to 10 ft	16.50	15.50	15.00	
*punctata. Dotted Hawthorn. 25'				
3 to 4 ft	4.50	4.25		
4 to 5 ft	6.00	5.75		
5 to 6 ft	9.50	9.25		
6 to 8 ft	14.50	13.50		
pyracantha (see Pyracantha cocci	nea).			
*succulenta. Fleshy Hawthorn. 20'	0.00			
4 to 5 ft	6.00	5.75		
5 to 6 ft	9.50	9.25		
6 to 8 ft	14.50	13.50		
*viridis. Green Hawthorn. 25'	0.50	0.0=		
5 to 6 ft		9.25		
		13.50		
8 to 10 ft	16.50	15.50		
Cryptomeria japonica lobbi. Lobb Cryptomeria. 20'				
2 ftB&B	6.00	5.00		
3 ftB&B	7.50	6.50		
4 ftB&B	12.50	10.00		
5 ftB&B	15.00	13.50		
6 ftB&B	18.00	15.00		
7 ft	25.00			
8 ft B&B	30.00			

	1-4 Each		25 & up Each
Cudrania tricuspidata. 25'			
3 to 4 ft	4.00	3.75	
4 to 5 ft	5.00	4.50	
Cydonia. (see Chaenomeles)			
Cytisus elongatus. 5'			
12 to 15 in., 4 in. pots	1.75		
nigricans. Spike Broom. 4'			
12 to 15 in	1.75		
	1.70		
scoparius. Scotch Broom. 10'			
18 to 24 in	1.75	1.50	1.25
scoparius andreanus. Paradise Bro	om. 10) '	
18 to 24 in		1.50	1.25
	2000		2.20
Daphne cneorum. Rose Daphne. 1'			
8 to 10 in. spd	1.75	1.60	1.50
10 to 12 in. spd		$\frac{1.00}{2.35}$	
_			4.20
12 to 15 in. spd			
15 to 18 in. spdB&B	3.30	3.25	
houtteana. Hybrid Daphne. 4'			
18 to 24 inB&B	5.00	4.50	
Decumaria barbara. Southeast Decumar	ria.		
3 yr. from pots		.75	.60
o yr. from pous	1.00	.,,	70 17
Deutzia gracilis. Slender Deutzia. 3'			
15 to 18 in	.85	.70	.65
	1.00	.90	.80
18 to 24 in		1.10	1.00
24 to 30 in	1.25	1.10	1.00
hypoglauca. 6'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
lemoinei. Lemoine Deutzia. 5'			
18 to 24 in	.75	.65	.60
24 to 30 in	1.00	.80	.75
	1.25	1.00	.90
	1.25 1.50	1.25	1.15
3 to 4 ft	1.90	1.20	1.19

	1-4	5-24	25 & up
Deutzia	Each	Each	
lemoine compacta. 5'	.75	.65	.60
2 to 3 ft		.80	.75
2 to 3 it	1.00	.00	.10
myriantha Boule Rose. Pink Deutze	ia. 4'		
18 to 24 in	1.00		
2 to 3 ft	1.25		
ningpoense. 5'	1 85	1.50	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.25	
parviflora. Mongolian Deutzia. 5'			
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
rosea. Rose-panicle Deutzia. 5'			
18 to 24 in	1.00	.80	.75
24 to 30 in	1.25	1.00	.95
2½ to 3 ft	1.50	1.25	1.15
rosea campanulata. Bellflower Rose	panicle	Deut	zia. 5'
18 to 24 in	1.00	.80	.75
2 to 3 ft	1.25	1.00	.95
	1 10		,,
rosea carminea. Carmine Rosepanio			
18 to 24 in	1.00	.80	.75
2 to 3 ft	1.25	1.00	.95
3 to 4 ft	1.50	1.35	1.25
rosea venusta. White Rosepanicle I	Deutzia.	5 '	
18 to 24 in	1.00	.80	.75
2 to 3 ft	1.25	1.00	.95
scabra. Fuzzy Deutzia. 12'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
1 00 0 10	1.00	1.20	1.10
scabra Pride of Rochester. 12'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	

PAINESVILLE, OHIO			49
	1-4 Each	5-24 2 Each	25 & up Each
Deutzia	Bach	124011	Bacii
scabra florepleno rosea. Doublero	se De	utzia. 12	2'
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
scabra watereri. Waterer's Deutzia.	12'		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	
scabra wellsi. Wells Deutzia. 12'			
3 to 4 ft	1.25	.90	.80
4 to 5 ft	1.50	1.25	1.10
schneideriana laxiflora. 6'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
vilmorinae. Vilmorin Deutzia. 8'	_,,,		
2 to 3 ft	1.50	1.25	
Diervilla lonicera. (trifida). Dwf. Bush		-	-
2 to 3 ft	1.00	.75	.65
3 to 4 ft	1.25	.90	.80
sessilifolia. Southern Bush Honeysus			
2½ to 3 ft	1.00	.75	.65
3 to 4 ft	1.25	.90	.80
4 to 5 ft	1.50		
Diospyros virginiana. Common Persimm	non. 1	5 '	
5 to 6 ft	6.00	5.00	
6 to 8 ft	7.50	6.00	
	10.00	7.50	
	12.50	10.00	
Disco malastais I di successi di			
Dirca palustris. Leatherwood. 6'	5.00		
18 to 24 inB&B	5.00		
Elaeagnus angustifolia. Russian Olive.	20 '		
3 to 4 ft	1.25	.90	.80
4 to 5 ft	1.75	1.40	1.15
5 to 6 ft	2.25	1.75	
6 to 8 ft	3.50	2.75	
8 to 10 ft	5.00	4.50	
commutata. Silverberry. 12'			
	2.00	1.75	
3 to 4 ft			
4 to 5 ft		2.50	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each	5-24 2 Each	5 & up Each
Elaeagnus	·	Buon	Duon
multiflora. (longipes). Cherry Elae	aanne	6 '	
2 to 3 ft	2.00	O	
2 10 9 11	2.00		
umbellata. Autumn Elaeagnus. 12'			
2 to 3 ft	1.00	.70	.60
3 to 4 ft	1.25	1.10	.95
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.00	1.75	1.50
u. parvifolia. Chinese Elaeagnus. 18	5 '		
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.75	2.50	
Elsholtzia stauntoni. 4'	4 = 0	4.0=	1.05
18 to 24 in	1.50	1.35	1.25
2 to 3 ft	1.75	1.50	
Erica carnea. Spring Heath. 1'			
6 to 8 in., 4 in. pots	1.75	1.50	1.25
, -			
vagans. Cornish Heath. 1'			
6 to 8 in., 4 in. pots	1.75	1.50	1.25
,			
Eucommia ulmoides. 60'			
6 to 8 ft	10.00		
8 to 10 ft	12.50		
Francisco eletro W. 17	io!		
Euonymus alatus. Winged Euonymus. 1		1 75	
2 to 3 ft	3.00	1.75 2.50	
	$\frac{3.00}{4.50}$	4.00	
5 to 6 ft	8.50	•	
6 to 8 ft., heavyB&B			
8 to 10 ft., heavy B&B			
o to to it., neavy	50.00		
alatus compactus. Dwarf Winged			
2 to 3 ft		2.25	
3 to 4 ft	3.75	3.25	

771111271227 01110			01
	1- 4 Each	5-24 Each	25 & up Each
Euonymus			
americanus. Brook Euonymus. 8'			
2 to 3 ft	1.50	1.35	1.25
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
airopurpureus. Eastern Wahoo. 15	,		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft.	1.50	1.35	1.15
5 to 6 ft	2.00	1.75	1.65
		1.10	1.00
bungeanus. Winterberry Euonymus			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.35	1.15
5 to 6 ft	2.00	1.75	1.65
6 to 8 ft	3.00	2.50	2.25
europaeus. European Euonymus. 1s	5 '		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.35	1.15
5 to 6 ft	2.00	1.75	1.65
6 to 8 ft	3.00	2.50	2.25
fortunei. (acutus). Wintercreeper 1	Faranam	110 0	
12 to 15 in	1.00	.80	.75
15 to 18 in	1.25	1.00	.95
18 to 24 in.	1.50	1.35	1.25
	1.00	1.00	2.20
f. argenteo-marginatus.			
Silveredge Wintercreeper Euony			
12 to 15 in	1.00	.85	.75
f. carrierei. Glossy Wintercreeper E	uonym	us. 3'	
12 to 15 in	1.00	.80	.75
15 to 18 in	1.25	1.00	.95
18 to 24 in	1.50	1.35	1.25
f. coloratus.			
Purpleleaf Wintercreeper Euony	maio 2	,	
12 to 15 in	mus. s .75	.65	.6 0
15 to 18 in	1.00	.90	.80
18 to 24 in	1.25	1.10	1.00
	1.20	1.10	1.00
f. coloratus (Upright form)	1.05	1.40	1.00
15 to 18 in	1.25	1.10	1.00

	1-4 Each	5-24 Each	25 & up Each
Euonymus	Lach	Baon	24011
f. kewensis. Kew Wintercreeper Eu	onymus	s. 1'	
8 to 12 in. from pots	1.15	1.00	.85
f. minimus. Baby Wintercreeper E	uonum	us. 1'	
8 to 12 in. from pots	1.15	1.00	.85
12 to 15 in. from pots	1.50	1.25	1.15
f. radicans. Common Wintercreeper	Fuona	imai e	
8 to 12 in from pots	.75	.70	.65
12 to 15 in	1.00	.80	.75
15 to 18 in	1.25	1.00	.95
f. vegetus. Bigleaf Wintercreeper 1	Tuonan	2010 1	
12 to 15 in	1.50	1.35	1.25
15 to 18 in	2.00	1.85	1.75
18 to 24 in	2.50	2.35	2.25
24 to 30 in	3.00	2.75	
hamiltonianus. Hamilton Euonymus			
3 to 4 ft	1.25	1.10	
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
kiautschovicus (patens). Spreading	Euony	mus.	5 '
18 to 24 inB&B	4.00	3.50	3.25
2 to 3 ftB&B	5.00	4.75	4.50
3 to 4 ftB&B	6.00	5.50	
latifolius. Broadleaf Euonymus. 10	"		
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.75	
maacki. Maack Euonymus. 10'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.65	
nanus. Dwarf Euonymus. 3'			
12 to 15 in	2.00	1.75	1.50
15 to 18 in	2.25	2.00	
obovatus. Running Euonymus. 1'			
8 to 10 in. from pots	1.35	1.10	1.00
oxyphyllus. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.25	2.00	1.75
patens. (see kiautschovicus).			

	1-4 Each	5-24 2 Each	5 & up Each
Euonymus	2317014		220,000
radicans. (see fortunei).			
yedoensis. Yeddo Euonymus. 10'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.00	1.75	
Euptelea polyandra. Japanese Euptelea	a. 20'		
	12.50		
8 to 10 ft	15.00		
Evodia danieli. Korean Evodia. 25'			
4 to 5 ft	7.50		
5 to 6 ft	10.00		
hupehensis. Hupeh Evodia. 25'			
4 to 5 ft	7.50		
5 to 6 ft	10.00		
Exochorda giraldi wilsoni. Wilson Red	bud P	earlbush	. 15 '
	4.00		
5 to 6 ft	5.00		
6 to 8 ft	6.00		
racemosa. (grandiflora). Pearlbush	. 10'		
2 to 3 ft	.85	.70	.65
3 to 4 ft	1.25	.90	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.50	
6 to 8 ft. spec	15.00		
8 to 10 ft. specB&B	18.00		
Fagus grandiflora. (americana). Ameri	ican B	eech. 60	,
4 to 5 ftB&B	15.00		
5 to 6 ftB&B	20.00		
6 to 8 ftB&B	25.00		
8 to 10 ftB&B	35.00		
10 to 12 ftB&B	50.00		
sylvatica. European Beech. 75'			
10 to 12 ftB&B		37.50	
12 to 14 ftB&B		60.00	
14 to 16 ftB&B	90.00		

54 HEINKI KOLIANKIE & SOLI	
	5-24 25 & up Each Each
Fagus	24012
sylvatica fastigiata. Pyramidal Beech. 25'	
2 to 3 ftB&B 15.00	
3 to 4 ftB&B 20.00	
4 to 5 ftB&B 25.00	
5 to 6 ftB&B 30.00	
15 to 18 ftB&B 125.00	
sylvatica heterophylla. Cutleaf Beech. 25'	
2 to 3 ftB&B 15.00	
3 to 4 ftB&B 20.00	
4 to 5 ftB&B 25.00	
10 to 12 ftB&B 75.00	
sylvatica pendula. Weeping Beech. 50'	
	2.50
3 to 4 ft	
4 to 5 ftB&B 25.00	
5 to 6 ftB&B 30.00	
14 to 16 ftB&B 125.00	
Larger sizes quoted on request.	
sylvatica purpurea. Purple Beech. 75'	
8 to 10 ftB&B 35.00	
10 to 12 ft	
sylvatica riversi. River's Beech. 75'	
2 to 3 ftB&B 15.00	
3 to 4 ftB&B 20.00	
4 to 5 ftB&B 25.00	
5 to 6 ftB&B 30.00	
Large specimens quoted on request.	
sylvatica tricolor. Tricolor Beech. 25'	
2 to 3 ftB&B 15.00	
Fontanesia fortunei. Fortune Fontanesia. 15' 3 to 4 ft	1.00
4 to 5 ft	1.50
5 to 6 ft	1.75
5 (0 6 11	1.10
Forestiera neomexicana. 10'	
3 to 4 ftB&B 10.00	9.00
4 to 5 ftB&B 12.50 1	10.00
Forsythia europea. Albanian Forsythia. 6'	CE
2 to 3 ft	.65
3 to 4 ft	.90
4 to 5 ft	1.25

Forsythia	1-4		25 & up
intermedia. Border Forsythia. 8'	Each	Each	Each
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
intermedia primulina.			
Primrose Border Forsythia. 10'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.75	1.50	1.35
5 to 6 ft	2.00	1.65	1.60
6 to 8 ft	2.50		
intermedia spectabilis. Showy Bord	er Fo	rsythia.	. 8 '
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
8 to 10 ft	2.50	2.25	2.00
ovata. Early Forsythia. 8'			
2 to 3 ft	1.00	.75	.70
3 to 4 ft	1.50	1.25	1.00
suspensa. Weeping Forsythia. 6'			
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.35	
5 to 6 ft	2.00	1.60	
suspensa atrocaulis. Purplestem We	eping	Forsyt	hia. 6
2 to 3 ft	.90	.70	
3 to 4 ft	1.25	.85	
4 to 5 ft	1.50	1.25	
suspensa fortunei. Fortune Wespin	g For	sythia.	8 '
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
suspensa sieboldi. Siebold Weeping	Forsy	ythia.	8 '
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75

Forsythia			$^{1-4}_{\rm Each}$	5-2 4 Each	25 & up Each
		enstem Forsythia.			
2 to	3 ft			.65	.60
3 to	4 ft			.85	.80
4 to	5 ft		1.50	1.25	1.10
5 to	6 ft		2.00	1.60	1.35
Fothergilla g	jardeni.	Dwarf Fothergill	a. 3'		
18 to	24 in	B&B	7.50	6.00	
24 to	30 in	B&B	10.00		
		,			
Franklinia a	latamah	a. 20'			
4 to	5 ft	B&B	25.00		
5 to	6 ft	B&B	30.00		
6 to	8 ft	B&B	35.00		
Fraxinus an	nericana.	. White Ash. 80'			
6	to 8	ft	3.00	2.50	2.25
8	to 10	ft	3.75	3.00	2.75
11/4	to 1½	in	5.00	4.25	4.00
11/2	to 13/4	in	7.00	6.50	6.00
13/4	to 2	in	9.00	8.00	7.50
2	to 2½	in	12.50	11.00	10.00
21/2	to 3	ft	20.00	17.50	15.00
excelsio	. Europ	ean Ash. 100'			
6	to 8	ft	3.00	2.50	2.25
8	to 10	ft		3.00	2.75
11/4	to 1½	in	5.00	4.25	4.00
1½	to 13/4	in	7.00	6.50	6.00
13/4	to 2	in	9.00	8.00	7.50
2	to 2½	in	12.50	11.00	10.00
$2\frac{1}{2}$	to 3	ft		17.50	15.00
3		in		20.00	
mandshi	urica M	anchurian Ash. 80) '		
6	to 8	ft		3.25	3.00
8	to 10	ft		4.25	4.00
11/4		in		5.25	5.00
1½		in		6.50	0.00
134		in		7.50	
2		in.		12.50	
			. 20.00		
nigra. E			E 00	4.50	
8	to 10			4.50	
11/4		in		5.50	
$1\frac{1}{2}$	to 13/4	in	. 8.50	7.50	

	4 5-24 25 & up ch Each Each
pennsylvanica. Red Ash. 60'	ch Each Each
6 to 8 ft 3.7	75 3.25
8 to 10 · ft 5.0	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 6.0	
1½ to 1¾ in 8.5	
134 to 2 in	
2 to 2½ in	00 12.50
p. lanceolata. Green Ash. 60'	00 050 005
6 to 8 ft	
1½ to 1½ in 5.	
1½ to 1¾ in 7.	
134 to 2 in 9.0	
2 to 2½ in 12.5	
2½ to 3 in 20.0	
quadrangulata. Blue Ash. 80'	70 11.00 10.00
6 to 8 ft	00
8 to 10 ft 7.5	
1½ to 1¾ in	50
Gaylussacia baccata. Black Huckleberry.	
18 to 24 inB&B 6.0	00
Genista juncea. 2'	
15 to 18 in. from pots 1.	75 1.50
pilosa. Silky Leaf Woadwaxen. 1'	
4 to 6 in. from pots 1.5	50 1.25
sagittalis. Arrowhead Broom. 9"	
4 to 6 in. from pots 1.5	50 1.25
scoparia (see Cytisus)	
tinctoria. Woadwaxen. 3'	
	75 .60
	00 .75
3 to 4 ft	25 1.00
Ginkgo biloba. Maidenhair Tree. 60'	
6 to 8 ft 5.5	50 4.50
8 to 10 ft	6.25
1¼ to 1½ in 10.0	00 8.50
1½ to 1¾ in 12.5	50 10.00
13/4 to 2 in 15.0	
2 to 2½ in 20.0	
2½ to 3 in 30.0	
3 to 3½ in 40.0	
3½ to 4 in 50.0	
4 to 4½ in 65.0	

1-4 Each	5-24 Each	25 & up Each
biloba fastigiata. Sentry Ginkgo. 60'		
5 to 6 ft		
Gleditsia japonica. Japanese Honeylocust. 40	,	
8 to 10 ft 7.50	6.00	
1½ to 1½ in 10.00	7.50	
1½ to 1¾ in		
triacanthos. Honeylocust. 60'		
5 to 6 ft	2.25	2.00
6 to 8 ft	2.75	2.50
8 to 10 ft 5.00	4.00	3.75
$1\frac{1}{4}$ to $1\frac{1}{2}$ in. 6.00	5.50	5.00
1½ to 1¾ in 8.00	7.50	
13/4 to 2 in 12.50	10.00	
2 to $2\frac{1}{2}$ in 15.00	12.50	
$2\frac{1}{2}$ to 3 in	18.00	
triacanthos elegantissima. Bushy Honeyl	ocust.	20 '
4 to 5 ft 3.50	3.00	2.50
5 to 6 ft 4.00	3.50	
6 to 8 ft 5.00	4.00	
triacanthos inermis. Thornless Honeylocu	st. 50'	
6 to 8 ft	3.50	3.25
8 to 10 ft 6.00	5.50	5.00
1½ to 1½ in 8.50	7.50	6.50
1½ to 1¾ in	10.00	9.50
1¾ to 2 in 15.00	12.50	
2 to 2½ in 18.00		
Gordonia alatamaha. (see Franklinia)		
Gymnocladus dioca. Kentucky Coffeetree. 40'		
6 to 8 ft		
Halesia carolina. (tetraptera). Carolina Silve	rbell. 1	<i>5</i> ′
4 to 5 ft	2.00	1.50
5 to 6 ft	2.75	2.50
6 to 8 ft	4.50	4.00
8 to 10 ft	6.00	5.00
10 to 12 ft	12.50	
8 to 10 ft. spec		
10 to 12 ft. specB&B 25.00		
diptera. Twowing Silverbell. 30'		
2 to 3 ft 4.00		

Halesia	1.4		25 & up
monticola. Mountain Silverbell. 50'	Each	Each	Each
5 to 6 ft	7.50		
6 to 8 ft	10.00		
8 to 10 ft	12.50		
Hamamelis japonica. Japanese Witchho	azel. 20	,	
2 to 3 ft	3.00	2.75	
3 to 4 ft	3.50		
4 to 5 ft	5.00		
japonica rubra. 20'			
	3.00		
3 to 4 ft	3.50		
mollis. Chinese Witchhazel. 20'			
2 to 3 ft	4.00		
vernalis. Vernal Witchhazel. 8'			
2 to 3 ft	1.25	1.00	.85
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
	2.50	2.25	2.00
6 to 8 ft	3. 50	2.75	
vernalis carnea. Redpetal Vernal	Witchha	zel. 8'	
2 to 3 ft	3.00		
3 to 4 ft	3.50		
vernalis purpurea. 8'			
3 to 4 ft	3.50		
vernalis tomentella. 6'			
2 to 3 ft	1.25	1.00	.85
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	2.75	
virginiana. Common Witchhazel. 1		1 00	O.F.
2 to 3 ft	1.25	1.00	.85
	1.60	1.35	1.25 1.50
4 to 5 ft	$\frac{2.00}{2.50}$	$1.75 \\ 2.25$	$\frac{1.50}{2.00}$
6 to 8 ft	$\frac{2.50}{3.50}$	$\frac{2.25}{2.75}$	2.50
8 to 10 ft	4.00	$\frac{2.73}{3.50}$	$\frac{2.50}{3.00}$
8 10 10 11	4.00	3.50	3. 00
Hedera helix. English Ivy. 20'			
2 year, 2 in. pots	.50	.40	.35
2 year, 3 in. pots	.55	.45	.40
3 year, 4 in. pots	.65	.55	.50

PT - J	1-4 Each	5-24 2 Each	5 & up Each
Hedera	101		
helix Albany. Albany English Ivy. 2 year, 3 in. pots	.65	.55	.50
helix baltica. Baltic English Ivy. 1	5 '		
2 year, 3 in. pots	.65	.55	.50
helix Emerald Gem. 15'			
2 year, 3 in. pots	.75	.65	.60
helix gracilis. Miniature English In	oy. 10'		
2 year, 3 in. pots	.55	.45	.40
3 year, 4 in. pots	.65	.55	.50
helix Hahn's			
2 year, 3 in. pots	.55	.45	.40
3 year, 4 in. pots	.65	.55	.50
helix lobata.			
2 year, 3 in. pots	.75	.60	.50
Helwingia japonica. 5'			
12 to 15 in., 3 in. pots	2.50	2.25	
Hibiscus syriacus. Shrub Althea. 12'			
double varieties			
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.80	.70
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.75	2.25	2.00
	15.00		
Ardens — Purple.			
Banner — Blush.			
Jeanne d Arc — White.			
Lady Stanley — White, shade	d rose		
Rubra Plena — Red.	a rosc	•	
Speciosa Plena — Pink.			
Speciosa Picia I IIII.			
single varieties		•	
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.80	.70
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
Coelestis — Blue.			
Rosea — White, crimson eye.			
Rubis — Red.			
Totus albus — White.			

	1-4 Each		25 & up Each
Hibiscus	Hacii	Each	Lacti
variegatus. Leopardleaf Shrub Alth	ea. 8'		
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
variegatus Meehani. Meehan Varie	egated	Althea	. 6'
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
Hippophae rhamnoides. Sea-buckthorn.	12 '		
3 to 4 ft			
4 to 5 ft	4.00		
5 to 6 ft	5.00		
Hydrangea arborescens. Smooth Hydra	naea	6 '	
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.80	.75
4 to 5 ft		1.10	.95
arborescens grandiflora. Snowhill 2 to 3 ft	~	.80 <i>.</i> 80	.70
3 to 4 ft		1.00	.85
			.00
cineria sterilis. Sterile Ashy Hydra		6"	
2 to 3 ft			
	2.00		
macrophylla Nikko Blue. 3'	1.50	1.05	1.10
2 year	1.50	1.35	1.10
macrophylla Otaksa. 3'	4.05	1.00	
2 year	1.25	1.00	.90
paniculata. Panicle Hydrangea. 10'			
2 to 3 ft	.75	.65	
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.35	1.10	1.00
5 to 6 ft	1.75	1.50	1.25
paniculata grandiflora. Peegee Hy	_		0.5
2 to 3 ft	1.00	.75	.65
3 to 4 ft	1.25	.90	.80
4 to 5 ft	1.75	1.50	
3 to 4 ft., tree form	2.50	01	
paniculata praecox. Early Hydrang 2 to 3 ft	1.00	U	
3 to 4 ft	1.00 1.25		
4 to 5 ft	1.50		
5 to 6 ft	1.75		
9 to 0 It	1.10		

Hydrangea	1-4 Each	5-24 Each	25 & up Each
_			
petiolaris. Climbing Hydrangea.	2.75	2.50	2.25
3 inch pots			
4 inch pots	3.00	2.75	2.50
5 inch pots	3.75	3.25	
quercifolia. Oakleaf Hydrangea. 4'			
18 to 24 in	2.25	1.75	1.50
2 to 3 ft	2.75	2.25	
radiata. Silverleaf Hydrangea. 6'			
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.25	1.00	.85
4 to 5 ft	1.50	1.25	1.15
xanthoneura Thos. Hogg. $3'$			
2 year	1.25	1.00	.90
Hypericum arnoldianum. Arnold St. Jo	hnswor	t. 5'	
18 to 24 in	.75	.60	.55
2 to 3 ft	1.00	.75	.65
bucklei. Blueridge St. Johnswort.			
6 inches	1.25	1.00	
densiflorum. Dense St. Johnswort.		2.00	
18 to 24 in	.75	.55	.50
2 to 3 ft	1.00	.65	.60
3 to 4 ft	1.25	.85	.75
frondosum. (aureum). Golden St			
18 to 24 in	.75	.55	.50
2 to 3 ft			
	1.00	.65	.60
	1.25	.85	.75
kalmianum. 4'			
18 to 24 in		.55	.50
2 to 3 ft		.65	.60
3 to 4 ft	1.25	.85	.75
lobocarpum. 6'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
moserianum. Goldflower. 2'			
15 to 18 in	.85	.75	.70
18 to 24 in	1.00	.90	.80
patulum. Goldencup St. Johnswort.	3'		
18 to 24 in	1.00	.80	.75
patulum henryi. Henry St. Johnswo	rt. 4'		
18 to 24 in	1.00	.80	.75
2 to 3 ft		1.00	.85

	1-4		25 & up
Hypericum	Each	Each	Each
prolificum. Shrubby St. Johnswort	. 5'		
18 to 24 in	.75	.55	.50
2 to 3 ft	1.00	.65	.60
3 to 4 ft	1.25	.85	.75
	,,		
vanfleeti. Van Fleet St. Johnswort.		1 05	1.00
2 to 3 ft		1.25	1.00
3 to 4 ft	2.00	1.50	
Idesia polycarpa. 10'			
2 to 3 ft	3.50		
Ilex cornuta. Chinese Holly. 10'			
18 to 24 inB&B	6.00	5.50	
24 to 30 inB&B	7.50	7.00	
30 to 36 inB&B	12.50	10.00	
36 to 42 inB&B		12.50	
cornuta burfordi. Burford Holly.			
15 to 18 in from pots		3.50	
crenata. Japanese Holly. 10'			
15 inB&B	4.00	3.50	3.25
18 inB&B	6.00	5.50	5.00
24 in	7.50	7.00	6.50
30 inB&B	12.50	10.00	9.50
36 inB&B		13.50	12.50
crenata bullata. Convexleaf Japane			
15 to 18 inB&B	5.50	5.00	4.50
	7.00	6.50	6.25
24 to 30 inB&B		9.00	
30 to 36 inB&B	15.00	12.50	
crenata latifolia. Bigleaf Japanese		10'	
18 to 24 in			
24 to 30 inB&B	8.00	7.50	
30 to 36 in		10.00	
36 to 42 in		12.50	
crenata microphylla. Littleleaf Jag			10 '
15 in	4.00	3.50	
18 in	6.00	5.50	
24 in	7.50	7.00	
crenata rotundifolia. 6'			
18 to 24 in	6.00	5.50	
24 to 30 in	7.50		
geniculata. Droopbead Holly. 8'			
3 to 4 ft	3.00		
4 to 5 ft	4.00		

0,	112.((() 110.) (() () ()			
		1-4 Each	5-24 Each	25 & up Each
Ilex		Басп	Each	Bach
glabra. 1n	kberry. 8'			
15 40 1	.8 in	4.00	3.25	2.75
	24 in	5.00	4.00	3.75
		6.00	5.50	5.00
	80 inB&B	9.00	8.00	7.50
	86 in	12.50	11.00	10.00
30 10 4	12 inB&B	12.50	11.00	10.00
laevigata.	Smooth Winterberry. 6'			
2 to	3 ft	1.50	1.25	1.00
	4 ft	1.75	1.50	1.25
	5 ft.	2.00	1.75	1.50
1 (0	J 16.	2.00	1.10	1.00
opaca. An	nerican Holly. 40'			
2 ft.	B&B	8.00	7.00	6.00
3 ft.		10.00	8.00	7.50
4 ft.		12.50	11.50	*****
5 ft.			22100	
6 ft.	B&B			
10 ft.	B&B			
			C	. 4
For I	arger sizes to 12 ft., add 3	\$10.00	per 100	στ
serrata. 1	Finetooth Holly. 12'			
2 40	3 ft	2.00	1.75	
	4 ft	2.50	2.25	
	5 ft	3.00	4.40	
4 10	5 16	3.00		
verticillat	a. Common Winterberry.	<i>10</i> ′		
2 to	3 ft	1.35	1.10	1.00
	4 ft.	1.50	1.35	1.25
	5 ft	2.00	1.75	1.50
	6 ft.	2.50	2.25	
0 0		2.00	2.20	
	a chrysocarpa.			
Y ellor	w-fruit Winterberry. 10'			
	5 ft	4.00		
5 to	6 ft	5.00		

	1-4 Each	5-24 Each	25 & up Each
_	6 '	2401	2260
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.25
kirilowi. Kirilow Indigo. 4'			
18 to 24 in	2.00	1.50	1.25
2 to 3 ft	2.50	1.75	1.50
potanini. Potanin Indigo. 5'	0.00	1 55	
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.00	
Itea virginica. Virginia Sweetspire. 8'			
2 to 3 ft	1.25	.85	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00		
Jasminum nudiflorum. Winter Jasmine.	. 3'		
15 to 18 in	.75	.65	.60
18 to 24 in	1.00	.85	.75
12 to 15 in., 2½ in. pots	1.25	1.00	.90
stephanense. Stephan Jasmine. 3'			
2 ft., 4 in. pots	2.00	1.50	
Juglans cinerea. Butternut. 75'			
6 to 8 ft	7.00		
8 to 10 ft	8.50		
	11.00		
nigra. Black Walnut. 80'			
6 to 8 ft	7.00	6.50	
8 to 10 ft	8.50	8.00	
	11.00	10.00	*
	15.00	12.50	
2 to 2½ in	17.50	15.00	
2½ to 3 in	22.50	20.00	
regia. Persian Walnut. 50'			
4 to 5 ft	5.00		
5 to 6 ft	7.50		
6 to 8 ft	10.00		
sieboldiana. Siebold Walnut. 50'			
6 to 8 ft	7.50		
1½ to 1¾ in	10.00		
13/4 to 2 in	12.50		
2 to 2½ in	17.50		
2½ to 3 in	22.50		
3 to 3½ in	30.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Juniperus chinensis. Pyramid Chinese	1-4 Each	Each	25 & u Each
2 ft B&B		5.00	
3 ftB&B		6.50	
4 ftB&B			
5 ft			
6 ft			
7 ft			
8 ftB&B		25.00	
For larger sizes to 12 ft., add \$5			
1 01 1αίχει 312ε3 το 12 1τ., ανα ψε	.oo per	1000.	
chinensis albovariegata.			
Whiteleaf Pyramid Chinese Jun	niper. 2	20'	
3 ftB&B	10.00	7.50	
4 ftB&B	12.50	10.00	
chinensis columnaris.		201	
Columnar Pyramid Chinese Jun	_		
4 ftB&B		10.00	
5 ftB&B			
6 ftB&B			
7 ftB&B			
8 ftB&B			
For larger sizes to 14 ft., add \$5	0.00 per	r foot.	
chinensis globosa.			
Globe Pyramid Chinese Juniper	. 5'		
18 in		5.00	
24 in	7.50	6.00	
chinensis hetzi. Hetz Blue Junipe	n 6'		
18 to 24 inB&B			
10 to 24 m	1.00		
chinensis japonica. Japanese Juni	-		
18 inB&B	5.00	4.00	
2 ftB&B	6.00	5.00	
3 ftB&B	7.50	6.50	
c. japonica aureovariegata.			
Yellow Variegated Japanese Jun	nimar s		
18 inB&B	-	,	
10 III	0.00		
chinensis mas. 10'			
3 ft	10.00		
chinensis neaboriensis. Conical Ch	inese J	uniper.	10'
3 ftB&B		T. P. C. T	
4 ftB&B			

.....B&B 15.00

5 ft.

			0,
	1-4 Each		25 & up Each
Juniperus			
chinensis oblonga. Oblong Chinese	Junip	er. 20'	
3 ftB&B			
chinensis pfitzeriana. Pfitzer Juni	ner 6'	•	
18 to 24 in. spdB&B	•	5.00	4.50
2 to 2½ ft. spd. B&B			
2½ to 3 ft. spd B&B			
3 to 3½ ft. spdB&B			
3½ to 4 ft. spdB&B			
-			
			16.00
5 to 6 ft. spd. B&B			
6 to 7 ft. spdB&B			
(Upright form can be furnished	in size	es 18" 1	to 6')
chinensis pfitzeriana compacta. 6	,		
18 to 24 in. spd		5.25	4.75
24 to 30 in. spd			6.00
30 to 36 in. spd			7.50
36 to 42 in. spd			1.00
42 to 48 in. spd			
_			
48 to 54 in. spdB&B	22.50	20.00	
chinensis plumosa. Plume Chinese	Junipe	r. 3'	
24 to 30 in. spd	6.00		
30 to 36 in. spdB&B	7.50		
chinensis sargenti. Sargent Chinese	Junia	ner. 3'	
18 in	-		4.75
24 in			1.10
30 in			
chinensis smithi. Smith Chinese Ju	_	<i>8</i> ′	
4 ftB&B	10.00		
communis. Common Juniper. 25'			
4 ft	7.50	6.00	
5 ft			
6 ft			
6 II	12.50	10.00	
communis depressa. Oldfield Comm	non Ju	niper.	3'
15 to 18 in. spdB&B	5.00	4.75	4.50
18 to 24 in. spdB&B	6.00	5.50	
communis aureo-spica Golden Pro	a twata	Lamina	r. 3'
		$\frac{Junipe}{4.00}$	т. з
18 to 24 in. spdB&B			
24 to 30 in. spdB&B			
30 to 36 in. spd			
36 to 42 in. spdB&B	10.00	8.00	

68 HENRY KOHANKIE & SON	
Eac 1-	
Juniperus	
communis depressa plumosa. (see horizontalis plumosa)	
communis hibernica. Irish Juniper. 18	,
2 ftB&B 3.7	
3 ft	
4 ft	
5 ft	
communis saxatilis. 2'	•
18 to 24 in. spread B&B 6.0	
communis suecica. Swedish Juniper. 2.	
2 ftB&B 3.7	
3 ftB&B 5.0	0 4.50 4.00
4 ftB&B 6.5	0 5.50
communis suecica nana. Dwarf Swedis	h Juniper. 6'
2 ftB&B 4.5	
3 ftB&B 5.50	5.00
communis vase-shaped. 10'	
2½ to 3 ftB&B 6.00	0
3 to 3½ ftB&B 7.5	
4 to 4½ ft	
conferta. Shore Juniper. 5'	•
2 ft	0 5.00
2½ ft B&B 7.00	
3 ft	
3½ ft B&B 10.00	
	o .
excelsa. Greek Juniper. 50'	
3 ftB&B 5.00	, , , , , , , , , , , , , , , , , , , ,
excelsa stricta. Spiny Greek Juniper. 8	
18 inB&B 4.5	
2 ftB&B 5.5	
2½ ftB&B 6.5	
3 ftB&B 8.5	
3½ ftB&B 10.0	
4 ftB&B 12.5	
4½ ftB&B 17.5	0 15.00
horizontalis. Cresping Juniper. 1'	
18 to 24 in. spdB&B 5.5	0 4.50
24 to 30 in. spdB&B 7.5	0 6.00
2½ to 3 ft. spdB&B 10.0	0 7.50
3 to 3½ ft. spdB&B 12.5	
horizontalis alpina. Alpine Creeping Ju	
18 to 24 in. spd	
•	

Tuning	1-4 Each	5-24 28 Each	& up Each
Juniperus			
horizontalis Bar Harbor. 1'			
15 to 18 in. spdB&B		3.50	
18 to 24 in. spd		4.00	
24 to 30 in. spdB&B	6.00		
horizontalis glauca. Blue Creeping	Junip	er. 1'	
18 to 24 in. spdB&B		4.00	
24 to 30 in. spdB&B	6.00	5.50	
$2\frac{1}{2}$ to 3 ft. spdB&B	7.50	6.50	
3 to 3½ ft. spdB&B	10.00	8.00	
horizontalis plumosa. Andorra Cre	amin a	Luninar	3'
18 to 24 in		4.00	3.75
24 to 30 in		5.50	5.00
2½ to 3 ftB&B			6.00
3 to 3½ ftB&B			
3½ to 4 ftB&B			
1 1 11			
horizontalis repens. 3'	5 50		
24 to 30 in. spdB&B			
3 6 to 4 2 in. spd	10.00		
procumbens. Japgarden Juniper. 2'			
18 to 24 in. spd		6.00	
24 to 30 in. spdB&B		7.00	
30 to 36 in. spd	12.50	10.00	
rigida. Needle Juniper. 30'			
6 ft	15.00		
7 ft	18.00		
8 ft	25.00		
sabina. Savin Juniper. 6'			
18 to 24 in. spdB&B	5.00	4.25	4.00
2 to 2½ ft. spdB&B		5.25	5.00
2½ to 3 ft. spd B&B		6.50	6.25
3 to 3½ ft. spdB&B	10.00	8.50	7.50
sabina tamariscifolia. Tamarix Sav	in 2'		
18 to 24 in. spdB&B		6.00	5.50
24 to 30 in. spdB&B		6.50	0.00
2½ to 3 ft. spd B&B			
sabina Von Ehron. 10'			
24 to 30 in. spdB&B	6.00	5.50	
30 to 36 in. spd		6.50	
36 to 42 in. spd		8.50	
42 to 48 in. spd B&B		3.00	

TIETAKT KOTIVAKA	L 0 30	714		
Juniperus		1-4 Each		25 & up Each
scopulorum. Rocky Mountain	Juni	ner. 30) "	
3 ft			7.00	
4 ft			9.00	
	Dab	20.00	0.00	
sphaerica. Fortunes Juniper.	10'			
3 ft	B&B	6.00		
4 ft	B&B	7.50		
5 ft	B&B	10.00		
6 ft	B&B	15.00		
squamata. Singleseed Juniper	r. 3'			
2 to 2 ½ ft. spd	в&в	7.50	6.00	
2½ to 3 ft. spd			7.50	
3 to 3½ ft. spd				
-				
squamata meyeri. Meyer Si	-		iper. 4'	
18 to 24 in	B&B	7.50		
virginiana. $Eastern$ $Redcedo$	r 75	,		
2 ft			4.25	4.00
3 ft			5.50	5.00
4 ft.			7.00	6.25
5 ft.				9.00
6 ft.			12.50	3.00
7 ft.			12.00	
For larger sizes to 12 ft.			nor foot	
roi larger sizes to 12 ft.	, auu	ф5.00	per root	•
virginiana canaerti. $Canaert$	Redc	edar.	<i>50</i> ′	
3 ft	B&B	7.50	6.75	6.25
4 ft	B&B	11.00	10.00	9.00
5 ft	B&B	15.00	13.50	12.50
6 ft	B&B	18.00	15.00	
7 ft	B&B	22.50	20.00	
8 ft	B&B	27.50		
9 ft	B&B	35.00		
10 ft	B&B	40.00		
For larger sizes to 12 ft.	, add	\$5.00 r	per foot.	
virginiana elegantissima. $\it G$	oldtip	Redce	dar. 25'	
2 ft	_		5.50	
3 ft			6.75	
4 ft			10.00	
5 ft			13.50	
6 ft				
7 ft				

	1-4 Each		25 & up Each
Juniperus			
virginiana glauca. Silver Redcedar	·. 25'		
2 ftB&B	6.00	5.50	
3 ftB&B		6.75	6.25
4 ft	11.00	10.00	9.00
5 ftB&B		13.50	12.50
6 ft	18.00	15.00	
7 ft		20.00	
8 ftB&B	27.50		
For larger sizes to 12 ft., add	\$5.00	per foo	ot.
virginiana globosa. Globe Redceda	r. 4'		
24 to 30 inB&B		8.00	
30 to 36 inB&B	12.50	10.00	
36 to 42 inB&B	15.00	12.50	
virginiana keteleeri. Keteleer Red	codar	15'	
3 ftB&B		7.00	
4 ft			
5 ft		13.50	
6 ft		10.50	
For larger sizes to 11 ft., add \$5	.00 pe	r 100t.	
virginiana kosteri. Koster Redced	ar. 4'		
18 to 24 in. spd B&B		5.25	4.75
2 to 2½ ft. spd B&B	7.50	6.50	6.00
2½ to 3 ft. spd B&B		8.00	7.50
3 to 3½ ft. spd B&B		12.00	
3½ to 4 ft. spd B&B			
virginiana pendula. Weeping Redc	edar.	<i>15</i> ′	
6 ft	20.00		
7 ft			
virginiana plumosa. Plume Redced	lar. 18	5 '	
5 ft			
6 ft	20.00		
7 ft	25.00		
virginiana reevesiana. Reeves Rede	cedar.	25'	
4 ft			
5 ft	15.00		
6 ft			

1-4 Each	5-24 Each	25 & up Each
Juniperus	230011	234022
virginiana schotti. Schott Redcedar. 25'		
3 ftB&B 7.50	6.75	6.25
4 ft	10.00	9.00
5 ftB&B 15.00	13.50	12.50
6 ft	15.00	
7 ft	20.00	
For larger sizes to 15 ft., add \$5.00 g		t.
virginiana tripartita. Fountain Redcedar.	5 '	
2 ft	6.00	
2½ ftB&B 8.00	7.00	
3 ftB&B 10.00	8.00	
3½ ftB&B 12.50		
4 ftB&B 15.00		
virginiana venusta. Green Pyramid Redce	edar. 2	5 '
2 ftB&B 6.00	5.50	5.00
3 ft	6.75	6.25
4 ft	10.00	9.00
5 ft	13.50	
6 ft	15.00	
7 ft	10.00	
8 ft		
Kalmia latifolia. Mountain Laurel. 6'		
	F F0	E 00
18 to 24 in	5.50	5.00
2 to 3 ft	8.00	7.50
3 to 4 ftB&B 10.00	9.50	9.00
Kalopanax pictus. Castor Aralia. 25'		
6 to 8 ft	7.50	
8 to 10 ft	10.00	
10 to 12 ft	15.00	
pictus maximowiczi. 25'		
6 to 8 ft	10.00	
8 to 10 ft	12.50	
10 to 12. ft	18.00	
Kerria japonica. Japanese Kerria. 4'		
18 to 24 in 1.00	.80	.75
2 to 3 ft	1.10	1.00
japonica pleniflora. Double Japanese Ker		
18 to 24 in	1.00	
2 to 3 ft 1.50	1.25	
2 W U Lt	1.40	

•	1-4	5-24	25 & up
Koelreuteria paniculata. Panicled Golde	Each	Each	
4 to 5 ft		ree. z	(D
5 to 6 ft	6.00		
6 to 8 ft	7.50		
8 to 10 ft			
0 10 10 10	10.00		
Kolkwitzia amabilis. Beauty Bush. 8'			
2 to 3 ft	1.25	1.00	.80
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	2.75	2.25	2.00
I shurnum alninum Gastal Labourous	20°		
Laburnum alpinum. Scotch Laburnum. 4 to 5 ft			
5 to 6 ft			
anagyroides. (vulgare). Goldenchai			20 '
4 to 5 ftB&B		9.00	20
5 to 6 ft		3.00	
6 to 8 ft. heavy			
watereri. Waterer Laburnum. 20'	20.00		
5 to 6 ftB&B	12.50		
• • • • • • • • • • • • • • • • • • • •		a d	
Larix decidua. (europea). European La			
2 to 3 ftB&B 3 to 4 ftB&B	$7.50 \\ 8.50$	$7.00 \\ 7.50$	
	12.00	10.00	
5 to 6 ft		12.50	
6 to 8 ft		12.00	
8 to 10 ft			
gmelini. Dahurian Larch. 60'			
5 to 6 ftB&B	15.00		
6 to 8 ft			
8 to 10 ft			
laricina. Eastern Larch. 50'			
4 to 5 ftB&B	12.50		
5 to 6 ftB&B			
6 to 8 ftB&B 2			
leptolepis. Japanese Larch. 50'			
3 to 4 ftB&B	10.00		
4 to 5 ftB&B 1	12.50		
Leptodermis oblonga. Chinese Leptodern	nis. 4'	,	
2 to 3 ftB&B	6.00		

	1-4 Each	5-24 2 Each	5 & up Each
Lespedeza bicolor. Shrub Lespedeza. 6'	Басп	Each	Dacu
3 to 4 ft	1.25	1.00	.80
4 to 5 ft	1.75		
	2		
japonica. Japanese Lespedeza. 5'	1.05		
2 year	1.25		
thunbergi (penduliflorum). Thunber	rg Les	pedeza.	4'
2 year	1.00	.80	
Leucothoe catesbaei. Drooping Leucotho	e. 4'		
15 to 18 in		4.00	3.75
18 to 24 inB&B	6.00	5.50	5.00
24 to 30 inB&B	7.50	7.00	
Libocedrus decurrens. California Incens	ecedar.	100'	
2 ft			
3 ft			
Ligustrum acuminatum. Sharpleaf Priz	et. 10'		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
acuminatum macrocarpum. Bigberr	ru Priz	et 10°	
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00		
amurense. Amur Privet. 15'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft. heavy	1.75	1.50	1.25
6 to 8 ft. heavy	2.50	2.00	1.75
ibolium. Ibolium Privet. 8'	2.00		1,,,
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	1.00	.80	.75
		.00	.10
obtusifolium (ibota). Border Prive	<i>t. 10</i> .65	55	50
2 to 3 ft	.90	.55 .70	.50 .65
	1.25	1.00	.90
		1.00	.90
o. nanum. Pygmy Border Privet. 6		5 0	45
18 to 24 in	.70	.50	.45
2 to 3 ft	.90	.65	.60
3 to 4 ft	1.25	.85	.75

Ligustrum	1-4		25 & up
o. regelianum. Regel Border Privet	Each $6'$	Each	Each
18 to 24 in. spd	.75	.60	.50
24 to 30 in. spd	1.00	.75	.70
2½ to 3 ft. spd	1.25	1.00	.90
3 to 4 ft. spd	3.00	2.50	
ovalifolium. California Privet. 10'			
18 to 24 in	.40	.25	.18
24 to 30 in	.50	.30	.22
ovalifolium variegatum.			
Golden California Privet. 10'			
18 to 24 in.	1.00	.85	
24 to 30 in	1.25	1.00	
30 to 36 in	1.50	1.35	
quihoui. Quihou Privet. 6'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.00	
vulgare. European Privet. 12'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.75	1.50	1.25
vulgare buxifolium. Boxleaf Privet	. 6'		
2 to 3 ft	2.00	1.50	1.25
3 to 4 ft	2.50	2.00	
4 to 5 ft	2.75	2.25	
vulgare foliosum. 10'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.50	1.25	1.00
vulgare leucocarpum. Whiteberry 1		12'	
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.35	1.10	1.00
5 to 6 ft	1.50	1.35	1.25
vulgare nanum. (Lodense). Europe			
12 to 15 in	.75	.65	.60
15 to 18 in	1.00	.85	.75
18 to 24 in	1.25	1.00	.85
24 to 30 in	1.50	1.25	4.00
vulgare pyramidale. Pyramidal Eur			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	

70				1111	J. 17 11 11 1				
							1-4 Each	5-24 2 Each	5 & up Each
Lindera	hons	oin	Co	manon	Snice	hach			
Lindera	2 to						1.00	.75	.65
	3 to	_					1.25	1.00	.90
	4 to						1.75	1.35	1.25
	5 to						2.00	1.65	1.50
	6 to							2.75	2.50
							18.00	2.10	2.00
	8 to	10	It.	ciump	os	. D&D	10.00		
*Liquida	amba	r f	orm	osana.	Forn	nosa S	weetgum	. 60'	
	8	to	10	ft.			10.00		
	3	to	$3\frac{1}{2}$	in			35.00		
*sty	racif	lua	A_n	nericar	ı Swee	etgum.	60 '		
_	6	to	8	ft			5.00		
	8	to	10	ft			7.50	6.50	6.00
	11/4	to	$1\frac{1}{2}$	in			10.00	8.00	
	11/2	to	$1\frac{3}{4}$	in			12.50	11.00	
	13/4	to	2	in			15.00	13.50	
	$2\frac{1}{2}$	to	3	in			30.00	27.50	
	3	to	$3\frac{1}{2}$	in			40.00	35.00	
	31/2	to	4				50.00	45.00	
	4	to	5				65.00	60.00	
	5	to	6						
*st	vraci:	flua	auı	rea. G	olden	Sweet	jum. 60	,	
	-								
			2						
	2						20.00		
	$\frac{1}{2}$		3				25.00		
	3						35.00		
*Liriod	endro	on	ch	inens	e. Chin	ese Ti	uliptree.	70 '	
	6 to	8 o	ft.				10.00		
*iu	lipife	era.	Tul	iptree.	. 80'				
	6	to	8	ft			4.50	4.00	3.75
	8	to	10	ft.			6.00	5.50	5.00
	11/4	to	11/2	ź in.			7.50	7.00	6.50
	11/2	to	13/	in.			9.00	8.00	7.50
	13/4		2	in.			. 12.50	11.00	10.00
	2	to	21/	ź in			. 15.00	13.50	12.50
	$2\frac{1}{2}$		3					18.00	
	3	to							
	$3\frac{1}{2}$								
	4	to							
	_								

Liriodendron			1-4 Each	5-24 28 Each	5 & up Each
	fastigiatum.	Puramid	Tulintre	e 70'	
6 to			10.00	. ,	
8 to					
1½ to	1½ in				
1½ to	13/4 in				
2 to	2½ in				
2½ to					
3 to	3½ in				
Lonicera alseud	smoides				
2 year			1.00	.75	.60
amoena. G	otha Honeysuc	kle. 10'			
	ft		1.50	1.25	
4 to 5	ft		2.00	1.50	
amoena ar	noldiana. Arn	old Honey	suckle.	6 '	
	ft		1.25	1.00	.75
3 to 4	ft		1.50	1.25	1.00
4 to 5	ft		2.00	1.50	1.25
5 to 6	ft.		2.50	1.75	1.50
bella albid	a. White Bell	e Honeysu	ckle. 10'		
	ft		.85	.65	.60
3 to 4	ft		1.25	.85	.80
	ft		1.50	1.25	1.10
	ft		2.00	1.60	1.35
6 to 8	ft		2.25	2.00	1.75
bella atror	osea. Pink Be	elle Honey	suckle. 1	0'	
	ft		.85	.65	.60
	ft		1.25	.85	.80
	ft		1.50	1.25	1.10
5 to 6	ft		2.00	1.60	1.35
billardi. 8'					
2 to 3	ft		.85	.65	.60
3 to 4	ft		1.25	.85	.80
4 to 5	ft		1.50	1.25	1.10
5 to 6	ft		2.00	1.60	1.35
browni pla	ntierensis. C	oral Brown	ns Honeg	y suckle.	4"
_			1.00	.80	.75
3 year			1.25	1.00	.90
caprifolium	. Sweet Hone	ysuckle. 1	!0 '		
				.80	

,,	1-4 Each	5-24 : Each	25 & up Each
Lonicera	Lacn	ыасп	Each
chrysantha. Coralline Honeysuckle.	<i>10</i> ′		
2 to 3 ft	.90	.70	.60
3 to 4 ft	1.25	.90	.80
4 to 5 ft	1.60	1.35	1.10
5 to 6 ft	2.00	1.60	1.35
conjugialis. Purpleflower Honeysuch	cle. 8'		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.90	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	
fragrantissima. Winter Honeysuckle	. 8'		
2 to 3 ft	.90	.75	.70
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.40	
fuchsioides. Fuchsia Honeysuckle.	4"		
2 year	1.50		
gracilipes. Spangle Honeysuckle. 6	,		
2 to 3 ft	1.00	.90	.80
3 to 4 ft	1.50	1.25	1.00
heckrotti. Everblooming Honeysuck	le. 15'		7 - 10
2 year	1.00	.80	.75
henryi. Henry Honeysuckle. 15'			
2 year	1.00	.80	.75
hirsuta. Hairy Honeysuckle. 15'			
2 year	1.00	.80	
involucrata. Bearberry Honeysuckle	. 3'		
2 to 3 ft	2.00		
3 to 4 ft	2.50		
japonica. Japanese Honeysuckle. 1		4.0	0.5
2 year	.50	.40	.35
3 year	.60	.50	.45
japonica chinensis. Purple Japanes		eysuck .75	
2 year	1.00		
japonica halleana. Hall Japanese I	.50	.40	.35
2 year 3 year		.50	.45
japonica aureo-reticulata.	.00	.00	, 10
Yellownet Japanese Honeysuckl	e. 15'		
2 year	1.00	.85	.75
koehneana. Koehne Honeysuckle.			
2 to 3 ft		.75	
3 to 4 ft			

	1-4 Each	5-24 2 Each	5 & up Each
Lonicera	Each	Laci	Each
korolkowi floribunda.			
Broad Blueleaf Honeysuckle. 10) '		
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
korolkowi zabeli. 10'			
2 to 3 ft	1.25		
3 to 4 ft	1.50		
ledebouri. Ledebour Honeysuckle. I	.O'		
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
maacki. Amur Honeysuckle. 10'			
2 to 3 ft	.85	.65	
3 to 4 ft	1.25	.85	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.60	
maacki podocarpa. 10'			
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.60	
morrowi. Morrow Honeysuckle. 8'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	
morrowi xanthocarpa.			
Yellowfruit Morrow Honeysuckl	e. 8'		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	
muendeniensis. Muenden Honeysuck			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
nitida. Box Honeysuckle. 4'			
6 to 12 in	1.00	.85	.75
orientalis longifolia. (kesselringi).	10 '		
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	

	1-4	5-24 Each	25 & up Each
Lonicera	Each	Each	Lacu
periclymenum belgica. Dutch Woo	dbine.	<i>15</i> ′	
2 year		.80	.75
3 year		1.00	.90
mileste Drivet Henemakle of			
pileata. Privet Honeysuckle. 2' 6 to 12 in	1.00	.85	.75
prolifera. Grape Honeysuckle. 5'			
3 year	1.25	1.00	
pyrenaica. Pyrenees Honeysuckle.	ō'		
3 to 4 ft	1.50		
4 to 5 ft	2.00		
quinquelocularis. Mistletoe Honeys	uckle.	10 '	
5 to 6 ft		1.75	
ruprechtiana. Manchurian Honeysuc	kle 1	0'	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50		
saccata. 5'	1.00	.75	.65
2 to 3 ft	1.25	.90	.80
3 to 4 ft	1.50	1.25	.00
		1.20	
sempervirens. Trumpet Honeysuckl		55	50
2 year	.65 .75	.55 .65	.50 .60
3 year	.13		.00
spinosa alberti. Albert Thorn Hone		le. 3'	
12 to 15 in	.75		
15 to 18 in	1.00		
standishi. Standish Honeysuckle. 8	,		
2 to 3 ft	.90	.75	.70
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.40	
syringantha. Lilac Honeysuckle. 4'			
15 to 18 in., 4 in. pots	1.50	1.25	
18 to 24 in., field grown	1.50	1.25	
2 to 3 ft., field grown	2.00	1.50	
3 to 4 ft., field grown	2.50	2.00	
syringantha wolfi. Wolf Lilac Ho	neysuc	kle. 6	
15 to 18 in., 4 in. pots		1.25	
•			

Tonigana	1-4 Each	5-24 Each	25 & up Each
Lonicera	o.t		
tatarica. Tatarian Honeysuskle. 10		0.5	00
2 to 3 ft		.65	.60
3 to 4 ft		.85	.80
4 to 5 ft		1.25	1.10
5 to 6 ft		1.60	1.35
6 to 8 ft	2.25	2.00	1.75
tatarica alba. White Tatarian Hor		le. 10'	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	
tatarica lutea. Yellow Tatarian H	oneysuc	kle. 10) '
2 to 3 ft	_	.85	
3 to 4 ft	1.25	1.10	
tatarica rosea. Rosy Tatarian Hon	eysuckl	e. 10 '	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft		1.60	1.35
tatarica sibirica. Red Tatarian Ho		kle. 10	,
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
tatarica virginalis. Maiden Honey		10 '	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft		1.60	1.35
tellmanniana. Tellmann Honeysuc			
2 year	1.25		
thibetica. Tibetan Honeysuckle. 4'			
2 year	1.50		
xylosteum. European Fly Honeysi	ickle. 8	,	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
Lycium chinense. Chinese Wolfberry.	.65	.55	.50
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.00	.00	. 10

	1-4 Each	5-24 Each	25 & up Each
Lycium			
halimifolium. Matrimony Vine. 6'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.80	
Lyonia ligustrina. He-Huckleberry. 12'			
2 to 3 ftB&B	6.00	5.00	
3 to 4 ftB&B	7.50	6.50	
mariana. Staggerbush Lyonia. 6'			
18 to 24 inB&B	4.00	3.50	
30 to 36 inB&B	5.50	5.00	
36 to 42 inB&B	6.50	6.00	
Maackia amurensis. Amur Maackia. 40	,		
2 to 3 ft	4.00		
3 to 4 ft	5.00		
4 to 5 ft	6.00		
5 to 6 ft	7.50		
Maclura pomifera. Osage-orange. 30'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft.	2.25	1.75	1.50
5 to 6 ft.	3.00	2.50	2.25
6 to 8 ft	5.00	4.00	3.50
8 to 10 ft	6.50	5.50	5.00
Magnolia acuminata. Cucumber Tree.	70 '		
5 to 6 ft			
6 to 8 ft			
8 to 10 ft	18.00		
10 to 12 ft			
denudata. Yulan Magnolia. 50'			
2 to 3 ftB&B	15.00		
3 to 4 ft			
4 to 5 ft			
5 to 6 ftB&B			
fraseri. Fraser Magnolia. 50'	00100		
8 to 10 ftB&B	35.00		
glauca (see virginiana).	33.00		
hypoleuca. (see obovata).			
kobus. Kobus Magnolia. 25'			
2 to 3 ftB&B	7.50	6.50	
3 to 4 ftB&B		8.00	
4 to 5 ft		9.00	
5 to 6 ftB&B		12.50	
6 to 8 ftB&B		16.00	
8 to 10 ftB&B		22.50	

			~~ 0
Magnolia	1-4 Each	5-24 Each	25 & up Each
kobus borealis.			
4 to 5 ftB&B		9.00	
5 to 6 ftB&B	15.00	12.50	
6 to 8 ftB&B	17.50	16.00	15.00
8 to 10 ftB&B		22.50	20.00
8 to 10 ft. spec			
Larger sizes quoted on requ	uest.		
kobus nana compacta. 8'			
18 to 24 inB&B	10.00		
liliflora. Lily Magnolia. 10'			
2 to 3 ftB&B	15.00		
3 to 4 ftB&B	20.00		
4 to 5 ftB&B	25.00		
obovata. Whiteleaf Japanese Magno	olia. 50) '	
8 to 10 ft			
10 to 12 ftB&B	35.00		
salicifolia. Anise Magnolia. 30'			
2 to 3 ft	15.00		
3 to 4 ft			
sieboldi. Oyama Magnolia. 30' 2 to 3 ft	15.00		
3 to 4 ft			
4 to 5 ft			
	20.00		
soulangeana. Saucer Magnolia. 20'	7.50	6 50	6.00
2 to 3 ft			$6.00 \\ 7.50$
4 to 5 ft			10.00
5 to 6 ft		12.50	10.00
6 to 8 ft		12.50	
s. lennei. Lenne Saucer Magnolia. 2		0.50	
3 to 4 ft		8.50 11.50	
		11.00	
5 to 6 ftB&B 6 to 8 ftB&B			
8 to 10 ft			
	40.00		
stellata. Star Magnolia. 8' 2 to 3 ft	19 50	11.00	10.00
			10.00
	15.00	13.50 18.00	
		10.00	
5 to 6 ftB&B 5 6 to 8 ftB&B			
0 to 0 It D&D	00.00		

04	HENRY KONANNIE & 30	14		
Magnolia		1-4 Each	5-24 2 Each	5 & up Each
stellata rose	ea. Pinkstar Magnolia.	15'	Расп	TOUCH
	_	12.50	11.00	10.00
3 to 4	ftB&B	15.00	13.50	12.50
4 to 5	ftB&B	20.00	18.00	15.00
5 to 6			22.50	20.00
6 to 8	ftB&B	30.00	27.50	
8 to 10	ftB&B	35.00		
tripetala. $\it U$	mbrella Magnolia. 30'			
		10.00	8.00	
6 to 8	ftB&B	13.50	11.00	10.00
8 to 10	ftB&B	20.00	16.00	15.00
10 to 12	ftB&B	25.00	22.50	20.00
virginiana.	(glauca). Sweetbay Ma	gnolia.	25'	
2 to 3	ftB&B	5.00	4.50	4.00
3 to 4	ftB&B	7.50	7.00	6.50
4 to 5	ftB&B	10.00	9.00	8.50
5 to 6	ftB&B	15.00	12.50	11.50
6 to 8	8 ftB&B	18.00	16.00	15.00
8 to 10	ftB&B	22.50	20.00	18.00
10 to 12	2 ftB&B	35.00	30 .00	
Mahonia aquifo	olium. Oregongrape. 4'			
15 to 18	inB&B	3.50	2.75	2.50
	inB&B	4.50	4.00	3.75
	inB&B	5.50	5.00	4.50
30 to 36	inB&B	7.50	7.00	
	eping Mahonia. 1'			
	in. spreadB&B		3.25	3.00
	in. spreadB&B		4.00	3.50
	in. spreadB&B	5.50	5.00	
Malus adstring				
4 to	5 ft		2.50	
0 10	6 ft	3.50	3.00	
	8 ft	6.00	5.00	
	0 ft	8.50	7.50	
	a. Southern Crabapple.		1.50	
	4 ft		1.50	
4 to	5 ft	2.50	2.00	
5 to	6 ft	3.50	3.00	
6 to	8 ft		5.00	
	0 ft		7.50	
	. Arnold Crabapple. 12		4 = 6	
	ft		1.50	
	ft		2.00	
	ft.		3.00	
6 to 8	3 ft	6.00	5.00	

PAINESVILLE, OHIO	85
Malus 1-4 Each	5-24 25 & up Each Each
atrosanguinea. Carmine Crabapple. 20' 3 to 4 ft	1.50
	1.50 2.00
	4.00
	6.00
6 to 8 ft	0.00
baccata. Siberian Crabapple. 30'	
3 to 4 ft	1.50
4 to 5 ft	2.00
5 to 6 ft	3.00
6 to 8 ft 6.00	5.00
8 to 10 ft 8.50	
baccata mandshurica. Manchurian Crabapp	ole. 30'
3 to 4 ft 2.50	2.00
4 to 5 ft 3.00	2.50
5 to 6 ft 4.00	3.50
6 to 8 ft 6.00	5.00
8 to 10 ft 8.50	
brevipes. 12'	
3 to 4 ft	2.00
4 to 5 ft 3.00	2.50
coronaria. Wild Sweet Crabapple. 30'	
3 to 4 ft 2.00	1.50
4 to 5 ft	2.00
5 to 6 ft	3.00
6 to 8 ft 6.00	5.00
8 to 10 ft 8.50	7.50
coronaria Charlotte. 15'	
3 to 4 ft	
4 to 5 ft	
5 to 6 ft 4.00	
6 to 8 ft	
8 to 10 ft	
dolga. 15'	
4 to 5 ft	
6 to 8 ft 6.00	
8 to 10 ft	
Dorothea. Pale Crimson Crabapple. 20'	
3 to 4 ft	
4 to 5 ft 5.00	
Elisa Rathke. Weeping Flg. Apple. 8'	
3 to 4 ft. spread 4.00	
O to I in pricate	
4 to 5 ft. spread 5.00	

	1-4 Each	5-24 25 & up Each Each
Malus	Each	Each Huon
florentina. Florentine Crabapple. 20	0'	
4 to 5 ft	3.00	
5 to 6 ft	4.00	
6 to 8 ft	6.00	
floribunda. Japanese Flowering Cr	rabappi	le. 20 '
3 to 4 ft	2.00	1.50
4 to 5 ft	2.50	2.00
5 to 6 ft	5.00	4.00
6 to 8 ft	7.50	6.00
8 to 10 ft. specimenB&B	35.00	
fusca. Oregon Crabapple. 20'		
4 to 5 ft	2.50	2.00
5 to 6 ft	3.50	3.00
6 to 8 ft	6.00	5.00
8 to 10 ft	8.50	7.50
glaucescens. Dunbar Crabapple. 12	P	
3 to 4 ft	2.00	1.50
4 to 5 ft	2.50	2.00
5 to 6 ft	3.50	3.00
6 to 8 ft	6.00	5.00
8 to 10 ft	8.50	7.50
halliana. Hall's Crabapple. 15'		
4 to 5 ft	5.00	
5 to 6 ft	6.00	
6 to 8 ft	7.50	
8 to 10 ft	10.00	
halliana parkmani. Hall's Parkma	n Crab	apple. 15'
3 to 4 ft	2.50	
4 to 5 ft	3.00	2.75
5 to 6 ft	4.00	3.50
6 to 8 ft	6.50	5.50
hopa. Red Flowering Crabapple. 12	2'	
4 to 5 ft	3.00	2.50
5 to 6 ft	4.00	3.50
6 to 8 ft	6.00	5.50
8 to 10 ft	8.50	7.50
hupehensis (theifera). 20'		
4 to 5 ft	3.00	2.75
5 to 6 ft	4.00	3.50
6 to 8 ft	6.00	5.50

Malus	1-4 Each	5-24 25 & up Each Each
h. rosea (theifera rosea). 20'		
4 to 5 ft	3.00	2.50
5 to 6 ft	4.00	3.50
6 to 8 ft	6.00	5.50
8 to 10 ft	8.50	7.50
ioensis. Prairie Crabapple. 25'	0.00	
3 to 4 ft	2.50	2.00
4 to 5 ft	3.00	2.50
5 to 6 ft	3.50	3.00
6 to 8 ft	6.00	5.00
8 to 10 ft	8.50	7.50
ioensis plena. Bechtel Crabapple.		1.00
3 to 4 ft	$\frac{15}{2.50}$	2.25 2.00
4 to 5 ft	3.00	2.75
5 to 6 ft	4.00	3.50
6 to 8 ft	6.50	5.50
Katherine. Deep Pink Crabapple.		0.00
4 to 5 ft		
5 to 6 ft	7.50	
6 to 8 ft	10.00	
micromalus. Midget Crabapple. 1		
4 to 5 ft	2.50	
5 to 6 ft	3.50	
6 to 8 ft	6.00	
8 to 10 ft	8.50	
niedzweizkyana. Redvein Crabapp		
	2.50	2.00
	3.00	2.50
5 to 6 ft	3.50	3.00
6 to 8 ft	6.00	5.00
8 to 10 ft	8.50	7.50
Oekonemurat Echtermeyer. 15'		
3 to 4 ft	2.50	
4 to 5 ft	3.00	
5 to 6 ft	4.00	
platycarpa. Bigfruit Crabapple. 22		
3 to 4 ft	3.50	
4 to 5 ft	5.00	
Prince Georges. Dbl. Pink Crabapp		
4 to 5 ft	6.00	
5 to 6 ft	7.50	

Malus	1-4 Each	5-24 25 & ur Each Each
purpurea. Purple Crabapple. 15'		
3 to 4 ft	2.50	2.00
4 to 5 ft	3.00	2.50
5 to 6 ft	4.00	3.50
6 to 8 ft	6.00	5.00
8 to 10 ft	8.50	7.50
purpurea aldenhamensis.		
Aldenham Purple Crabapple.	15'	
4 to 5 ft	3.00	2.50
5 to 6 ft	4.00	3.50
6 to 8 ft	6.00	5.00
8 to 10 ft	8.50	7.50
purpurea eleyi. Eley Purple Cral	hampla	<i>15</i> ′
3 to 4 ft	2.50	2.00
4 to 5 ft	3.00	2.50
5 to 6 ft	4.00	3.50
6 to 8 ft	6.00	5.00
8 to 10 ft	8.50	7.50
purpurea lemoinei. Lemoine Purp 3 to 4 ft	ne Crao 2.50	apple. 15'
4 to 5 ft	3.00	
5 to 6 ft	4.00	
		1. 4.77
prunifolia rinkı. Chinese Pearleaf 4 to 5 ft	3.00	2.50
	4.00	
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		3.50
6 to 8 ft	$6.00 \\ 8.50$	5.00 7.50
	0.00	1.50
robusta. Cherry Crabapple. 15'	2.50	
3 to 4 ft		
4 to 5 ft	3.00	
5 to 6 ft	4.00	
6 to 8 ft	6.00	
robusta erecta. Column Cherry Cr		. 15'
4 to 5 ft	3.00	
5 to 6 ft	4.00	
6 to 8 ft	6.00	
8 to 10 ft	8.50	
robusta leucocarpa.		
Yellow-fruited Cherry Crabapp		
6 to 8 ft	6.00	
8 to 10 ft	8.50	

Malus	1-4 Each	5-24 25 Each	5 & up Each
robusta persicifolia. Peachleaf Che			
4 to 5 ft	4.00	3.50	0
5 to 6 ft	5.00	4.50	
6 to 8 ft	6.00		
8 to 10 ft	8.50		
sargenti. Sargent Crabapple. 8'			
3 to 4 ft	3.50	3.00	
4 to 5 ft	5.00		
scheideckeri. Scheidecker Crabappl	le. 20'		
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.50	3.00	2.75
6 to 8 ft	6.00	5.00	4.50
8 to 10 ft	8.50	7.50	
sieboldi. Toringo Crabapple. 15'			
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.50	3.00	2.50
6 to 8 ft	6.00	5.00	4.50
8 to 10 ft	8.50	7.50	
spectabilis. Chinese Crabapple. 15'			
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.50	3.00	
6 to 8 ft	6.00	5.00	
8 to 10 ft	8.50	7.50	
spectabilis albiplena.			
Double White Chinese Crabappl	e. 15'		
3 to 4 ft		1.75	
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.50	3.00	
6 to 8 ft	6.00	5.00	
8 to 10 ft	8.50	7.50	
sublobata. Yellow Autumn Crabapp	le. 15'		
6 to 8 ft	6.00	5.00	
8 to 10 ft	8.50	7.50	
theifera. (see hupehensis)			
toringoides. Cutleaf Crabapple. 15'			
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	6.00	5.00	
8 to 10 ft	8.50	7.50	

Malus	1-4	5-24 Each	25 & up
tschonoski. 20'	Each	Eacn	Each
3 to 4 ft	2.50		
4 to 5 ft	3.00		
5 to 6 ft	3.50		
6 to 8 ft	6.00	5.00	
8 to 10 ft	8.50	7.50	
yunnanensis veitchi. Veitch Yunna	an Crab	papple.	25'
3 to 4 ft	2.50		
4 to 5 ft	3.00		
5 to 6 ft	3.50		
6 to 8 ft	6.00		
8 to 10 ft	8.50		
zumi. Zumi Crabapple. 15'			
5 to 6 ft	3.50	3.00	
6 to 8 ft	6.00	5.00	
8 to 10 ft	8.50	7.50	
zumi calocarpa. 15'			
5 to 6 ft	4.00	3.50	
6 to 8 ft	6.00	5.00	
8 to 10 ft	8.50	7.50	
Morus alba tatarica. Russian Mulberry	. 60'		
6 to 8 ft	2.00	1.75	
8 to 10 ft	3.00	2.75	
1½ to 1¾ in	4.50	4.00	
13/4 to 2 in	7.50	6.00	
2 to 2½ in	10.00	7.50	
alba pendula. Weeping Mulberry.			
2 year heads	6.00		
Myrica carolinensis. (see pennsylvanic	1 = 1		
cerifera. Southern Waxmyrtle. 5'	-a/		
18 to 24 in	4.00	3.50	3.25
2 to 3 ftB&B		4.75	4.50
3 to 4 ft. heavy B&B		10.00	1.00
4 to 5 ft. heavyB&B		12.50	
gale. Sweetgale. 4'			
18 to 24 inB&B	3.50	3.00	
2 to 3 ftB&B	5.00	4.00	
pennsylvanica. Northern Bayberry.			
18 to 24 inB&B	4.00	3.50	3.25
24 to 30 inB&B	5.00	4.75	4.50
Nandina domestica. Nandina. 8'			
12 to 15 in. from pots	1.50		
E			

Neillia longiracemosa. 10'	1-4 Each		25 & up Each
	1.05	1 10	1.00
2 to 3 ft	1.25		
	1.75		
4 to 5 ft	2.25	2.00	1.75
sinensis. Chinese Neillia. 6'	1.05	1 10	1 00
2 to 3 ft	1.25	1.10	1.00
3 to 4 ft			
4 to 5 ft	2.25	2.00	1.75
Nemopanthus mucronata. Mountain Ho		0 '	
Neviusia alabamensis. Snow-wreath. 6			
2 to 3 ft			
3 to 4 ft	2.75	2.25	
Nyssa aquatica. Water Tupelo. 40'			
8 to 10 ft	25.00		
sylvatica. Black Tupelo. 40'			
4 to 5 ftB&B	10.00		
5 to 6 ftB&B			
8 to 10 ft			
1½ to 1½ in			
1½ to 1¾ in			
134 to 2 in			
2 to 2½ in		35.00	
2½ to 3 inB&B			
3 to 3½ in			
sylvatica pendula. Weeping Black 12 to 14 ftB&B		o. zə	
Ostrya virginiana. American Hophornb	eam.	40'	
6 to 8 ft		5.00	
8 to 10 ft		6.00	
10 to 12 ft			
*Oxydendrum arboreum. Sourwood. 4			
2 to 3 ftB&B	4.50	4.00	3.50
3 to 4 ftB&B	6.00	5.00	4.50
4 to 5 ftB&B		7.50	7.00
5 to 6 ftB&B		11.00	10.00
6 to 8 ftB&B		13.50	
8 to 10 ftB&B			
10 to 12 ftB&B			
Pachistima canbyi. Canby Pachistima.			
		1.50	1.25
3 inch pots	1.10	1.00	1.20

	• •		
	1-4		25 & up
Parrotia persica. Persian Parrotia. 15'	Each	Each	Each
5 to 6 ft	19.50		
6 to 8 ft			
6 to 8 It	15.00		
Parthenocissus henryi. Silvervein Creen	er. 18	,	
2 year	1.00		
•			
quinquefolia. Virginia Creeper. 35'		40	.30
2 year	.50	.40	
3 year	.65	.50	.40
4 year		.60	.50
q. engelmanni. Engelmann Virgini			
2 year	.50	.40	.30
3 year	.65	.50	.40
4 year	.75	.60	.50
q. saintpauli. St. Paul Virginia Cre	eper.	<i>35</i> ′	
2 year	.50	.40	.30
3 year	.65	.50	.40
tricuspidata veitchi. Veitch Japane	se Cre	eper. 38	5'
2 year	.65	.55	.50
3 year	.85	.70	.65
tricuspidata lowi. Lows Japanese	Creepe	r. 8'	
2 year from pots	1.25	1.10	1.00
Paulownia tomentosa. Royal Paulownia	ı. 30'		
4 to 5 ft	5.00		
5 to 6 ft	6.00		
6 to 8 ft	7.50		
8 to 10 ft	10.00		
Periploca graeca. Grecian Silkvine. 30'			
	1.00	90	75
2 year		.80	.75
3 year	1.25	1.00	.95
Perovskia atriplicifolia. 4'			
2 to 3 ft	3.00		
Distribution durant automatical de la contraction de la contractio	# o !		
Phellodendron amurense. Amur Corktre		0.50	
	4.00	3.50	3.00
8 to 10 ft		4.50	4.00
	6.00	5.50	5.00
	7.50	6.50	6.00
	10.00	8.50	7.50
2 to 2½ in	15.00	12.50	10.00
2½ to 3 in	20.00		
lavallei. Lavalle Corktree. 30'			
2 to 2½ in	15.00	14.00	
2½ to 3 in	20.00		

	1-4 Each	5-24 Each	25 & up Each
Philadelphus coronarius. Sweet Mocko	range.	10'	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
coronarius aureus. Golden Mockor.	ange.	4'	
18 to 24 in		1.35	1.25
24 to 30 in		1.50	
coronarius nanus. Dwarf Sweet M	ockora	nge. 4'	
12 to 15 in		.80	
15 to 18 in	1.25	1.00	
coronarius plenus. Double Sweet	Mocko	range.	6'
18 to 24 in		.85	.75
2 to 3 ft	1.35	1.10	.95
coronarius speciosissimus. Roundle	af Mo	ckorang	e. 10'
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
cymosus Atlas. Giant Mockorange.	8 '		
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
c. Banniere. 8'			
2 to 3 ft	.85	.70	.65
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
c. Norma. 8'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
c. Voie Lactee. 6'			
2 to 3 ft	1.00	.80	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50		
falconeri. Falconers Mockorange. 8'			
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35

	1-4 Each		25 & up Each
Philadelphus			
gordonianus. Gordon Mockorange.	12'		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
grandiflorus. Big Scentless Mockor	ange.	8'	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
incanus. Gray Mockorange. 10'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
		1.20	
inodorus. Scentless Mockorange. 10'			
3 to 4 ft	2.00		
lemoinei. Avalanche. 5'			
2 to 3 ft	1.25	1.00	
lemoinei Dame Blanche. 6'			
2 to 3 ft	1.25	1.00	
lemoinei erectus. Erect Lemoine A	Iockon	ange.	ō'
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.90
lemoinei Pyramidale. 5'			
3 to 4 ft	1.25	.90	
4 to 5 ft	1.35	1.25	
lewisi. Lewis Mockorange. 10'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
magdalenae. Magdalena Mockorango			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	.90	.85
nepalensis. Nepal Mockorange. 10'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75

District and a	1-4 Each	5-24 2 Each	5 & up Each
Philadelphus			
nivalis. Snowbank Mockorange. 10'		0.5	00
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
polyanthus Favorite. 10'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	.90	.85
4 to 5 ft	1.50	1.25	
p. Gerbe de Neige. 6'			
2 to 3 ft	1.00	.80	
3 to 4 ft	1.25	1.00	
p. Pavillon Blanc. 8'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
		2.00	1.10
purpureo-maculatus Etoile Rose.			
2 to 3 ft	1.50		
purpureo-maculatus Ophelia. $6'$			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	.90	.85
4 to 5 ft	1.50	1.25	
p. Sybille. 5'			
2 to 3 ft	1.25	1.00	
sericanthus. Silk Mockorange. 12'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.00	1.75	
splendens. Splendens Mockorange.	10'		
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	1.75	
5 to 6 ft	2.75	2.25	
virginalis Albatre. 6'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	.90	.85
v. Argentine. 5'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50		

Philadelphus	1-4 Each	5-24 Each	25 & up Each
v. Bouquet Blanc. 5'	шасп	Each	Hach
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.25	
v. Glacier. 6'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	.90	.85
4 to 5 ft	1.50	1.25	
v. virginal. 8'			
2 to 3 ft	.90	.75	.65
3 to 4 ft	1.25	1.10	.95
4 to 5 ft	1.50	1.25	1.15
5 to 6 ft	2.00	1.65	1.35
zeyheri. Zeyher Mockorange. 10'			
3 to 4 ft	1.50		
Photinia villosa. Oriental Photinia. 15'			4.00
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	5.00	4.00	3.50
villosa laevis. Smooth Oriental Pho		<i>15</i> ′	
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
Physocarpus intermedius parvifolius.			
Dwarf Illinois Ninebark. 4'	1.05	1.00	0.5
2 to 3 ft	1.25	1.00	.85
3 to 4 ft	1.50	1.25	1.10
opulifolius. Common Ninebark. 10' 2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25		
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
opulifolius luteus. Goldleaf Nineba			1.10
2 to 3 ft	~.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.10
opulifolius nanus. Dwarf Common			
2 to 3 ft	1.00	.85	.80
3 to 4 ft	1.25	1.15	1.10
4 to 5 ft	1.50	1.35	1.25

	Each 1-4		Each 25 & up
Picea abies (excelsa). Norway Spruce.		024	20 00 01
2 ft	5.00	4.50	4.00
3 ft		6.50	6.00
4 ft		9.50	
5 ft			9.00
		13.50	
6 ftB&B		16.00	15.00
7 ftB&B		18.00	
8 ftB&B			
For larger sizes to 25 ft., add		-	t.
abies aurea. Golden Norway Sprud			
4 ft	12.50		
5 ftB&B	15.00		
6 ftB&B	18.00		
For larger sizes to 12 ft., add \$	\$5. 0 0 p	er foot	
abies clanbrasiliana. Barry Norwa	u Spra	uce. 7'	
2 ftB&B			
3 ft			
4 ft			
		~	401
abies ellwangeriana. Ellwanger No	•	Spruce.	10°
3 ft			
4 ftB&B			
5 ftB&B	18.00		
6 ftB&B	20.00		
abies maxwelli. Maxwell Norway S	Spruce.	<i>6</i> ′	
18 to 24 inB&B	_	7.50	
24 to 30 inB&B		10.00	
30 to 36 in			
abies nana. Dwarf Norway Spruce			
18 to 24 inB&B			
24 to 30 in			
30 to 36 in			
36 to 42 inB&B	18.00		
abies parviformis.			
Dwarf Pyramid Norway Spruce	-		
4 ft B&B		•	
abies pendula. Weeping Norway S		20'	
3 ftB&B			
4 ftB&B			
5 ft			
6 ftB&B			
For larger sizes to 12 ft., add 3			
abies procumbens. Prostrate Norw	vay Sp	ruce. 3	,
2½ ft. spd			
3 ft. spdB&B			

98 HEINKT KOHANKIL & SOLV		
1-4 Each	5-24 2: Each	5 & up Each
Picea		
abies pygmea. Pygmy Norway Spruce. 20	,,	
2 ftB&B 15.00		
abies remonti. Remont Norway Spruce. 6'		
24 to 30 in		
30 to 36 in		
36 to 42 in		
42 to 48 in		
48 to 54 inB&B 27.50		
alba. (see glauca)		
asperata. Dragon Spruce. 60'		
2 ft B&B 10.00		
3 ft		
bicolor. (alcockiana). Alcock Spruce. 75'		
4 ftB&B 15.00		
5 ft		
6 ftB&B 25.00		
engelmanni. Engelmann Spruce. 75'	11.00	10.00
3 ft	11.00	10.00
4 ftB&B 15.00	12.50	
5 ft		
6 ftB&B 22.50		
e. microphylla. Dwarf Engelmann Spruce.	5'	
4 ftB&B 20.00		
5 ftB&B 25.00		
glauca. (alba). White Spruce. 50'	4.75	4.50
2 ftB&B 5.00	4.75	4.50
3 ft B&B 8.00	6.75	6.25
4 ft	10.00	9.50
5 ftB&B 15.00	12.50	12.00
6 ft	16.50	15.00
7 ftB&B 20.00		
g. aurea. Golden White Spruce. 30'		
2 ft B&B 10.00		
5 ft		
g. conica. Dwarf Alberta Spruce. 6'		
3 ft	-	
g. densata. (canadensis). Black Hills Spr		
2 ft	4.75	4.50
3 ft	6.75	
4 ft	10.00	
5 ft	12.50	
6 ft		
7 ft		
8 ft		

Picea	01.110	1-4 Each	5-24 2 Each	5 & up Each
koyamai. Koyama Spruce. 30) '	Lacn	Each	Басп
3 ft		12.50	10.00	
4 ft			12.50	
mariana doumeti. Doumet B			25'	
3 ft	B&B	12.50		
omorika. Serbian Spruce. 50				
3 ft	B&B	12.50	10.00	
4 ft			12.50	
5 ft				
6 ft				
For larger sizes to 9 ft.,		\$7.50	per foot	
orientalis. Oriental Spruce. 7				
2 ft			7.50	
3 ft			10.00	
4 ft		15.00		
5 ft				
6 ft	B&B	25.00		
For larger sizes to 10 ft.		\$7.50 p	er toot	
pungens. Colorado Spruce. 6		E 00	4.75	4.50
2 ft			$\frac{4.75}{6.75}$	6.25
3 ft			10.00	9.50
4 ft			13.50	12.50
5 ft	B&B	15.00		12.50
6 ft	B&B	20.00 #7.50 **	18.50	
For larger sizes to 9 ft.,	add	\$7.50 I	60'	
pungens glauca. Blue Colore	ado Si	pruce.	9.00	8.50
2 ft			12.00	11.50
3 ft	QXQ.	20.00	17.50	17.00
4 ft			23.50	22.50
5 ft	D&D.	20.00	28.50	27.50
6 ft	COO.	35.00	32.50	21.00
7 ft				
pungens kosteriana. Koster 2 ft	B&B	10.00	9.00	
2 ft	B&B	15.00	12.50	
			18.00	
3 ft			22.50	
4 ft	B&B	30.00	25.00	
4½ ft			30.00	
5 ft			35.00	
5½ ft			40.00	
6 ft			45.00	
7 ft	B&B	55.00	50.00	
8 ft	.B&B	60.00	55.00	
For larger sizes to 25 ft	, add	\$7.50	per foo	t.
101 101 001 0110				

Picea	1-4 Each		25 & uj Each
	~		
pungens moerheimi. Moerheim Blu		ce. 40'	
2½ ftB&B			
3 ft			
3½ ftB&B			
4 ftB&B			
5 ft	40.00		
6 ft	50.00		
sitchensis. Sitka Spruce. 40'			
3 ft		8.00	
4 ftB&B	12.50		
5 ftB&B	15.00		
wilsoni. Wilson Spruce. 50'			
2 ftB&B			
3 ftB&B	10.00		
Pieris floribunda. Mountain Pieris. 4' 18 to 24 in	8.50		
japonica. Japanese Pieris. 10'			
15 to 18 inB&B	6.00		
18 to 24 inB&B	7.50		
Pinus banksiana. Jack Pine. 60'			
2 ftB&B	6.00	5.00	4.50
3 ft	8.00	7.00	6.50
4 ft	11.00	10.00	9.00
5 ft	15.00	13.50	12.50
6 ft	18.00	15.00	
7 ft			
For larger sizes to 18 ft., add		per fo	oot.
bungeana. Lacebark Pine. 60'	, –	•	
2 ft	10.00		
3 ft			
9 ft			
For larger sizes to 14 ft., add		ner 1	foot
	Ψ	PCI 1	
cembra. Swiss Stone Pine. 70'	15.00		
3 ft			
4 ftB&B	20.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Pinus 1-4 Each		25 & up Each
densiflora. Japanese Red Pine. 60'	Buon	234011
3 ft		
4 ft		
5 ft		
6 ft		
7 ft		
8 ft		
densiflora umbraculifera. Tanyosho Pine		
2 ft	•	
2 It		
flexilis. Limber Pine. 30'		
2 ftB&B 10.00	7.50	
3 ft	10.00	
4 ftB&B 15.00		
For larger sizes to 16 ft., add \$10.00	per f	oot.
jeffreyi. Jeffrey Pine. 50'		
3 ft	14.00	
4 ftB&B 20.00		
koraiensis. Korean Pine. 35'		
3 ft		
4 ft		
mugo. (montana). Swiss Mountain Pine.		
18 inB&B 7.50	7.00	6.50
2 ftB&B 10.00	8.00	
2½ ftB&B 14.00	12.50	
3 ftB&B 18.00	15.00	
3½ ftB&B 25.00		
4 ftB&B 35.00		
mugo mughus. Mugho Swiss Mountain P	ine. 4'	
15 to 18 in. spdB&B 6.00	5.00	
18 to 24 in. spd B&B 7.50	7.00	
2 to 2½ ft. spdB&B 10.00	8.00	
2½ to 3 ft. spd B&B 14.00		
3 to 3½ ft. spdB&B 18.00	15.00	
3½ to 4 ft. spd. B&B 25.00		
4 to 5 ft. spd. B&B 35.00		•

Pinus	1-4 Each		25 & up Each
nigra. Austrian Pine. 50'			
2 ftB&B	8.50	7.50	7.00
3 ft		11.00	10.00
4 ft		15.00	
5 ft		20.00	
6 ft			
For larger sizes to 15 ft., add		per fo	oot.
parviflora. Japanese White Pine. 5	<i>io'</i>		
3 ftB&B			
4 ftB&B			
peuce. Balkan Pine. 20'			
3 ftB&B	15.00		
4 ft	18.00		
5 ft	20.00		
6 ft	25.00		
7 ftB&B	30.00		
For larger sizes to 12 ft., add		per f	oot.
ponderosa. Ponderosa Pine. 60'			
3 ft	8.50	7.50	
4 ftB&B	11.00	9.00	
5 ft	15.00	12.50	
6 ft		15.00	
For larger sizes to 10 ft., add			
ponderosa scopulorum. Rocky Mt.			e. 50'
3 ft		12.50	
4 ftB&B			
5 ftB&B	22.50	20.00	
resinosa. Red Pine. 50'			
2 ft	8.50	7.50	7.00
3 ftB&B	12.50	11.00	10.00
4 ftB&B	18.00	15.00	
5 ft	22.50	20.00	
6 ftB&B	30.00		
For larger sizes to 12 ft., add	\$10.00	per fo	ot.
rigida. Pitch Pine. 25'			
6 ftB&B	22.50		
7 ftB&B	27.50		
strobus. Eastern White Pine. 75'			
	8.00	7.00	6.50
3 ftB&B		10.00	9.50
4 ftB&B	18.00	15.00	

Pinus	1-4	5-24	25 & up
sylvestris. Scotch Pine. 50'	Each	Each	Each
2 ftB&B	6.50	5.50	5.00
3 ft	10.00	8.00	7.50
4 ftB&B	15.00	12.50	
5 ft	18.00	15.00	
6 ft	25.00	20.00	
For larger sizes to 10 ft., add	\$10.00	per f	oot.
thunbergi. Japanese Black Pine. 60) *		
4 ftB&B			
5 ft			
For larger sizes to 12 ft., add	\$10.00	per f	oot.
Platanus occidentalis. American Planet	ree. 75	,	
6 to 8 ft	4.00	3.25	3.00
8 to 10 ft	5.25	4.75	4.50
1½ to 1½ in	7.50	6.75	6.50
1½ to 1¾ in	11.00	9.50	9.00
	15.00	12.50	11.50
	18.00	15.00	
2½ to 3 in	25.00	20.00	
acerifolia. Oriental Planetree. 80'			
6 to 8 ft	4.00	3.25	3.00
8 to 10 ft	5.25	4.75	4.50
1½ to 1½ in	7.50	6.75	6.50
1½ to 1¾ in	11.00	9.50	9.00
	15.00	12.50	
	18.00	15.00	
2½ to 3 in	25.00	20.00	
Polygonum auberti. Silvervine Fleecefl		25 '	
2 year	.85	.70	.60
Demarks all a William D. J. and			
Populus alba. White Poplar. 60'	0.50	0.00	0.55
6 to 8 ft	3.50	3.00	2.75
10 to 12 ft	5.50	4.50	4.25
134 to 2 in	6.50	5.50	
	10.00		
alba bolleana. Bolleana Poplar. 50 6 to 8 ft		0.05	0.00
8 to 10 ft	2.50	2.25	2.00
1½ to 1½ in	$3.50 \\ 4.50$	3.00	2.50
1½ to 1¾ in		4.00	3.50
1 ³ / ₄ to 2 in	$6.00 \\ 8.50$	5.00	
		7.50	
2 to 2½ in	10.00		

Populus				1-4 Each	5-24 Each	25 & up Each
alba niv	rea.	Silv	er Poplar. 90'	Haci	176001	Zaon
6	to		ft	3.75	3.00	
8	to	10	ft	4.50	4.00	
10	to	12	f t	5.50	5.00	
2	to	21/2	in	10.00		
beroline	nsi	s. Be	rlin Poplar. 40'			
6	to	8	ft	3.00	2.75	2.50
8	to	10	ft	3.50	3.25	3.00
11/4	to	11/2	in	4.50	4.00	3.50
11/2	to	13/4	in	5.50	5.00	
13⁄4	to	2	in	6.50	6.00	
2	to	$2\frac{1}{2}$	in	10.00	8.50	
candica	ns.	Balı	n of Gilead. 90'			
6	to	8	ft	3.00	2.75	2.50
8	to	10	ft	3. 50	3.25	3.00
11/4	to	11/2	in	4.50	4.00	3.50
11/2	to	$1\frac{3}{4}$	in	5.50	5.00	4.00
koreana	. <i>I</i>	Korea	n Poplar. 60'			
8 to	1	0 ft.		7.50		
2 to	21	√2 in	.	12.50		
maximo	wic	zi.	Japanese Poplar.	40'		
8	to		ft		3.50	
10	to		ft			
11/2			in			
2	to		in.			
-			a. Birchleaf Black			0.55
6	to	8	ft		3.00	2.75
8		10	ft		3.75	3.50
13/4		2	in		6.00	5.50
2	to	$2\frac{1}{2}$	ź in		9.00	8.50
$2\frac{1}{2}$	to	3	in	15.00	12.50	
nigra it	alic	:a. 1	Lombardy Poplar.	60'		
6	to	8	ft.		1.25	1.00
8	to	10	ft		1.50	1.35
10	to	12	ft		2.00	1.75
$1\frac{1}{2}$	to	$1\frac{3}{4}$	in		2.50	2.25
13⁄4	to	2	in		3.75	3.25
2	to	$2\frac{1}{2}$	in		5.50	5.00
$2\frac{1}{2}$	to	3	in		10.00	8.50
3	to	$3\frac{1}{2}$	in	15.00	12.50	

Populus	1-4		25 & up
simoni. Simon Poplar. 35'	Each	Each	Each
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.00	3.50	
11/4 to 11/2 in	5.00	4.00	
1½ to 1¾ in.	6.00		
1¾ to 2 in	7.50		
suaveolens. Mongolian Poplar. 40'			
8 to 10 ft	4.00	3.50	
1½ to 1½ in	5.00	4.50	
1½ to 1¾ in	6.50	6.00	
13/4 to 2 in	10.00	7.50	
	12.50	10.00	
tremuloides. Quaking Aspen. 50'			
6 to 8 ft	4.00		
8 to 10 ft	5.00		
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	7.50		
	12.50		
trichocarpa. California Poplar. 40'			
6 to 8 ft	3 .50	3.00	
8 to 10 ft	4.00	3.50	
10 to 12 ft	4.50	4.00	
1½ to 1¾ in	6.00	4.50	
134 to 2 in	7.50		
	10.00		
	15.00		
Potentilla fruticosa. Bush Cinquefoil. 4			
18 to 24 in	1.00	.85	.75
2 to 3 ft	1.25	1.00	
Gold Drop. 2½'			
12 to 15 in	1.50		
Prinsepia sinensis. Cherry Prinsepia. 6	•		
12 to 15 in., from pots		1.75	
3 to 4 ftB&B	10.00		
Prunus americana. American Plum. 20'			
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	2.00	1.50	1.25
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	4.00	3.50	3.00
americana Newport.			
Purpleleaf American Plum. 20'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	

Prunus	1-4 Each	5-24 25 Each	& up Each
*avium plena.			
Double White Flowering Cherry	. 30'		
6 to 8 ft	6.00		
8 to 10 ft	7.50		
Large specimens quoted on re			
	quest.		
besseyi. Bessey Cherry. 8'	1.25	1.00	.95
2 to 3 ft			1.10
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	1.50
cerasifera pissardi. Purpleleaf Plun		4.50	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
cistena. Purpleleaf Sand Cherry. 20) '		
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
davidiana. David Peach. 25'			
4 to 5 ft	3.50		
5 to 6 ft	4.00		
6 to 8 ft	5.00		
davidiana alba. White David Peac			
3 to 4 ft	3.00		
4 to 5 ft	3.50		
5 to 6 ft	4.00		
6 to 8 ft	5.00		
8 to 10 ft	7.50		
dunbari. Dunbar Plum. 6'	1.00		
5 to 6 ft	3.50		
glandulosa. Almond Cherry. 10'	0.00		
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.00	.90
glandulosa albiplena.	1.20	2.00	
Doublewhite Almond Cherry. 6	,		
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
2 to 3 ft. own roots	2.00	1.20	
glandulosa sinensis. Doublepink		Cherry	6'
2 to 3 ft		.85	.80
3 to 4 ft	1.50	1.25	1.10
2 to 3 ft. own roots			1.10
	2.00	1.75	
3 to 4 ft. own roots	2.50	2.25	

Prunus	1-4		25 & up
hortulana. Hortulan Plum. 30'	Each	Each	Each
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00		
incisa. Fuji Cherry. 15'			
4 to 5 ft	4.00	3.00	
5 to 6 ft	5.00	4.00	
japonica. Chinese Bush Cherry. 12'			
2 to 3 ft	1.50	1.35	1.25
3 to 4 ft	1.75	1.65	1.50
laurocerasus schipkaensis.			
Schipka Laurel Cherry. 10'			
12 to 15 in., 4 in. pots	2.50		
maacki. Amur Chokecherry. 30'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3 .50	3.00	
6 to 8 ft	4.50	4.00	
8 to 10 ft	5.50	5.00	
maritima. Beach Plum. 12'			
2 to 3 ft	1.25	1.00	.95
3 to 4 ft	1.50	1.25	1.10
4 to 5 ft	2.00	1.65	1.50
moseri fl. pl. 12'			
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	7.50		
mume. Japanese Apricot. 15'			
5 to 6 ft	4.00		
6 to 8 ft	5.00		
8 to 10 ft	7.50		
mume fl. pl. Dbl. Flg. Japanese Apr	ricot.	<i>15</i> ′	
4 to 5 ft	5.00		
5 to 6 ft	7.50		
6 to 8 ft	10.00		
munsoniana. Wildgoose Plum. 25'			
8 to 10 ft	7.50		
padus. European Bird Cherry. 30'			
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.50	4.00	3.50
8 to 10 ft	5.50	5.00	4.50

Prunus	1-4 Each	5-24 2 Each	25 & up Each
pennsylvanica. Pin Cherry. 25'	Each	Each	Laci
5 to 6 ft	3.00	2.75	
6 to 8 ft	4.50	4.00	
8 to 10 ft	5.50	5.00	
persica. Double Flowering Peach. 1	0'		
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.50		
6 to 8 ft	5.00		
Alboplena — Double Whit	e		
Clara Meyer — Double Pi	nk		
Rosea Plena — Double Pi	nk		
Rubroplena — Double Red	l		
persica pendula. Weeping Flowering	ng Pea	ch. 10'	
3 ft. standards	7.50		
pumila. Sand Cherry. 5'			
2 to 3 ft	1.25	1.10	.95
3 to 4 ft	1.50	1.25	1.10
*sargenti. Sargent Cherry. 50'			
4 to 5 ft	4.00		
5 to 6 ft	5.00		
6 to 8 ft	6.00		
8 to 10 ft	7.50		
serotina. Wild Black Cherry. 60'			
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.50	4.00	3.50
8 to 10 ft	5.50	5.00	4.50
*serrulata. Oriental Cherry. 40'			
5 to 6 ft	5.00	4.50	
6 to 8 ft	6.00	5.50	
8 to 10 ft	7.50	7.00	
*serrulata Amayadori. 30'			
	5.00		
6 to 8 ft			
8 to 10 ft			
*serrulata Higantakura. Dbl. Whit	-	Cherry	. 30
	4.00		
5 to 6 ft	5.00		
6 to 8 ft	7.50		
8 to 10 ft	10.00	wa. 00!	
4 to 5 ft	4.00	ry. 30	
5 to 6 ft	5.00		
6 to 8 ft	7.50		
0 10 0 11	1.00		

nus						1-4		5 & up
*serru	ılata	a Ja	ames	H. Ve	itch, syn	Each Fugenz	Each 30'	Each
							50	
6	to							
8	to							
					i Oriental		05'	
	to						20	
5	to							
6	to							
8	to							
					Hitoye C)*	
	to						4.50	4.00
6	to						5.50	5.00
8	to						7.50	7.00
					otae Orie		rrv. 25'	,
	to						3	
5	to							
6	to	8	ft			. 7.50		
8	to	10	ft			. 10.00		
siberi	ca.	Sil	beria	n Apric	ot. 12'			
5	to	6	ft			5.00		
6	to	8	ft			7.50		
8	to	10	ft.			. 10.00		
					Siebold Cl		•	
							4.75	
6	• •							
	_			_	oted on	request.		
				orn. 12'				
							1.75	1.50
_								2.00
	to						3.25	3.00
	to						4.50	4.00
					lalant Di		5.50 <i>12</i> ′	5.00
	to			_	leleaf Blo		12	
	to							
_	to							
_					erry. 30'	. 1.00		
	to			-		4.00		
5								
_	to							
9	-		pecir			0.00		

. 1-4	5-24 9	25 & up
Prunus		Each
*subhirtella ascendens. Shiro-higan. 20'		
6 to 8 ft		
*subhirtella autumnalis. Autumn Higan	Cherry.	30°
5 to 6 ft	Ü	
6 to 8 ft		
8 to 10 ft		
Large specimens quoted on request		
The second of th		
*subhirtella pendula. Weeping Higan C	herry. 1	5 '
2 yr. hds., 4 to 6 ft. stem 12.50		
tenella. Russian Almond. 6'		
4 to 5 ft		
5 to 6 ft		
iomeniosa. Manchu Cherry. 10'		
2 to 3 ft		
3 to 4 ft		
4 to 5 ft 4.00		
triloba. Flowering Plum. 10'		4.50
3 to 4 ft	1.75	1.50
4 to 5 ft	2.50	
5 to 6 ft	3.50	
triloba plena. Double Flowering Plum. 1	0'	
3 to 4 ft 1.75	1.50	
4 to 5 ft	2.00	
5 to 6 ft 3.50	3.25	
6 to 8 ft 5.00	4.50	
	1.00	
virginiana. Chokecherry 30'		
4 to 5 ft	2.00	1.75
5 to 6 ft	2.75	2.50
6 to 8 ft	4.00	3.50
8 to 10 ft 5.50	5.00	4.50
"yedoensis. Yoshino Cherry. 35'		
5 to 6 ft 5.00	4.50	
6 to 8 ft	7.00	
8 to 10 ft		
10.00		

				1-4 Each	5-24 25 & up Each Each
Prunus					
*yedo	ensi	is T	'aizan-fukun. 30'		
4	to	5	ft	4.00	
5	to	6	ft	5.00	
6	to	8	ft.	7.50	
8	to	10	ft	10.00	
,					

Large specimens quoted on request.

We can also supply in limited quantity the following varieties of Japanese Flowering Cherries propagated from the collection at Highland Park, Rochester. They are available in the 4 to 5 ft., 5 to 6 ft., and 6 to 8 ft. grades at \$4.00, \$5.00 and \$7.50 each, respectively.

Amanogawa — semi-double pale pink

Gioiko — semi-double pale yellow

Hata-zakura — semi-double white

Horaisan — double pink

Hosokawanioi — semi-double flesh

Kuramayami — double pink

Kwanzan — syn. Sekiyama — double deep pink

Miyako — double pink

Shirofugen — double light pink

Shogetsu — double soft pink

Sumizome — double purplish pink

Our named varieties of Japanese Flowering Cherries are grown on the Japanese type stocks. While the common practice of grafting on the European Mazzard Cherry stock is a cheaper method of propagation, it results in short-lived trees, which difficulty is overcome by using Japanese stocks.

Pseudotsuga	taxifolia.	(douglasi). Dou	glas F	ir. 70'	
		B&B		5.50	5.00
		B&B		8.50	8.00
		B&B			12.50
		B&B			18.00
		B&B			
		B&B			
8 ft.		B&B	33.00		

For larger sizes to 12 ft., add \$7.50 per foot.

	1-4	5-24	25 & up
Ptelea trifoliata. Hoptree. 20'	Each	Each	
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft		4.00	2.00
Pterostyrax corymbosa. Little Epaulet 5 to 6 ft		20' 6.00	
6 to 8 ft		7.50	
8 to 10 ft		1.50	
Pueraria thunbergiana. Thunberg Kudz		. 10'	
2 year	.50	. 10	
Pyracantha coccinea. Scarlet Firethorn.		.10	
15 to 18 in., 4 in. pots			
18 to 24 in			
2 to 3 ftB&B		8.00	
coccinea lalandi. Laland Firethorn.		0.00	
12 to 18 in., 4 in. pots		2.25	2.00
18 to 24 in		5.50	2.00
2 to 3 ftB&B		8.00	
3 to 4 ft. specimens. B&B		15.00	
crenato-serrata. 10'	10.00	10.00	
12 to 18 in., 4 in. pots	3.00		
_			
Pyrus betulaefolia. Birch Leaf Pear. 2	20 '		
Pyrus betulaefolia. Birch Leaf Pear. 2 6 to 8 ft	20 ' 5.00		
6 to 8 ft			
6 to 8 ft	5.00		
6 to 8 ft	5.00		
6 to 8 ft	5.00 7.50		
6 to 8 ft	5.00 7.50 4.00		
6 to 8 ft	5.00 7.50 4.00 5.00		
6 to 8 ft. 8 to 10 ft. calleryana. Callery Pear. 20' 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. salicifolia. Willowleaf Pear. 30' 4 to 5 ft.	5.00 7.50 4.00 5.00 6.00 4.00		
6 to 8 ft. 8 to 10 ft. calleryana. Callery Pear. 20' 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. salicifolia. Willowleaf Pear. 30' 4 to 5 ft. 5 to 6 ft.	5.00 7.50 4.00 5.00 6.00 4.00		
6 to 8 ft. 8 to 10 ft. calleryana. Callery Pear. 20' 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. salicifolia. Willowleaf Pear. 30' 4 to 5 ft. 5 to 6 ft. serrulata. 20'	5.00 7.50 4.00 5.00 6.00 4.00 5.00		
6 to 8 ft. 8 to 10 ft. calleryana. Callery Pear. 20' 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. salicifolia. Willowleaf Pear. 30' 4 to 5 ft. 5 to 6 ft. serrulata. 20' 6 to 8 ft.	5.00 7.50 4.00 5.00 6.00 4.00 5.00		
6 to 8 ft. 8 to 10 ft. calleryana. Callery Pear. 20' 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. salicifolia. Willowleaf Pear. 30' 4 to 5 ft. 5 to 6 ft. serrulata. 20' 6 to 8 ft. 8 to 10 ft.	5.00 7.50 4.00 5.00 6.00 4.00 5.00		
6 to 8 ft. 8 to 10 ft. calleryana. Callery Pear. 20' 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. salicifolia. Willowleaf Pear. 30' 4 to 5 ft. 5 to 6 ft. serrulata. 20' 6 to 8 ft. 8 to 10 ft. Quercus alba. White Oak. 75'	5.00 7.50 4.00 5.00 6.00 4.00 5.00		
6 to 8 ft. 8 to 10 ft. calleryana. Callery Pear. 20' 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. salicifolia. Willowleaf Pear. 30' 4 to 5 ft. 5 to 6 ft. serrulata. 20' 6 to 8 ft. 8 to 10 ft. Quercus alba. White Oak. 75' 6 to 8 ft.	5.00 7.50 4.00 5.00 6.00 4.00 5.00 7.50	5.00	4.50
6 to 8 ft. 8 to 10 ft. calleryana. Callery Pear. 20' 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. salicifolia. Willowleaf Pear. 30' 4 to 5 ft. 5 to 6 ft. serrulata. 20' 6 to 8 ft. 8 to 10 ft. Quercus alba. White Oak. 75' 6 to 8 ft. 1½ to 1½ in.	5.00 7.50 4.00 5.00 6.00 4.00 5.00 7.50 5.50 8.00	7.25	6.75
6 to 8 ft. 8 to 10 ft. calleryana. Callery Pear. 20' 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. salicifolia. Willowleaf Pear. 30' 4 to 5 ft. 5 to 6 ft. serrulata. 20' 6 to 8 ft. 8 to 10 ft. Quercus alba. White Oak. 75' 6 to 8 ft. 1½ to 1½ in. 1½ to 1¾ in.	5.00 7.50 4.00 5.00 6.00 4.00 5.00 7.50 5.50 8.00 12.00	7.25 11.00	6.75 10.00
6 to 8 ft. 8 to 10 ft. calleryana. Callery Pear. 20' 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. salicifolia. Willowleaf Pear. 30' 4 to 5 ft. 5 to 6 ft. serrulata. 20' 6 to 8 ft. 8 to 10 ft. Quercus alba. White Oak. 75' 6 to 8 ft. 1½ to 1½ in. 1½ to 1¾ in. 1¾ to 2 in.	5.00 7.50 4.00 5.00 6.00 4.00 5.00 7.50 5.50 8.00 12.00 17.50	7.25 11.00 14.50	6.75 10.00 13.50
6 to 8 ft. 8 to 10 ft. calleryana. Callery Pear. 20' 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. salicifolia. Willowleaf Pear. 30' 4 to 5 ft. 5 to 6 ft. serrulata. 20' 6 to 8 ft. 8 to 10 ft. Quercus alba. White Oak. 75' 6 to 8 ft. 1½ to 1½ in. 1½ to 1¾ in. 1¾ to 2 in. 2 to 2½ in.	5.00 7.50 4.00 5.00 6.00 4.00 5.00 7.50 5.50 8.00 12.00 17.50 22.50	7.25 11.00 14.50 20.00	6.75 10.00
6 to 8 ft. 8 to 10 ft. calleryana. Callery Pear. 20' 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. salicifolia. Willowleaf Pear. 30' 4 to 5 ft. 5 to 6 ft. serrulata. 20' 6 to 8 ft. 8 to 10 ft. Quercus alba. White Oak. 75' 6 to 8 ft. 1½ to 1½ in. 1½ to 1¾ in. 1¾ to 2 in.	5.00 7.50 4.00 5.00 6.00 4.00 5.00 7.50 5.50 8.00 12.00 17.50 22.50 30.00	7.25 11.00 14.50	6.75 10.00 13.50

	1-4 Each	5-24 Each	25 & up Each
Quercus			
bicolor. Swamp White Oak. 60'			
6 to 8 ft	5.50	5.00	4.50
11/4 to 11/2 in	8.00	7.25	6.75
1½ to 1¾ in	12.00	11.00	10.00
134 to 2 in	17.50	14.50	13.50
2 to 2½ in	22.50	20.00	18.00
2½ to 3 in	30.00	27.50	
3 to 3½ in	40.00	35.00	
3½ to 4 in	50.00	45.00	
borealis. (rubra). Northern Red	Oak 75'		
6 to 8 ft		5.00	
1¼ to 1½ in		7.25	
1½ to 1¾ in		11.00	
1¾ to 2 in		14.50	
2 to 2½ in.		20.00	
2½ to 3 in		27.50	
3 to 3½ in		35.00	
3½ to 4 in		45.00	
4 to 4½ in			
cerris. European Turkey Oak. 75'			
2½ to 3 in			
3 to 3½ in		35.00	
3½ to 4 in		45.00	
coccinea. Scarlet Oak. 75'			
1½ to 1¾ in	12.00	11.00	
1¾ to 2 in		15.00	
2 to 2½ in		20.00	
2½ to 3 in			
3 to 3½ in			
3½ to 4 in			
4 to 4½ in			
imbricaria. Shingle Oak. 60'			
4 to 4½ in	65.00		
lyrata. Overcup Oak. 75'			
1½ to 1¾ in			
13/4 to 2 in			
2 to 2½ in			
2½ to 3 in	30.00		

				1-4 Each	5-24 Each	25 & up Each
Quercus						
macroca	rpa	$\mathbf{a.} \; B$	ur Oak. 75'			
6	to	8	ft	6.00	5.50	
11/4	to		in	8.00	7.50	
$1\frac{1}{2}$	to	$1\frac{3}{4}$	in	12.00	11.00	
13/4	to	2	in	17.50	15.00	
2		$2\frac{1}{2}$	in	22.50	20.00	
$2\frac{1}{2}$	-	3	in	30.00	27.50	
3	to	$3\frac{1}{2}$	in	40.00	35.00	
palustris	s. 1	Pin (Dak. 75'			
- 6	to	8	ft	5.50	5.00	
11/4	to	$1\frac{1}{2}$	in	7.50	6.50	
11/2	to	13/4	in	12.00	11.00	10.00
13/4	to	2	in	15.00	13.50	12.50
2		$\frac{-}{2\frac{1}{2}}$	in	22.50	20.00	18.00
21/2	to	3	in	30.00	27.50	25.00
3		$3\frac{1}{2}$	in	40.00	35.00	30.00
31/2	to	4	in	50.00	45.00	
4	to	5	in	65.00		
5	to	6	in	75.00		
nhelles	117	•17				
			Oak. 40'			
21/2		_	in	30.00		
3		$3\frac{1}{2}$	in	40.00		
$\frac{31}{2}$	to		in	50.00		
4	to	41/2	in	65.00		
prinus.	Ch	estnu	t Oak. 50'			
$1\frac{1}{2}$	to	$1\frac{3}{4}$	in	12.50		
2	to	$2\frac{1}{2}$	in	22.50		
$2\frac{1}{2}$	to	3	in	30.00		
3	to	$3\frac{1}{2}$	in.	40.00		
•	-					
robur. 1				10.50	11.00	
			in		11.00	
	-	214	in		15.00	
$rac{2}{2^{1\!\!\!/_2}}$			in		20.00	
		-	in		27.50	
3		3 ⁴ /2 4	in			
4	ťΟ	4 1/2	in	00.00		

Quercus	1-4 Each	5-24 Each	25 & up Each
robur fastigiata. Pyramidal Englis			240.7
6 to 8 ftB&B		15.00	
1½ to 1¾ inB&B	25.00		
134 to 2 inB&B	40.00		
2 to 2½ inB&B	45.00		
2½ to 3 inB&B	50.00		
3 to 3½ inB&B	65.00		
rubra (see borealis)			
texana. Texas Oak. 75'			
1½ to 1¾ in	12.50	11.00	
1¾ to 2 in	17.50	15.00	
2 to 2½ in	22.50	20.00	
2½ to 3 in	30.00		
3 to 3½ in	40.00		
variabilis. Oriental Oak. 75'			
1½ to 1½ in	10.00	9.00	
1½ to 1¾ in		11.00	
1¾ to 2 in		15.00	
2 to 2½ in		20.00	
2½ to 3 in		27.50	
3 to 3½ in		35.00	
velutina. Black Oak. 70'			
1¼ to 1½ in	10.00	9.00	
1½ to 1¾ in.		5. 00	
1¾ to 2 in	_		
3 to 3½ in		35.00	
0 0 0 /2 111	10.00	00.00	
Retinospora (see Chamaecyparis)			
Rhamnus alnifolia. Alder Buckthorn.	<i>5</i> ′		
3 to 4 ft			
caroliniana. Carolina Buckthorn. 2	5 '		
5 to 6 ft	3.50		
cathartica. Buckthorn. 12'			
3 to 4 ft	1.00	.90	
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.00	1.75	
chadwicki. 12'			
3 to 4 ft	2.50		

	1-4 Each	5·24 Each	25 & up Each
Rhamnus			
crenata. Oriental Buckthorn. 10'			
3 to 4 ft	3.50		
davurica. Dahurian Buckthorn. 12'	•		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
frangula. Glossy Buckthorn. 12'			
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
frangula asplenifolia. $Feathery$ R	hamnus.	12'	
3 to 4 ft	3.00		
koraiensis. Korean Buckthorn. 12'			
3 to 4 ft	1.25	1.00	.85
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	2.00	1.65	1.35
purshiana. Cascara Buckthorn. 12'			
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
spathulaefolia. 6'			
4 to 5 ft	3.00		
5 to 6 ft	3.50		
wilsoni. 10'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
Rhododendron carolinianum. Carolina	Rhodod	endron	a. 6'
	8.50	8.00	7.50
catawbiense. Catawba Rhododendro	n. 8'		
	7.00	6.50	6.00
3 to 4 ftB&B	8.50	8.00	7.50
maximum. Rosebay Rhododendron.			
	6.50	6.00	5.50
3 to 4 ft	8.00	7.50	7.00
4 to 5 ft			

Rhodora canadensis. Rhodora. 3'	1-4 Each	5-24 Each	25 & up Each
18 to 24 in	7.50	7.00	6.50
24 to 30 in		7.00 9.00	6.50
21 to 50 m	10.00	9.00	
Rhodotypos scandens. (kerrioides). Je	tbead.	6 '	
2 to 3 ft	1.25	.85	.80
3 to 4 ft	1.50	1.25	1.10
Rhus aromatica. (canadensis). Fragran	nt Saran		
2 to 3 ft	1.25	.85	.80
3 to 4 ft	1.50	1.25	1.10
4 to 5 ft	1.75		1.10
5 to 6 ft			
		1110	
chinensis. Chinese Sumac. 20'	4.00		
5 to 6 ft	4.00		
6 to 8 ft	5.00		
8 to 10 ft	6.00		
copallina. Flameleaf Sumac. 20'			
2 to 3 ft	1.25	.85	
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.00	1.75	
6 to 8 ft	2.25	2.00	
cotinus. (see Cotinus coggygria).			
glabra. Smooth Sumac. 12'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
trilabete I I G of			
trilobata. Lemonade Sumac. 3'	1.00	0.0	
2 to 3 ft	$1.00 \\ 1.25$		
3 to 4 ft	1.25 1.50	$1.00 \\ 1.25$	
0 10 11	1.50	1.20	
typhina. Staghorn Sumac. 25'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
typhina laciniata. Cutleaf Staghorn	Sumac	25'	
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	, - •	
4 to 5 ft	2.00		

Ribes alpinum. Alpine Currant. 4'	1-4 Each	5-24 2: Each	5 & up Each
18 to 24 in	1.25	1.00	.90
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
aureum. Golden Currant. 10'	2.00	1.00	
2 to 3 ft	.85	.65	
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
fasciculatum. Winterberry Currant.		1.00	1.00
2 to 3 ft	4 1.50	1.25	
	2.00	1.50	
3 to 4 ft	2.00	1.50	
gordonianum. Gordon Currant. 8'	2.00	1.50	1.25
3 to 4 ft		1.50	
4 to 5 ft	2.25	1.75	1.50
sanguineum. Winter Currant. 8'	4 =0	1.05	
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
Robinia Elliotti. Elliott Locust. 10'			
3 to 4 ft	3.00		
4 to 5 ft	4.00		
fertilis. 25'			
6 to 8 ft	5.00		
8 to 10 ft	6.00		
hispida. Roseacacia Locust.			
2 yr. standard, 3 to 4 ft	4.00		
2 yr. standard, 4 to 5 ft	5.00		
Bush form, 2 to 3 ft	1.50	1.25	
holdti. Holdt Locust. 25'			
5 to 6 ft	5.00		
6 to 8 ft	6.00		
kelseyi. Kelsey Locust. 12'			
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.50	4.00	3.75
6 to 8 ft	5.50	5.00 -	4.50
8 to 10 ft	7.50		
Margaretta. Margaret Locust. 20'			
6 to 8 ft	5.00		
8 to 10 ft	7.50		
nana. Little Locust. 3'			
2 to 3 ft	2.50		
neomexicana. New Mexico Locust.	10'		
3 to 4 ft	3.00		
4 to 5 ft	3.50		
4 10 0 11	0.50		

Robinia	1-4		25 & up
pseudoacacia. Black Locust. 60'	Each	Each	Each
5 to 6 ft	1.75	1.35	1.25
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	3.00	2.75	
10 to 12 ft	4.50	4.00	
1½ to 2 in	$\dot{7}.50$	6.00	
pseudoacacia bessoniana. Besson L	ocust.	40 '	
6 to 8 ft	6.00	•	
pseudoacacia decaisneana. Decaisne	Locus	t. 40'	
8 to 10 ft	7.50		
viscosa. Clammy Locust. 10'			
2 to 3 ft	1.25	.85	.80
3 to 4 ft	1.50	1.25	1.10
4 to 5 ft	2.00	1.60	1.35
5 to 6 ft	2.25	2.00	1.75
Rosa acicularis. Prickly Rose. 5'			
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.90
acicularis bourgeauiana. Bourgeau		6'	.00
2 to 3 ft	1.50	1.25	
alba. Cottage Rose. 6'	1.50	1.20	
2 to 3 ft	3.00	2.50	
alpina. (see pendulina)			
blanda. Meadow Rose. 5'			
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.90
canina. $Dog\ Rose.\ 8'$			
2 to 3 ft	1.00	.80	
3 to 4 ft	1.25	1.00	
10000	5 '		
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
coriifolia froebeli. Froebel Rose. 5	,		
2 to 3 ft	3.00		
damascena. Damask Rose. 8'			
	3.00	2.50	
damascena trigintipetala.			
Thirty-petal Damask Rose. 3'			
2 to 3 ft		2.50	
damascena versicolor. York and Lo			. 3'
2 to 3 ft	3.00	2.50	

Rosa	1-4		25 & up
davurica. Dahurian Rose. 6'	Each	Each	Each
2 to 3 ft	1.00	.80	.75
ecae. Eca Rose. 6'			
2 to 3 ft	1.50	1.25	
3 to 4 ft		1.50	
eglanteria. Sweetbriar Rose. 6'	21.0	1.00	
2 to 3 ft	1.00	90	.75
3 to 4 ft		.80	
4 to 5 ft		1.00	.95
eglanteria hybrids	1.50	1.35	1.15
2 to 3 ft	1.50		
3 to 4 ft			
Flora McIvor Lady Po			
Green Mantle Lord Pe			
Jeannie Deans Lucy As			
foetida bicolor. Austrian Copper.			
2 to 3 ft	2.50		
foetida persiana. Persian Yellow I	Rose.		
2 to 3 ft	1.50		
3 to 4 ft	2.50		
helenae. Helen Rose. 6'			
2 to 3 ft	1.00	.85	
3 to 4 ft	1.25	1.15	
helenae fl. pl. Dbl Helen Rose. 6'	1.20	1110	
3 to 4 ft	1.50		
hugonis. Father Hugo Rose. 6'	2.00		
2 to 3 ft	1.35	1.10	
3 to 4 ft	1.50	1.25	
humilis. (see carolina)	1.50	1.20	
luciae fujisanensis. Mt. Fuji Rose.	0,		
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.90
lucida. (see virginiana)	1.20	1.00	.90
marreti. Marret Rose. 6'		,	
3 to 4 ft	2.00		
maximowicziana jacki. Jack Rose.			
2 to 3 ft	1.50	1.25	
moyesi. Moyes Rose. 10'	1.50	1.20	
2 to 3 ft	3.00		
multiflora. Japanese Rose. 8'	3.00		
2 to 3 ft	.65	.45	.40
	.75	.55	
4 to 5 ft			.50
T 10 0 It	1.00	.75	

	1-4	5-24 2	
Rosa	Each	Each	Eacn
multiflora cathayensis. Cathay Jap	anese	Rose. 6	3'
3 to 4 ft		.85	
nitida. Shining Rose. 4'			
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.90
omeiensis. Omei Rose. 12'			
2 to 3 ft	2.50		
		D	10'
omeiensis pteracantha. Wingthorn	2.50	Rose.	$t \theta$
2 to 3 ft	2.50		
palustris. Swamp Rose. 8'		0.5	00
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.90
pendulina. (alpina). Drophip Rose		0.5	
2 to 3 ft	1.00	.85	
rouletti.	1 75		
12 to 15 in., 4 in. pots	1.75		
rubiginosa. (see eglanteria).			
rubrifolia. Redleaf Rose. 6'	1 95	1.00	
2 to 3 ft	1.25	1.00 1.25	
3 to 4 ft	1.50	1.20	
rugosa. Rugosa Rose. 6' 18 to 24 in	.75	.65	.60
	1.00	.80	.75
2 to 3 ft	1.35	1.10	1.00
3 to 4 ft	6'	1.10	1.00
rugosa alba. White Rugosa Rose. 18 to 24 in	1.25	1.10	1.00
2 to 3 ft	1.50	1.35	1.25
rugosa hybrids. 5'	1.00	1.00	1.20
2 to 3 ft	1.50	1.25	
3 to 4 ft			
Varieties:	1	1.00	
Blanche de Coubert, C. F. Mey	er. C.	F. Wort	h
Agnes Carmen, New Century,			
Mad. Geo. Bruant, Mrs. Ant			
Belle Poitevine, Sir Thomas			
Agnes, F. J. Grootendorst.		,	,
rugosa hyb. — climbing			
Max Graf	2.50	2.00	
rugosa repens. Creeping Rugosa R			
2 year		1.75	
3 year			
J June 1			

	1-4 Each		25 & up Each
Rosa		23401	Lidon
setigera. Prairie Rose. 6'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.35	1.10	.95
spinosissima altaica. Altai Scotch	Rose.	4'	
18 to 24 in	1.25	1.10	1.00
2 to 3 ft	1.50	1.35	1.25
3 to 4 ft	1.75	1.50	
spinosissima hispida. Bristly Scotc		e. 6'	
2 to 3 ft		1.35	1.25
3 to 4 ft	1.75	1.50	1.40
spinosissima hybrids. 5'			
18 to 24 in			
2 to 3 ft			
Sgl. Blush, Dbl. White, Dbl. Sgl. Red, Sgl. Pink, Sgl. Whi	Pink, te.	Fulgen	ıs,
suffulta. 3'			
2 to 3 ft	2.00	1.50	
	6'		
18 to 24 in	.75	.65	.60
? to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	.90
watsoniana. Watson Rose. 6			
3 to 4 ft	1.50	1.35	1.25
wichuraiana. Wichurai Rose. 2'			
	1.00	.75	.65
3 year	1.25	.90	.75
wichuraiana hybrids. 2'			
2 year			1.25
Jersey Beauty, Sweetheart, Un	iversa	l Favor	r-
ite, Manda's Triumph, South fection, Evergreen Gem.	Oran	ge Per	r-
willmottiae. Willmott Rose. 10'			
2 to 3 ft	1 50	. 1.05	
3 to 4 ft	1.50		
3 to 4 ft	2.00	1.50	

1-4 5-24 25 & up Each Each Each

ROSES

RC	JOEO		
Hybrid Tea. 2 year No. 1	1.50		
Briarcliff	Mme. Joseph Pe	rraud	
Chas. K. Douglas	Mme. Jules Bou	che	
Condesa de Sastago	Mrs. Pierre S. I	DuPont	
Etoile de Holland	Pink Dawn		
Grenoble	Pres. Hoover		
Joanna Hill	Pres. Macia		
K. A. Victoria	Radiance		
Lady Ashtown		berts	
Miss Rowena Thom	Sister Therese		
Climbing Roses. 2 year N	No. 1 1.35	1.10	
American Beauty			in
American Pillar	Mary Wallace		
Aviateur Bleriot	Paul's Scarlet C	limber	
Dr. W. Van Fleet	Primrose		
Dorothy Perkins	Scorcher		
Excelsa	Silver Moon		
Gardenia	Star of Persia		
Hiawatha	White Dorothy P	erkins	
Polyantha hybrids. 2 year	No 1 1.50		
Else Poulsen	Ideal		
Gloria Mundi	Katherine Zeime	et	
Golden Salmon	Lafayette		
G014011 24211011			
Rosa			
woodsi. Wood's Rose.			
2 to 3 ft			.75
3 to 4 ft	1.25	1.10	1.00
xanthina Allard. 10'	0.50	9.00	
	2.50		
3 to 4 ft	3.00	2.50	
Rubus nemarosus. Caucas			
2 year			.60
3 year		.85	.75
odoratus. Fragrant The			
2 to 3 ft		.70	.60
3 to 4 ft		.85	.75
parvifolius. Western Th			
2 to 3 ft			
phoenicolasius. $Wine$			
3 to 4 ft	1.50		

	1-4 Each	5-24 Each	25 & ur Each
Salix alba chermesina. Redstem White	Willow	30'	
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.00	2.50	
1½ to 1¾ in	4.00	3.50	
a. vitellina. Yellowstem White Will	orv. 30'		
6 to 8 ft	2.75	2.50	2.25
8 to 10 ft	3.50	3.00	2.50
1¼ to 1½ in	4.00	3.50	3.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.00	4.00	3.50
13/4 to 2 in	6.00	5.00	
a. vitellina pendula.			
Weepinggold White Willow. 40°			
	2.75		
	3.50		
	4.00		
· · · · · · · · · · · · · · · · · · ·	0'		
	1.50	1.25	
	2.00	1.50	
	2.50	2.00	
	3.00	2.50	
6 to 8 ft	3.50	3.00	
babylonica crispa. Ringleaf Weepin	g Wille	w. 3	0'
4 to 5 ft	3.00		
	4.00		
	5.00		
8 to 10 ft	7.50		
babylonica solomoni. (see sepulcra	lis)		
blanda. Wisconsin Weeping Willow.	40 '		
0 1 0 0		2.25	
• • • • • • • • • • • • • • • • • • • •	3.50	3.00	
caprea. Goat Willow. 20'			
5 to 6 ft	1.75	1.60	1.50
6 to 8 ft	2.00	1.85	1.75
discolor. Pussy Willow. 20'			
4 4 = 4:	1.50	1.40	1.35
		1.60	1.50
0 1 0 11		1.85	1.75
0 4 40 41		2.25	2.10
doniana. Dons Willow. 9'			
4 to 5 ft	.50	1.25	
5 to 6 ft		1.50	

	1- 4 Each		25 & up Each
Salix			
eleagnos. (incana). Rosemary Will			00
3 to 4 ft. shrub form		.85	.80
4 to 5 ft. shrub form	1.50	1.25	1.10
5 to 6 ft. shrub form	2.00	1.60	
elegantissima. Thurlow Weeping Wa	illow. 8	<i>io</i> '	
6 to 8 ft	2.75	2.50	2.25
8 to 10 ft	3.00	2.75	2.50
11/4 to 11/2 in	4.50	4.00	
1½ to 1¾ in	6.00	5.00	
134 to 2 in	7.50	6.00	
fragilis. Brittle Willow. 50'			
4 to 5 ft	2.50		
5 to 6 ft	3.00		
6 to 8 ft	3.50		
fragilis repandens. 10'			
5 to 6 ft	2.50	2.00	
glaucophylloides. Blueleaf Willow	15'		
5 to 6 ft			
incana. (see eleagnos)			
irrorata. Bluestem Willow. 12'			
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.50	1.75	1.50
6 to 8 ft	3.00	$\frac{1.75}{2.50}$	1.50
	3.00	2.30	
jessoensis. Yeddo Willow. 6'			
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.25	1.75	
lucida. Shining Willow. 18'			
5 to 6 ft	2.50	2.00	
8 to 10 ft	3.50	3.00	
mandshurica. 30'			
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
matsudana. Hankow Willow. 35'			
6 to 8 ft	2.75	2.50	
8 to 10 ft	3.50	3.00	
1½ to 1¾ in	5.00	4.00	
134 to 2 in	6.00	5.00	
2 to 2½ in	7.50	6.50	

	1-4 Each	5-24 2 Each	
Salix	Lach	Each	Each
matsudana tortuosa.			
Contorted Hankow Willow. 20'			
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
1¼ to 1½ in	4.00	3.50	
1½ to 1¾ in	5.00	4.50	
2 to 2½ in	7.50		
mutabilis. 6'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
myricoides rigida. g'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
	10	1.00	
nigricans cotinifolia. 12' 5 to 6 ft	2.00	1.75	
6 to 8 ft	2.00 2.50	2.00	
8 to 10 ft	3.00	2.50	
_	5.00	2.50	
niobe. Niobe Weeping Willow. 30'	0 ==	0 = 0	
6 to 8 ft	2.75	2.50	
8 to 10 ft	3.00	2.75	
1½ to 1¾ in	5.00	4.50	
1¾ to 2 in	6.00	5.00	
	7.50	7.00	
patula. 20'			
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
pentandra. Laurel Willow. 30'			
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.00	2.75	2.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.50	3.25	
purpurea. Purpleosier Willow. 12'			
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
purpurea gracilis. Slender Purpleosi	er Will	070 15	
5 to 6 ft	2.25	2.00	
6 to 8 ft	2.75	2.50	
purpurea nana. Dwarf Purpleosier	Willow		
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25

Salix regalis. Royal Willow. 30' 5 to 6 ft. 2.25 2.00 6 to 8 ft. 2.75 2.50 8 to 10 ft. 3.50 3.00 sepulcralis. Solomon Weeping Willow. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1½ in. 4.00 3.75 3.50 1½ to 1¾ in. 5.50 5.00 4.75 1¾ to 2 in. 6.50 6.00 2 to 2½ in. 7.50 2½ to 3 in. 12.50 sieboldiana. Siebold Willow. 30' 6 to 8 ft. 2.50 2.25 8 to 10 ft. 3.00 2.75 smithiana. Smith Willow. 20' 5 to 6 ft. 2.50 2.00 6 to 8 ft. 3.00 2.75 smithiana. Smith Willow. 20' 5 to 6 ft. 3.00 2.50 tomini. 20' 4 to 5 ft. 2.50 5 to 6 ft. 3.00 vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1¾ in. 5.00 4.00 3.50 1½ to 1¾ in. 5.00 4.00 3.50
regalis. Royal Willow. 30' 5 to 6 ft. 2.25 2.00 6 to 8 ft. 2.75 2.50 8 to 10 ft. 3.50 3.00 sepulcralis. Solomon Weeping Willow. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1½ in. 4.00 3.75 3.50 1½ to 1¾ in. 5.50 5.00 4.75 1¾ to 2 in. 6.50 6.00 2 to 2½ in. 7.50 2½ to 3 in. 12.50 sieboldiana. Siebold Willow. 30' 6 to 8 ft. 2.50 2.25 8 to 10 ft. 3.00 2.75 smithiana. Smith Willow. 20' 5 to 6 ft. 2.50 2.00 6 to 8 ft. 2.50 2.00 5 to 6 ft. 3.00 2.50 tomini. 20' 4 to 5 ft. 2.50 5 to 6 ft. 3.00 vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1¾ in. 5.00 4.00 3.50
5 to 6 ft. 2.25 2.00 6 to 8 ft. 2.75 2.50 8 to 10 ft. 3.50 3.00 sepulcralis. Solomon Weeping Willow. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 11/4 to 11/2 in. 4.00 3.75 3.50 11/2 to 13/4 in. 5.50 5.00 4.75 13/4 to 2 in. 6.50 6.00 2 to 21/2 in. 7.50 21/2 to 3 in. 12.50 sieboldiana. Siebold Willow. 30' 6 to 8 ft. 2.50 2.25 8 to 10 ft. 3.00 2.75 smithiana. Smith Willow. 20' 5 to 6 ft. 2.50 2.00 6 to 8 ft. 3.00 2.50 tomini. 20' 4 to 5 ft. 2.50 5 to 6 ft. 3.00 vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 11/2 to 13/4 in. 5.00 4.00 3.50
8 to 10 ft. 3.50 3.00 sepulcralis. Solomon Weeping Willow. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1½ in. 4.00 3.75 3.50 1½ to 1¾ in. 5.50 5.00 4.75 1¾ to 2 in. 6.50 6.00 2 to 2½ in. 7.50 2½ to 3 in. 12.50 sieboldiana. Siebold Willow. 30' 6 to 8 ft. 2.50 2.25 8 to 10 ft. 3.00 2.75 smithiana. Smith Willow. 20' 5 to 6 ft. 2.50 2.00 6 to 8 ft. 3.00 2.50 tomini. 20' 4 to 5 ft. 2.50 5 to 6 ft. 3.00 vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 3.00 2.75 2.50 3.00 2.75 2.50 3.00 2.75 2.50 3.00 2.75 2.50 3.00 2.75 2.50 3.00 2.75 2.50 3.00 2.75 2.50
sepulcralis. Solomon Weeping Willow. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1½ in. 4.00 3.75 3.50 1½ to 1¾ in. 5.50 5.00 4.75 1¾ to 2 in. 6.50 6.00 2 to 2½ in. 7.50 2½ to 3 in. 12.50 sieboldiana. Siebold Willow. 30' 6 to 8 ft. 2.50 2.25 8 to 10 ft. 3.00 2.75 smithiana. Smith Willow. 20' 2.50 2.50 5 to 6 ft. 2.50 2.50 5 to 6 ft. 3.00 2.50 to 5 5 5 5 5 5 5 5 <t< td=""></t<>
6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1½ in. 4.00 3.75 3.50 1½ to 1¾ in. 5.50 5.00 4.75 1¾ to 2 in. 6.50 6.00 2 to 2½ in. 7.50 2½ to 3 in. 12.50 sieboldiana. Siebold Willow. 30' 6 to 8 ft. 2.50 2.25 8 to 10 ft. 3.00 2.75 smithiana. Smith Willow. 20' 5 to 6 ft. 2.50 2.00 6 to 8 ft. 3.00 2.50 tomini. 20' 4 to 5 ft. 2.50 5 to 6 ft. 3.00 vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 3.00 2.75
8 to 10 ft. 3.00 2.75 2.50 1½ to 1½ in. 4.00 3.75 3.50 1½ to 1¾ in. 5.50 5.00 4.75 1¾ to 2 in. 6.50 6.00 2 to 2½ in. 7.50 2½ to 3 in. 12.50 sieboldiana. Siebold Willow. 30' 6 to 8 ft. 2.50 2.25 8 to 10 ft. 3.00 2.75 smithiana. Smith Willow. 20' 5 to 6 ft. 2.50 2.00 6 to 8 ft. 3.00 2.50 tomini. 20' 4 to 5 ft. 2.50 5 to 6 ft. 3.00 vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 2.50 2.50 3.00 vitellina. (see 3.00
1½ to 1½ in. 4.00 3.75 3.50 1½ to 1¾ in. 5.50 5.00 4.75 1¾ to 2 in. 6.50 6.00 2 to 2½ in. 7.50 2½ to 3 in. 12.50 sieboldiana. Siebold Willow. 30' 6 to 8 ft. 2.50 2.25 8 to 10 ft. 3.00 2.75 smithiana. Smith Willow. 20' 5 to 6 ft. 2.50 2.00 6 to 8 ft. 3.00 2.50 tomini. 20' 4 to 5 ft. 2.50 5 to 6 ft. 3.00 vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 2.50 3.50 2.50 5 to 6 ft. 3.00 1½ to 1¾ in. 5.00 4.00 3.50
1½ to 1¾ in. 5.50 5.00 4.75 1¾ to 2 in. 6.50 6.00 2 to 2½ in. 7.50 2½ to 3 in. 12.50 sieboldiana. Siebold Willow. 30' 6 to 8 ft. 2.50 2.25 8 to 10 ft. 3.00 2.75 smithiana. Smith Willow. 20' 5 to 6 ft. 2.50 2.00 6 to 8 ft. 3.00 2.50 tomini. 20' 4 to 5 ft. 2.50 5 to 6 ft. 3.00 vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 2.50 1½ to 1¾ in. 5.00 4.00 3.50
134 to 2 in. 6.50 6.00 2 to 2½ in. 7.50 2½ to 3 in. 12.50 sieboldiana. Siebold Willow. 30' 6 to 8 ft. 2.50 2.25 8 to 10 ft. 3.00 2.75 smithiana. Smith Willow. 20' 5 to 6 ft. 2.50 2.00 6 to 8 ft. 3.00 2.50 tomini. 20' 4 to 5 ft. 2.50 5 to 6 ft. 3.00 vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 134 in. 5.00 4.00 3.50
2 to 2½ in. 7.50 2½ to 3 in. 12.50 sieboldiana. Siebold Willow. 30' 6 to 8 ft. 2.50 2.25 8 to 10 ft. 3.00 2.75 smithiana. Smith Willow. 20' 5 to 6 ft. 2.50 2.00 6 to 8 ft. 3.00 2.50 tomini. 20' 4 to 5 ft. 2.50 5 to 6 ft. 3.00 vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1¾ in. 5.00 4.00 3.50
2½ to 3 in. 12.50 sieboldiana. Siebold Willow. 30' 6 to 8 ft. 2.50 2.25 8 to 10 ft. 3.00 2.75 smithiana. Smith Willow. 20' 5 to 6 ft. 2.50 2.00 6 to 8 ft. 3.00 2.50 tomini. 20' 4 to 5 ft. 2.50 5 to 6 ft. 3.00 vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1¾ in. 5.00 4.00 3.50
sieboldiana. Siebold Willow. 30' 6 to 8 ft. 2.50 2.25 8 to 10 ft. 3.00 2.75 smithiana. Smith Willow. 20' 5 to 6 ft. 2.50 2.00 6 to 8 ft. 3.00 2.50 tomini. 20' 2.50 5 to 6 ft. 3.00 3.00 vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1¾ in. 5.00 4.00 3.50
6 to 8 ft. 2.50 2.25 8 to 10 ft. 3.00 2.75 smithiana. Smith Willow. 20' 5 to 6 ft. 2.50 2.00 6 to 8 ft. 3.00 2.50 tomini. 20' 4 to 5 ft. 2.50 5 to 6 ft. 3.00 vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1¾ in. 5.00 4.00 3.50
8 to 10 ft. 3.00 2.75 smithiana. Smith Willow. 20' 5 to 6 ft. 2.50 2.00 6 to 8 ft. 3.00 2.50 tomini. 20' 4 to 5 ft. 2.50 5 to 6 ft. 3.00 vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1¾ in. 5.00 4.00 3.50
smithiana. Smith Willow. 20' 5 to 6 ft. 2.50 2.00 6 to 8 ft. 3.00 2.50 tomini. 20' 2.50 4 to 5 ft. 2.50 3.00 vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1¾ in. 5.00 4.00 3.50
5 to 6 ft. 2.50 2.00 6 to 8 ft. 3.00 2.50 tomini. 20' 4 to 5 ft. 2.50 5 to 6 ft. 3.00 vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1¾ in. 5.00 4.00 3.50
6 to 8 ft. 3.00 2.50 tomini. 20' 4 to 5 ft. 2.50 5 to 6 ft. 3.00 vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1¾ in. 5.00 4.00 3.50
tomini. 20' 4 to 5 ft. 2.50 5 to 6 ft. 3.00 vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1¾ in. 5.00 4.00 3.50
5 to 6 ft. 3.00 vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1¾ in. 5.00 4.00 3.50
vitellina. (see alba vitellina) wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1¾ in. 5.00 4.00 3.50
wentworthi. 50' 6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1¾ in. 5.00 4.00 3.50
6 to 8 ft. 2.75 2.50 2.25 8 to 10 ft. 3.00 2.75 2.50 1½ to 1¾ in. 5.00 4.00 3.50
8 to 10 ft. 3.00 2.75 2.50 1½ to 1¾ in. 5.00 4.00 3.50
1½ to 1¾ in 5.00 4.00 3.50
134 to 2 in $600 500$
2 to 2½ in 7.50 6.50
Sambucus canadensis. American Elder. 10'
2 to 3 ft
3 to 4 ft
4 to 5 ft
5 to 6 ft
canadensis acutiloba. Cutleaf Elder. 10'
2 to 3 ft
3 to 4 ft
4 to 5 ft
5 to 6 ft 2.00 1.60
canadensis maxima. Great Elder. 10'
0 1 1 01
3 to 4 ft
3 to 4 ft

128 HENRY KUHANKIE & SU	N		
Sambucus	1-4	5-24 Each	25 & up Each
coerulea. Blueberry Elder. 15'	Each	Lacn	Lacn
4 to 5 ft	2.50		
5 to 6 ft	3.50		
nigra. European Elder. 15'			
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	1.75	1.50	1.10
		1.50	
nigra aurea. Golden European Eld 2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
			.00
4 to 5 ft	1.50	1.25	
nigra albo-variegata.	0.0		
Whiteblotch European Elder. 16		1.05	
3 to 4 ft		1.25	
4 to 5 ft	2.00		
pubens. Scarlet Elder. 8'	1.05		
3 to 4 ft	1.25		
4 to 5 ft	1.50		
racemosa. European Red Elder. 8'			
3 to 4 ft	1.25		
4 to 5 ft	1.50		
5 to 6 ft	2.00		
Sarcococca hookeriana. Himalaya Sarco	cocca	6'	
3 yr. from 4" pots		1.25	
-	1.00	1120	
Sassafras albidum. Common Sussafras.	<i>50</i> ′		
5 to 6 ft	5.00		
6 to 8 ft	6.00		
8 to 10 ft	7.50		
10 to 12 ft	10.00		
Schizophragma hydrangeoides.			
Japanese Hydrangea-vine. 20'			
from pots	2.75		
Securinega suffruticosa.			
3 to 4 ft	2.00	1 50	
4 to 5 ft	$2.00 \\ 2.50$	1.50 2.00	
4 10 5 11	2.50	4.00	
Shepherdia argentea. Silver Buffalober	ry. 15'		
0 4 4 04	-		
3 to 4 ft	2.50	2.00	
4 to 5 ft	2.50 3.00	2.00 2.50	
4 to 5 ft	3.00 3.50		
4 to 5 ft	3.00	2.50	
4 to 5 ft. 5 to 6 ft. 6 to 8 ft.	3.00 3.50 5.00	2.50	
4 to 5 ft	3.00 3.50 5.00 r.	2.50 3.00	.75
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. Smilax rotundifolia. Common Greenbrie	3.00 3.50 5.00	2.50	.75 .90

Colomus dulasses and an array	1-4 Each	5-24 Each	25 & up Each
Solanum dulcamara. Bitter Nightshade.			
2 year	.75	.65	.60
Sophora japonica. Chinese Pagodatree.	25'		
2 to 3 ftB&B	7.50	7.00	
3 to 4 ft	10.00	9.00	
4 to 5 ftB&B	12.50		
5 to 6 ftB&B	16.50		
6 to 8 ftB&B	20.00		
viciifolia. Vetchleaf Sophora. 8'			
2 to 3 ftB&B		7.50	
3 to 4 ftB&B	12.50	10.00	
Sorbaria aitchisoni. Kashmir False Spire	aea. 8	,	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.75	1.50
arborea glabrata. Smooth Tree Fall	lse Spi	iraea. 1	<i>5</i> ′
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.75	
sorbifolia. Ural False Spiraea. 6'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.75	1.50
tomentosa. Lindley False Spiraea. 8	8 "		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
Sorbus americana. American Mountain	Ash.	25'	
5 to 6 ft	4.50		
6 to 8 ft	5.00		
aucuparia. European Mountain Ash	. 50'		
6 to 8 ft	4.00	3.75	
8 to 10 ft	5.00	4.50	
1¼ to 1½ in	6.50	6.00	
1½ to 1¾ in	$\boldsymbol{9.00}$	8.00	
	12.50	10.00	
	15.00	12.50	
	20.00	18.00	
	27.50	22.50	
31/2 to 4 in.	35.00	30.00	

Sorbus 1-4	5-24	25 & up
Each aucuparia columnaris. Columnar Mt. Asi	Each	Each
2 to 2½ in	h. 40'	
aucuparia fastigiata. Pyramidal Mt. Ash	101	
6 to 8 ft		
8 to 10 ft		
1½ to 1½ in 10.00		
1½ to 1¾ in		
aucuparia pendula. Weeping Mt. Ash.	101	
	10	
3 yr., 5 to 6 ft. stem 15.00 commixta. Korean Mountain Ash. 25'		
	4.00	
3.00	4.00	
10.00	5.00	
12.00	10.00	
= 00 = 72 111 10.00	12.50	
2½ to 3 in	18.00	
latifolia. 40'		
6 to 8 ft 5.00		
8 to 10 ft 7.50		
2 to 2½ in		
quercifolia. (see thuringiaca)		
spuria. 15'		
8 to 10 ft 6.00		
1¼ to 1½ in. 7.50		
134 to 2 in		
2 to 2½ in		
thuringiaca. (quercifolia). Oakleaf Mt.	Ash. 35	,
6 to 8 ft 6.00		
8 to 10 ft 7.50		
1½ to 1¾ in		
13/4 to 2 in		•
2 to 2½ in		
2½ to 3 in 20.00		
torminalis. Checkertree Mt. Ash. 50'		
6 to 8 ft 5.00	4.00	
8 to 10 ft 6.00	5.00	
1 ³ / ₄ to 2 in	10.00	
2 to 2½ in	12.50	
$2\frac{1}{2}$ to 3 in	18.00	
Spirea arguta. Garland Spirea. 6'		
2 to 3 ft	.65	.60
3 to 4 ft	.85	.80
4 to 5 ft 1.50	1.25	1.10
5 to 6 ft	1.60	
2.00	1.00	1.35

Spiraea	1-4 Each	5-24 Each	25 & up Each
billiardi. Billiard Spiraea. 6'	Lach	Lacu	Each
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
bumalda. Bumalda Spiraea. 3'			
18 to 24 in	.75	.65	
24 to 30 in	1.00	.75	
bumalda Anthony Waterer.			
Anthony Waterer Spiraea. 3'			
15 to 18 in	.65	.55	.50
18 to 24 in.	.85	.70	.65
24 to 30 in.	1.00	.90	.80
bumalda walluffi. 3'	1.00	.00	.00
18 to 24 in	.85	.70	.65
24 to 30 in	1.00		.80
cantonensis. Reeves Spiraea. 8'			700
2 to 3 ft	.85	.65	.6 0
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
cantonensis lanceata. Double Reeve	s Spire	aea. 8'	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
chamaedryfolia. ulmifolia. Elmleaf	Spirae	ea. 6'	
2 to 3 ft	1.25		
douglasi. Douglas Spiraea. 8'			
2 to 3 ft	.85	.65	.6 0
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	
froebeli. Froebel Spiraea. 4'			
2 to 3 ft	1.00	.70	.65
3 to 4 ft	1.25	1.00	.85
japonica. Japanese Spiraea. 6'			
18 to 24 in	.75	.65	
24 to 30 in	.85	.70	
japonica fortunei. Fortune Spiraea.	-		
2 to 3 ft	.85	.65	.6 0
	1.25	.85	.80
japonica ovalifolia. Ovalleaf Japane			
18 to 24 in	1.00	.80	.75
24 to 30 in	1.25	.90	.80
japonica ruberrima. Red Japanese	_		
2 to 3 ft	.85	.70	
3 to 4 ft	1.00	.80	

	1-4		25 & up
Spiraea	Each	Each	Each
latifolia. (bethlehemensis).			
Broadleaf Meadowsweet Spira	ea. 6'		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
margaritae. Margarita Spiraea. 5	5 ′		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
nipponica rotundifolia. Big Nipp) '
3 to 4 ft		.85	
4 to 5 ft		1.25	
5 to 6 ft	2.00	1.60	
prunifolia. Bridal Wreath Spiraea	. 8'		
2 to 3 ft		.70	.60
3 to 4 ft	1.25	1.00	.85
4 to 5 ft		1.40	
pubescens. 6'			
3 to 4 ft	1.50		
salicifolia. Willowleaf Spiraea. 5'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	
superba. Striped Spiraea. 4'			
18 to 24 in		.65	.60
2 to 3 ft	1.00	.80	.75
syringiflora. Lilac Spiraea. 3'			
18 to 24 in		1.25	1.00
2 to 3 ft	. 1.75	1.50	
thunbergi. Thunberg Spiraea. 5'			
18 to 24 in		.55	.50
2 to 3 ft		.75	.70
3 to 4 ft		1.00	.90
4 to 5 ft	1.50	1.25	
tomentosa. Hardhack. 4'			
2 to 3 ft		.65	.60
3 to 4 ft	1.25	.85	.80

	1-4 Each	5-24 Each	25 & up Each
Spiraea			
trichocarpa. Korean Spiraea. 4'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50		
van houttei. Vanhoutte Spiraea. 10) '		
2 to 3 ft	.75	.55	.50
3 to 4 ft	.85	.70	.65
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.25	
veitchi. Veitch Spiraea. 12'			
3 to 4 ft	1.50		
wilsoni. Wilson Spiraea. 6'			
3 to 4 ft	1.50		
Charles 1 11 p. 11 p. 11			
Staphylea bumalda. Bumalda Bladdern		1.00	0.5
3 to 4 ft	1.25	1.00	.85
4 to 5 ft	1.50	1.25	
colchica. Colchis Bladdernut. 12'			
3 to 4 ft	1.75	1.65	1.50
4 to 5 ft	2.00	1.85	1.75
5 to 6 ft	2.50	2.25	
pinnata. European Bladdernut. 12'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.75	
trifolia. American Bladdernut. 12'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	.90	.85
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft		1.60	1.35
6 to 8 ft		2.00	1.75
Stephanandra incisa (flexuosa).			
Cutleaf Stephanandra. 6'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	.90

		1-4 Each	5-24 Each	25 & up Each
Stewartia	ovaia. (peniagyna). Mos	untain Ster	wartia.	15'
	to 4 ftBe			
	to 5 ftBa			
ovata	grandiflora. Showy Mor	untain Ster	wartia.	15'
3	to 4 ftB	&B 12.50		
serrat	** *			
	to 4 ftB			
4	to 5 ftB	&B 15.00		
Storay is	ponica. $Japanese$ $Snowbell.$	ao!		
	to 4 ftB		6.50	
9	to 5 ftB8		9.00	
	to 6 ftB8		12.50	
	to 8 ftB8		17.50	
ŏ	to 10 ftB8	ØB 25.00		
obassi	a. Fragrant Snowbell. 20'			
3	to 4 ftB8	&B 12.50		
4	to 5 ft	&B 15.00		
6	to 8 ftB&	&B 25.00		
Samuel ania	anne di di	\	a.t	
	earpus albus. (racemosus			rr
	to 3 ft		.60	.55
	to 4 ft		.70	.65
4	to 5 ft	1.25	1.00	
chena				
	to 3 ft		.60	.55
3	to 4 ft	1.00	.70	.65
mollis	• Spreading Snowberry. 6	,		*
	to 3 ft		.60	.55
3	to 4 ft	1.00	.70	.65
occide	ntalis. Western Snowberry	. <i>5</i> ′		
	to 3 ft		.60	.55
	to 4 ft		.70	.65
o. hey	eri. Thinleaf Western Sno	wberry. 5	,	
	to 3 ft			

	1-4	5-24 Each	25 & up
Symphoricarpos	Each	Lach	Each
orbiculatus (vulgaris). Indiancurra	int Cor	alberru	5 ′
2 to 3 ft		.55	.50
3 to 4 ft	.90	.65	.60
orbiculatus leucocarpus. White I	ndiance	ırrant	5 '
2 to 3 ft		.85	.75
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.35	1.25
racemosus. (see albus)			
(330 434)			
${f ^{\circ}}$ Symplocos paniculata. $Sapphireberry$	Sweetl	eaf. 20	•
2 to 3 ft	2.00	1.50	
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.50	3.00	
5 to 6 ft	4.50	4.00	
6 to 8 ft	6.00	5.00	
Syringa amurensis japonica. Japanes	o Tree	Lilao	<i>9</i> 0'
3 to 4 ft	1.50	1.25	1.10
4 to 5 ft	2.00	1.60	1.50
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft	4.00	3.25	3.00
8 to 10 ft	5.00	4.50	4.00
chinensis. syn. rothomagensis. Ch	inasa 1	ilac 1	'0'
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.00	1.60	1.50
6 to 8 ft	2.25	2.00	1.75
chinensis alba. White Chinese Lile		2.00	1.10
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.00 1.25	1.00	.90
4 to 5 ft.	1.25 1.50		
		1.35	1.25
5 to 6 ft	$\begin{array}{c} 2.00 \\ 2.25 \end{array}$	$\frac{1.60}{2.00}$	1.50
	2.20	2.00	1.75
chinensis metensis. 10'	1.00	0.0	
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.00	1.60	1.50
6 to 8 ft	2.25	2.00	1.75

	1-4 Each	5-24 Each	25 & up Each
Syringa			
chinensis saugeana. Purple Chinese	Lilac.	<i>10</i> ′	
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.00	1.60	1.50
6 to 8 ft	2.25	2.00	1.75
emodi. Himalayan Lilac. 8'			
3 to 4 ft	2.00		
4 to 5 ft	2.5 0		
5 to 6 ft	3.00		
henryi eximea. 8'			
4 to 5 ft	3.00		
5 to 6 ft	3.50		
henryi lutece. 8'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	4.00	3.50	
japonica. (see amurensis japonica)			
japonica. (see amurensis japonica) josiflexa Guinevere. 20'			
	4.00		:
josiflexa Guinevere. 20'	4.00 5.00		
josiflexa Guinevere. 20' 3 to 4 ft			
josiflexa Guinevere. 20' 3 to 4 ft	5.00		
josiflexa Guinevere. 20' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	5.00	.80	.70
josiflexa Guinevere. 20' 3 to 4 ft	5.00 6.00	.80 1.00	.70 .90
josiflexa Guinevere. 20' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. josikaea. Hungarian Lilac. 10' 2 to 3 ft.	5.00 6.00 1.00		
josiflexa Guinevere. 20' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft.	5.00 6.00 1.00 1.25	1.00	.90
josiflexa Guinevere. 20' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	5.00 6.00 1.00 1.25 1.50	1.00 1.35	.90
josiflexa Guinevere. 20' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	5.00 6.00 1.00 1.25 1.50 2.00	1.00 1.35 1.60	.90
josiflexa Guinevere. 20' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft.	5.00 6.00 1.00 1.25 1.50 2.00	1.00 1.35 1.60	.90
josiflexa Guinevere. 20' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 5 to 8 ft. josikea pallida. 10'	5.00 6.00 1.00 1.25 1.50 2.00 2.25	1.00 1.35 1.60	.90
josiflexa Guinevere. 20' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 6 to 8 ft. josikea pallida. 10' 4 to 5 ft. microphylla. Littleleaf Lilac. 10' 2 to 3 ft.	5.00 6.00 1.00 1.25 1.50 2.00 2.25	1.00 1.35 1.60	.90
josiflexa Guinevere. 20' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. josikea pallida. 10' 4 to 5 ft. microphylla. Littleleaf Lilac. 10' 2 to 3 ft. 3 to 4 ft.	5.00 6.00 1.00 1.25 1.50 2.00 2.25	1.00 1.35 1.60 2.00	.90 1.25
josiflexa Guinevere. 20' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 5 to 6 ft. 6 to 8 ft. josikea pallida. 10' 4 to 5 ft. microphylla. Littleleaf Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	5.00 6.00 1.00 1.25 1.50 2.00 2.25 4.00	1.00 1.35 1.60 2.00	.90 1.25
josiflexa Guinevere. 20' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. josikea pallida. 10' 4 to 5 ft. microphylla. Littleleaf Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft.	5.00 6.00 1.00 1.25 1.50 2.00 2.25 4.00	1.00 1.35 1.60 2.00	.90 1.25
josiflexa Guinevere. 20' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 5 to 6 ft. 6 to 8 ft. josikea pallida. 10' 4 to 5 ft. microphylla. Littleleaf Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	5.00 6.00 1.00 1.25 1.50 2.00 2.25 4.00 1.50 2.00 2.50	1.00 1.35 1.60 2.00 1.25 1.50 2.00	.90 1.25
josiflexa Guinevere. 20' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. josikaea. Hungarian Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. josikea pallida. 10' 4 to 5 ft. microphylla. Littleleaf Lilac. 10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft.	5.00 6.00 1.00 1.25 1.50 2.00 2.25 4.00 2.50 2.50 3.00	1.00 1.35 1.60 2.00 1.25 1.50 2.00 2.50	.90 1.25

Syringa	1-4 Each	5-24 2 Each	25 & up Each
oblata dilatata. Korean Early Lile	nc 19		
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	3.50	3.00	
	5.50	3. 00	
pekinensis. Peking Lilac. 15'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
6 to 8 ft. specB&B	15.00		
8 to 10 ft. specB&B	20.00		
persica. Persian Lilac. 10'			
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.75	1.50	1.25
persica alba. White Persian Lilac.	10'	1.00	1.20
2 to 3 ft	$\frac{10}{1.50}$	1.95	1.00
3 to 4 ft	1.75	$1.25 \\ 1.65$	1.00
	1.75	1.00	1.50
prestoniae. Preston Lilac. 20'	4.00		
2 to 3 ft	4.00		
3 to 4 ft	5.00		
4 to 5 ft	6.00		
5 to 6 ft	7.50		
Handel — magenta			
Paulina — fuchsine pink			
Isabella — fuchsine pink			
Nerissa — pink			
Hecla — fuchsia purple			
pubescens. Hairy Lilac. 6'			
3 to 4 ft	3.00		
reflexa. Nodding Lilac. 12'			
5 to 6 ft	5.00		
velutina. Manchurian Lilac. 10'			
4 to 5 ft	2.50	2.00	
5 to 6 ft			
	3.00	2.50	
villosa. Late Lilac. 8'	1.00		
2 to 3 ft	1.00	.80	.70
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.00	1.65	

1-4		25 & up
Syringa	Each	Each
vulgaris. Common Purple Lilac. 15'		
2 to 3 ft	.70	.65
3 to 4 ft	.90	.80
4 to 5 ft 1.75	1.50	1.25
		1.20
	1.75	
- to o it clamps been 10.00		
5 to 6 ft. clumpsB&B 12.50		
vulgaris alba. Common White Lilac. 15'		
2 to 3 ft	1.00	
3 to 4 ft	1.35	
4 to 5 ft	1.75	
5 to 6 ft	2.50	
4 to 5 ft. clumpsB&B 10.00		
5 to 6 ft. clumps B&B 12.50		
vulgaris. Named Varieties. 15'		
	41a a i .	
These hybrid lilacs are grown on roots in bush form. Can also be fu	ınen	own
tree form in first two sizes at 25%		
2 to 3 ft	1.25	1.10
3 to 4 ft	1.50	1.40
4 to 5 ft	2.75	2.50
5 to 6 ft 4.00	3.75	3.50
6 to 8 ft 5.00	4.50	
	2.00	1.00
Belle de Nancy — Double Rose		
2-3' 3-4' 4-5' 5-6' 6-8'		
Chas. Joly — Dark Purplish Red		
2-3' 3-4' 4-5' 5-6' 6-8'		
Frank Dammann Girala Willia		
Frau Dammann — Single White		
2-3' 3-4' 4-5' 5-6' 6-8'		
La Tour d'Auvergne — Double Purple		
2-3' 3-4' 4-5' 5-6' 6-8'		
Ludwig Spaeth - Single Red		
2-3' 3-4' 4-5' 5-6'		
Mad. Abel Chatenay — Double White		
2-3' 3-4' 4-5' 5-6' 6-8'		
Mad. Casimer Perier — Double Creamy	Whit	e
2-3' 3-4' 4-5' 5-6' 6-8'	******	
Mad. Lemoine — Large Double White		
2-3' 3-4' 4-5' 5-6' 6-8'		

Syrings vulgaris Named Varieties 1:4	5-24	25 & up
Each	Each	
Marie Le Graye — Single White		
2-3' 3-4' 4-5' 5-6' 6-8'		
Pres. Grevy — Double Blue		
2-3' 3-4' 4-5' 5-6' 6-8'		
Princess Alexandra — Single White 2-3' 3-4' 4-5' 5-6' 6-8'		
We have a limited quantity of the		
rieties of Lemoine's hybrid named		
we offer at the following prices.		or va-
rieties will be forwarded on reques	St.	
2 to 3 ft		
3 to 4 ft		
4 to 5 ft		
5 to 6 ft 5.00		
6 to 8 ft 7.50		
yunnanensis. Yunnan Lilac. 10'		
4 to 5 ft		
5 to 6 ft 4.00		
6 to 8 ft 5.00		
Tamarix africana. African Tamarix. 15'		
3 to 4 ft 1.25	.85	.80
4 to 5 ft 1.50	1.25	1.10
5 to 6 ft	1.60	1.35
gallica. French Tamarix. 10'		
3 to 4 ft 1.25	.85	.80
4 to 5 ft	1.25	1.10
gallica indica. India Tamarix. 10'		
3 to 4 ft	.85	
4 to 5 ft	1.25	
odessana. Odessa Tamarix. 6'		-
	.85	.80
4 to 5 ft	1.25	1.10
5 to 6 ft	1.60	1.35
pentandra. Fivestamen Tamarix. 12'		
3 to 4 ft 1.25	.85	.80
4 to 5 ft	1.25	1.10
tetandra. Fourstamen Tamarix. 10'		•
3 to 4 ft	.85	.80
4 to 5 ft	1.25	1.10
Taxodium distichum. Common Baldcypress.	50 '	
5 to 6 ft		
6 to 8 ft		
8 to 10 ft		
10 to 12 ftB&B 30.00		

	1-4 Each		25 & up Each
Taxus baccata. English Yew. 50'			
18 in	5.00		
2 ft	6.00		
	0.00		
baccata. erecta. Broom Yew. 10'			
	6.00	5.00	
2½ ftB&B	7.50	6.50	
3 ftB&B	10.00	8.00	
baccata fastigiata. Irish Yew. 10'			
18 inB&B	10.00	9.00	
baccata repandens. Spreading Engl	lish Ye	w. 2'	
18 to 24 in. spdB&B	7.00	6.50	
24 to 30 in. spd	8.50	8.00	
30 to 36 in. spdB&B	12.50		
baccata washingtoni. Washington	Yew. 6	,	
15 in B&B		6.00	
18 in,B&B	8.50	7.50	
2 ftB&B		9.00	
canadensis. Canada Yew. 4'			
18 to 24 in. spd	6.00		
24 to 30 in. spd			
30 to 36 in. spd			
canadensis stricta. Dwarf Hedge			
18 to 24 inB&B			
	1.50		
cuspidata. Japanese Yew. 10'	F	5 .00	4 = 0
15 to 18 in. spdB&B		5.00	4.50
18 to 24 in. spdB&B 2 to 2½ ft. spdB&B		6.50	6.00
_ *** **** ****************************		8.00	7.50
2½ to 3 ft. spdB&B 3 to 3½ ft. spdB&B		12.50	11.00
3½ to 4 ft. spdB&B		18.00	15.00
Heavy clipped specimens, 4 t		hrond	1 2 40
5 ft. high, quoted on request.	0 6 11.	broad	1, 5 10
	**	2.0	
cuspidata aurescens. Goldtip Japan		w. 20'.	
18 in	7.50		
2½ ftB&B			
cuspidata densa. Cushion Japanes		3'	
18 to 24 inB&B			
24 to 30 inB&B			
30 to 36 inB&B	15.00		

Taxus	1-4 Each	5-24 Each	25 & up Each
cuspidata nana. Dwarf Japanese			Bacil
15 to 18 inB&E	3 7.50	7.00	6.00
18 to 24 inB&F	3 10.00	8.00	7.50
24 to 30 inB&F	3 12.50	11.00	10.00
30 to 36 inB&E	3 18.00	15.00	
36 to 42 inB&F	3 25.00		
cuspidata nana compacta. 6'			
18 to 24 in	3 10.00	8.00	7.50
24 to 30 in	3 12.50	11.00	10.00
3 0 to 3 6 in	3 18.00	15.00	
cuspidata capitata. $Upright\ Japa$			
2 ftB&F		6.75	6.25
2½ ftB&F		10.00	8.00
3 ft		13.50	11.00
3½ ftB&F		17.50	15.00
4 ft		25.00	22.50
4½ ftB&F		30.00	27.50
5 ftB&F		35.00	32.50
5½ ft		40.00	
6 ftB&E		45.00	
6½ ftB&F		50.00	
7 ftB&F		55.00	
cuspidata thayeri. Thayer's Yew.		= 00	
18 to 24 in. spd		7.00	
24 to 30 in. spdB&E	3 10.00	9.00	
cuspidata Vermuelen. 10'			
18 to 24 inB&F			
24 to 30 inB&E	10.00		
hunnewelliana. Hunnewell Yew.			
18 to 24 inB&E			
24 to 30 inB&F			
30 to 36 inB&E	3 12.50		
Jeffrey's Pyramidal. 10'			
18 inB&E	7.50		
2 ftB&E	3 10.00		
2½ ftB&E	3 12.50		
media. Anglojap Yew. 12'			
18 to 24 inB&E	7.50	7.00	
24 to 30 inB&E	3 10.00	9.00	
media andersoni. Anderson Yew.			
18 to 24 inB&E	7.50		
24 to 30 inB&E	10.00		-
30 to 36 inB&E	3 12.50		

	1-4 Each	5-2 4 Each	25 & up Each
Taxus			
media browni. Brown's Yew. 10'			
18 to 24 inB&B	7.50		6.50
24 to 30 inB&B	10.00	9.00	
media hatfieldi. Hatfield Yew. 20'	,		
18 to 24 inB&B	6.50	6.00	5.50
24 to 30 inB&B	8.50	8.00	7.50
30 to 36 inB&B	12.50	10.00	
media hicksi. Hicks Yew. 20'			
18 to 24 inB&B	6.00	5.00	4.50
24 to 30 inB&B	8.00	7.00	6.50
30 to 36 inB&B	12.50	10.00	9.00
36 to 42 inB&B	15.00	13.50	
42 to 48 inB&B	20.00	17.50	
media kelseyi. Kelsey Yew. 10'			
18 to 24 inB&B	7.50		
24 to 30 inB&B	10.00		
30 to 36 inB&B	12.50		
media wellesleyana. Wellesley Yew. 8'			
18 to 24 in	7.50		
24 to 30 inB&B	10.00		
30 to 36 inB&B	12.50		
Thuja occidentalis. Eastern Arborvitae.			
3 ftB&B		4.50	
4 ftB&B		6.00	5.50
4 ft. heavy spcB&B			
5 ftB&B	9.00	8.00	7.50
5 ft. heavy spec B&B			
6 ftB&B		10.00	9.50
6 ft. heavy specB&B	15.00		
7 ftB&B	15.00	13.50	
8 ftB&B			
For larger sizes to 18 ft., add \$5.00 per foot			
occidentalis aurea douglasi.			
Douglas Golden Arborvitae. 15		0.50	
3 ftB&B		3.50	
4 ftB&B		5.00	
5 ftB&B		6.50	
6 ftB&B	10.00	7.50	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Thuis	1-4 Each	5-24 Each	25 & up Each
Thuja			
occidentalis columbia. Silvertip An			
3 ftB&B		5.00	
	7.50		
5 ftB&B			
	12.50		
	15.00		
8 ftB&B			
occidentalis compacta. Compact			
15 in		2.75	2.50
18 in	4.00	3.50	3.00
24 in		5.00	4.50
30 in		5.50	5.00
36 in	7.50	6.50	
occidentalis Parson's Compacta. 6		0.50	
36 in		6.50	
42 in	8.50	7.50	
48 in		10.00	
		_	
occidentalis cristata. Crested Arbo		<i>15</i> ′	
3 ftB&B			
4 ftB&B	7.50		
occidentalis elegantissima.			
Geo. Peabody Arborvitae. 15'	= 00		
2 ftB&B	5.00	4.50	4.25
3 ftB&B	7.50	6.00	5.50
	10.00	8.50	
5 ftB&B			
	15.00	13.50	12.50
7 ft		18.00	4
For larger sizes to 10 ft., add	\$5.00	per 10	ot.
occidentalis ellwangeriana.			
Ellwanger Arborvitae. 6' 2 ft	9 75	2.50	
2 ft B&B 2½ ft B&B		$3.50 \\ 4.00$	
3 ft		5.00	
3½ ft		6.00	
4 ft B&B		7.50	
4 1t		10.00	
occidentalis ericoides. Heath Arbo			
2 ft		4.00	
2½ ft B&B	5.00	4.50	
3 ft B&B		5.50	
0 , 10	0.00	0.00	

	1-4 Each	5-24 2 Each	5 & up Each
Thuja	Dacu	Васи	130,011
occidentalis globosa. Globe Arborvi	tae. 3'		
18 inB&B	4.00	3.50	3.25
24 inB&B	5.50	5.00	4.50
30 in	6.00	5.50	5.00
36 inB&B	7.50	6.00	5.50
42 inB&B	10.00	7.50	
occidentalis hoveyi. Hovey Golden	Arbo	rvitae.	8'
18 inB&B	4.00	3.50	3.00
2 ftB&B	5.00	4.75	4.50
2½ ftB&B	6.00	5.50	5.00
3 ftB&B	7.00	6.00	5.50
3½ ftB&B	8.50	7.50	7.00
4 ftB&B		9.00	
4½ ftB&B	12.50	11.00	
occidentalis lutea. (see occ. elegar	ntissim	a)	
occidentalis nigra.			
Wintergreen Pyramidal Arborvi	tae. 28	5 '	
2 ftB&B	4.50	4.25	4.00
3 ftB&B	6.00	5.50	5.00
4 ftB&B	7.50	7.00	6.50
5 ftB&B		9.00	8.00
6 ftB&B		12.50	
7 ftB&B		18.00	
For larger sizes to 10 ft., add	\$5.00	per fo	ot.
occidentalis pumila. Little Gem	<i>Arborvi</i>	tae. 3'	
18 in. spreadB&B	4.50	4.00	3.50
	5.00	4.75	4.50
	6.00	5.50	5.00
36 in. spreadB&B	7.50	6.00	
occidentalis pygmaea. Pygmy Arb		. 2'	
15 inB&B	4.00	3.00	2.75
18 inB&B		4.00	
24 inB&B		5.00	
occidentalis pyramidalis. Pyramid			25'
2 ftB&B		4.00	3.50
	6.00	5.00	4.50
4 ftB&B		6.50	6.00
5 ftB&B			7.50
6 ftB&B		12.50	11.50
7 ftB&B		15.00	
8 ftB&B		20.00	
For larger sizes to 18 ft., add	\$5.00	per foo	t

	1-4 Each	5-24 2 Each	25 & up Each
Thuja	23440		
occidentalis douglasi pyramidalis.			
Douglas Pyramidal Arborvitae.		4.00	
2 ft	5.00	4.00	
3 ftB&B	6.00	5.00	
4 ft	7.50	$6.50 \\ 9.00$	
0 10	10.00	9.00	
6 ftB&B For larger sizes to 9 ft., add \$		or foot	
For larger sizes to 9 it., and \$	1 00.6	er root.	•
occidentalis reevesi. Reeves Arbor	vitae.	<i>10</i> ′	
2½ ftB&B	2.00	4.00	
3 ftB&B	5.00	4.50	
4 ftB&B	7.50	6.00	
occidentalis reidi. Reid Arborvitae.	8 '		
2 ftB&B	5.00	4.75	4.50
2½ ftB&B	6.00	5.50	5.00
3 ftB&B	7.50	6.00	5.50
3½ ft B&B	10.00	7.50	6.50
1 10	12.50	10.00	9.00
1/2 100	15.00	13.50	12.50
5 ftB&B	20.00	15.00	
occidentalis riversi. Rivers Arborz	vitae.	12'	
3 ftB&B	6.00		
4 ftB&B	7.50		
5 ftB&B	10.00		
occidentalis rosenthali. Rosenthal	Arbor	vitae. 1	o '
2 ft	6.00	5.00	4.50
3 ftB&B	7.50	6.00	5.50
4 ftB&B	10.00	8.50	7.50
5 ftB&B	12.50	10.00	
6 ft		12.50	
7 ft	20.00		
occidentalis spiralis. Spiral Arbora	vitae.	25 '	
2 ft	5.00	4.00	3.50
3 ftB&B	6.00	5.00	4.50
4 ftB&B		6.50	6.00
5 ftB&B		8.50	8.00
6 ftB&B	15.00	12.50	11.50
7 ft		16.00	15.00
For larger sizes to 20 ft., add	\$5.00	per fo	ot.

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

2401 2101	ach
occidentalis umbraculifera. $Umbrella\ Arborvitae.$	
	2.75
10 to 11 11 Spent 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3.25
24 to 30 in. spd. B&B 5.00 4.75	4.50
2½ to 3 ft. spdB&B 6.00 5.50	5.00
3 to 3½ ft. spdB&B 7.50 7.00	
occidentalis vervaeneana. Vervaene Arborvitae. 1	2'
3 ftB&B 6.00 5.00	
4 ft	
5 ftB&B 10.00	
6 ft	
7 ft	
8 ft	
occidentalis wareana. Ware Arborvitae. 15'	
	2.50
	3.50
2½ ft	5.00
3 ft	6.75
3½ ft	7.50
	9.00
=	9.00
4½ ft B&B 15.00 12.50	
For larger sizes to 7 ft., add \$5.00 per foot. occidentalis wareana lutescens.	
Ware Gold Arborvitae. 10'	
18 in	
2 ftB&B 7.50 6.00	
2½ ftB&B 10.00 7.50	
3 ft	
occidentalis woodwardi. Woodward Arborvitae. 6	P
18 in	
24 in	
36 inB&B 7.50	
orientalis. Oriental Arborvitae. 25'	
3 ft	
4 ft	
4 ft	
5 ftB&B 10.00 8.50	
5 ft	
5 ft. B&B 10.00 8.50 6 ft. B&B 12.50 10.00 7 ft. B&B 15.00	
5 ft. B&B 10.00 8.50 6 ft. B&B 12.50 10.00 7 ft. B&B 15.00 8 ft. B&B 20.00	
5 ft. B&B 10.00 8.50 6 ft. B&B 12.50 10.00 7 ft. B&B 15.00 8 ft. B&B 20.00 orientalis conspicua. Goldspire Arborvitae. 20'	
5 ft. B&B 10.00 8.50 6 ft. B&B 12.50 10.00 7 ft. B&B 15.00 8 ft. B&B 20.00 orientalis conspicua. Goldspire Arborvitae. 20' 2 ft. B&B 5.00 4.50	

	1-4	5-24 25 & up
Thuis	Each	Each Each
Thuja orientalis elegantissima.		
Yellow Column Arborvitae. 10'		
2 ft	5.00	4.50
3 ft	6.00	1.00
4 ft	7.50	
5 ft		
orientalis nana aurea.		
Berkman's Golden Arborvitae.	3'	
18 in B&B	4.00	
2 ft	4.50	4.00
2½ ft	6.00	5.50
orientalis sieboldi. Siebold Arborve	itae.	g '
2 ftB&B	6.00	5.50
3 ftB&B	7.50	7.00
4 ftB&B	10.00	9.00
plicata. Giant Arborvitae. 20'		
2 ftB&B	5.00	4.50
3 ft	6.50	5.50
4 ftB&B	10.00	7.50
5 ftB&B	12.50	10.00
plicata atrovirens. Darkgreen Gian		
2 ftB&B		4.50
3 ftB&B	6.50	
plicata fastigiata. Pyramidal Giant		
3 ftB&B		6.00 5.50
4 ft		8.50 7.50
5 ft		$10.00 \\ 12.50$
6 ftB&B		12.30
7 ft		ner foot
	φυ.υυ	per root.
standishi. Japanese Arborvitae. 50' 3 ft	7.50	
3 It	1.00	
Tilia americana. American Linden. 75'		
6 to 8 ft	3.00	
8 to 10 ft	3.50	
1½ to 1½ in	4.50	
1½ to 1¾ in	5.50	
1¾ to 2 in	8.50	
2 to 2½ in	12.50	
2½ to 3 in	20.00	
3 to 3½ in	30.00	
3½ to 4 in	40.00	

5-24 25 & up Each Each

	1-4 Each
Tilia	
americana fastigiata.	
Pyramidal American Linden.	
8 to 10 ft	12.50
cordata. Littleleaf European Linde	en. 70'
6 to 8 ft	
11/4 to 11/2 in	12.50
1½ to 1¾ in	15.00
and lane City and Tinder No.	
euchlora. $Crimean$ Linden. $75'$ 2 to $2\frac{1}{2}$ in	25.00
2 to 272 m	
3 to 3½ in	
3½ to 4 in	
4 to 4½ in	
4 (0 4-72 111	. 05.00
europaea. European Linden. 75'	
8 to 10 ft	10.00
1½ to 1¾ in	15.00
13/4 to 2 in	18.00
2 to 2½ in	25.00
2½ to 3 in	30.00
3 to 3½ in	35.00
3½ to 4 in	45.00
4 to 5 in	60.00
honerana Honer Lindon 60'	
henryana. Henry Linden. 60' 8 to 10 ft	12.50
1½ to 1½ in	
174 to 172 m	. 10.00
oliveri. Oliver Linden. 50'	
8 to 10 ft	. 12.50
platyphyllos. Bigleaf Linden. 75	,
1 ³ / ₄ to 2 in	
2 to $2\frac{1}{2}$ in	
2½ to 3 in	
3 to 3½ in	30.00
3½ to 4 in	
4 to 5 in	
platyphyllos pyramidalis. Pyramidal Bigleaf Linden. 50'	
3 to 3½ in	
υ το υγε III	. 55.00

Tilia 1-4		25 & up
tomentosa. Silver Linden. 40'	Each	Each
1½ to 1½ in 15.00		
1½ to 1¾ in 17.50		
13/4 to 2 in 20.00		
vulgaris. (see europea).		
Tripterygium regeli. Regels Threewingnut. 5'		
2 to 3 ftB&B 4.00	3.00	
3 to 4 ft	4.50	
	4.50	
Tsuga canadensis. Canada Hemlock. 75'	= =0	= 00
2 ft	5.50	5.00
2½ ft B&B 7.50	6.50	6.00
3 ft	9.50	9.00
4 ft	15.00	
4 ft. extra broad B&B 22.50	10.00	
5 ft	18.00	
5 ft. extra broad B&B 27.50	00.50	
6 ft	22.50	
7 ft		
8 ft B&B 40.00		
For larger sizes to 18 ft. add \$7.50 g caroliniana. Carolina Hemlock. 50'	er 100t	•
2 ft	8.00	7.50
3 ft	10.00	9.50
4 ft	10.00	9.50
5 ft		
For larger sizes to 10 ft., add \$7.50 g	oer foot	
ror larger sizes to 10 ft., aud \$7.50 p	ber 100t	•
Ulex europeaus. Common Gorse. 4'		
18 to 24 in., 4 in. pots 2.25	1.75	
Ulmus alatus. Wahoo Elm. 50'		
1½ to 1½ in	5.50	
1½ to 1¾ in 8.00	7.00	
americana. American Elm. 80'		
6 to 8 ft	2.50	2.00
8 to 10 ft	3.00	2.75
1½ to 1½ in 5.00	4.50	4.25
1½ to 1 ¾ in 7.50	6.50	6.00
134 to 2 in	8.00	7.50
2 to 2½ in 12.50	11.00	10.00
2½ to 3 in 20.00	16.00	15.00
3 to 3½ in 30.00	20.00	10.00
3½ to 4 in. 40.00		

						1-4 Each	5-24 Each	25 & up Each
Ulmus								
am	ericar	ıa	colum	naris.	Columnar	Americ	an Elm	. 60'
	6	to	8	ft		4.00	3.50	3.00
	8	to	10	ft		5.00	4.50	4.00
	11/4	to	11/2	in		6.50	5.50	
	$1\frac{1}{2}$	to	$1\frac{3}{4}$	in		8.00	7.00	
	13⁄4	to	2	in		12.50	10.00	
	2	to	$2\frac{1}{2}$	in		15.00	14.00	
	$2\frac{1}{2}$	to	3	in		25.00	20.00	
	3	to	$3\frac{1}{2}$	in		30.00	25.00	
an	nerica	na	molin	e. Moi	line Elm. 8	30 '		
	6	to	8	ft		2.75	2.25	2.00
	8	to	10	$\mathbf{ft}.\dots$		4.00	3.50	3.25
	$1\frac{1}{4}$	to	$1\frac{1}{2}$	$in.\dots$		6.00	5.50	5.00
	$1\frac{1}{2}$	to	$1\frac{3}{4}$	$in.\dots\\$		8.00	7.00	6.50
	$1\frac{3}{4}$	to	2	$in. \dots$		12.50	10.00	9.00
	2	to	$2\frac{1}{2}$	$in. \dots$		15.00	14.00	13.50
	$2\frac{1}{2}$	to	3	in			20.00	18.00
	3	to	$3\frac{1}{2}$	in		30.00	25.00	
an	nerica	na	urni.	Vase	Elm. 60'			
	6	to	8	$\mathbf{ft}.\dots$		2.75	2.25	2.00
	8	to	10	ft.		4.00	3.50	3.25
	$1\frac{1}{4}$	to	$1\frac{1}{2}$	in		6.00	5.50	5.00
	$1\frac{1}{2}$	to	$1\frac{3}{4}$	in		8.00	7.00	6.50
	$1\frac{3}{4}$	to	2	in		12.50	10.00	9.00
	2	to		in			14.00	13.50
	$2\frac{1}{2}$	to	-	in			20.00	18.00
	3	to	$3\frac{1}{2}$	in		30.00	25.00	
ca	mpesi	ris	. (see	proce	era).			
ca	rpinif	olia	a corr	ubiens	sis. Cornish	Elm.	75 '	
	8	to						
	$1\frac{1}{2}$	to	13/4	in		10.00		
	13/4	to	2	in		15.00		
	2	to	$2\frac{1}{2}$	in		20.00		
ca	rpinif	oli	a sarı	niensis	• Wheatley	Elm.	75'	
	6	to		ft		6.00		
	11/4	to	$1\frac{1}{2}$	in		10.00	9.00	
	$1\frac{1}{2}$			in		12.50	11.00	
	13⁄4		_	in		15.00	14.00	
	2	to		in		25.00	22.50	
	$2\frac{1}{2}$	to	3	in	,	30.00	27.50	

4½ to 5

 $65.00 \quad 60.00$

Ulmus	1-4 Each	5-2 4 Each	25 & up Each
fulva. Slippery Elm. 65'			
134 to 2 in	15.00	12.50	
2 to 2½ in		15.00	
2½ to 3 in		20.00	
glabra. Scotch Elm. 75'			
1¼ to 1½ in		5.50	5.00
1½ to 1¾ in	9.00	8.00	7.50
13/4 to 2 in		12.50	11.00
2 to 2½ in	17.50	15.00	14.00
2½ to 3 in		20.00	18.00
3 to 3½ in	30.00	25.00	
glabra camperdowni. Camperdow	n Elm.	20 '	
6 ft. stem		9.00	
U IV. Stelli	10.00	5.00	
glabra nana. Globe Elm.			
6 to 8 ft. standards	20.00		
8 to 10 ft. standards	25.00		
hollandica klemmeri. Klemmer I	Elm. 75	•	
1¾ to 2 in	15.00		
2 to 2½ in	20.00		
hollandica latifolia. Belgian Elm			
11/4 to 11/2 in		7.00	6.50
1½ to 1¾ in		9.00	8.50
13/4 to 2 in		13.50	12.50
2 to 2½ in		15.00	
2½ to 3 in		25.00	
3 to 3½ in	35.00		
hollandica vegeta. $Huntington\ E$	'lm '75'		
8 to 10 ft		5.50	
1¼ to 1½ in		7.00	6.50
1½ to 1¾ in		9.00	8.50
134 to 2 in		13.50	12.00
2 to 2½ in	20.00	15.00	14.00
2½ to 3 in		25.00	22.50
3 to 3½ in		30.00	44.00
3½ to 4 in		50.00	
U72 IU T III	40.00		

Ulmus	1-4 Each	5-24 2 Each	
japonica. Japane	se Elm. 70'		- 9
	in		
13/4 to 2	in		
2 to 2½	in 17.50		
2½ to 3	in 25.00		
2,2 00			
parvifolia. Chine	se Elm. 30'		
	4.00	3.00	2.50
8 to 10 ft.	5.00	4.00	3.50
10 to 12 ft.	8 .50	7.00	6.00
12 to 14 ft.	15.00	12.50	
	estris). English Elm. 75		0.0-
6 to 8	ft 4.50	3.50	3.25
8 to 10	ft	5.25	5.00
	in 8.00	7.00	6.50
1½ to 1¾	in 10.00	9.00	8.50
13/4 to 2	in 15.00	13.50	12.00
2 to 2½	in 17.50	15.00	14.00
$2\frac{1}{2}$ to 3	in	20.00	18.00
3 to 3½	in 30.00	25.00	
$3\frac{1}{2}$ to 4	in 40.00		
4 to 4½	in 50.00		
n monumentali	s. Monument English Elm	75'	
6 to 8	ft 6.00	5.50	
8 to 10	ft 7.50	7.00	
	in. 25.00	22.50	
$\frac{2}{2\frac{1}{2}}$ to $\frac{2}{3}$	in	22.50	
_,	in		
3 to 3½ 4½ to 5	in 65.00	60.00	
472 10 3	m	00.00	
p. purpurea. Pu	rpleleaf English Elm. 70°		
8 to 10	ft 7.50		
11/4 to 11/2	in 10.00		
1½ to 1¾	in 12.50		
pumila. Siberian			
6 to 8	ft	1.75	1.65
8 to 10	ft 3.50	2.50	2.25
10 to 12	ft	3.00	2.75
1½ to 1¾		5.00	
13/4 to 2	in 8.00	7.00	
2 to $2\frac{1}{2}$		10.00	
$2\frac{1}{2}$ to 3	in 20.00	15.00	

Ulmus	1-4		25 & up
thomasi. (racemosa). Rock Elm.	Each 75'	Each	Each
1¼ to 1½ in	7.50	7.00	6.50
1½ to 1¾ in	9.00	8.00	7.50
1¾ to 2 in	12.50	10.00	9.00
2 to 2½ in	17.50	15.00	14.00
2½ to 3 in	25.00	20.00	
3 to 3½ in	30.00	25.00	
3½ to 4 in	40.00	35.00	
Vaccinium angustifolium laevifolium.			
Smoothleaf Blueberry. 18"			
2 to 3 ftB&B	7.50	6.00	
corymbosum. Highbush Blueberry.	<i>8</i> ′		
3 to 4 ftB&B			
4 to 5 ftB&B		12.50	
	17.50	15.00	
vacillans. Dryland Blueberry. 3'			
18 to 24 inB&B			
Viburnum acerifolium. Mapleleaf Vibu			
2 to 3 ft		1.50	
3 to 4 ft		2.00	
4 to 5 ft		2.50	
5 to 6 ft	2 50		
	5.50		
americanum. (see trilobum)			
americanum. (see trilobum) betulifolium. Birchleaf Viburnum.	12'		
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft.	12' 3.00	2.50	
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft. 3 to 4 ft.	12' 3.00	2.50	
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft. 3 to 4 ft. bitchuiense. Yeddo Viburnum. 6'	12' 3.00 3.50		
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft. 3 to 4 ft. bitchuiense. Yeddo Viburnum. 6' 3 to 4 ft. B&B	12' 3.00 3.50 4.00	3.50	
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft. 3 to 4 ft. bitchuiense. Yeddo Viburnum. 6' 3 to 4 ft. B&B 4 to 5 ft. B&B	12' 3.00 3.50 4.00 5.50		
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft. 3 to 4 ft. bitchuiense. Yeddo Viburnum. 6' 3 to 4 ft. 4 to 5 ft. B&B burejaeticum. Manchurian Viburnum	12' 3.00 3.50 4.00 5.50 m. 15'	3.50 5.00	
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft. 3 to 4 ft. bitchuiense. Yeddo Viburnum. 6' 3 to 4 ft. B&B 4 to 5 ft. B&B burejaeticum. Manchurian Viburnum. 2 to 3 ft.	12' 3.00 3.50 4.00 5.50 m. 15' 3.00	3.50 5.00 2.50	
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft. 3 to 4 ft. bitchuiense. Yeddo Viburnum. 6' 3 to 4 ft. B&B 4 to 5 ft. B&B burejaeticum. Manchurian Viburnum. 2 to 3 ft. 3 to 4 ft.	12' 3.00 3.50 4.00 5.50 m. 15' 3.00 3.50	3.50 5.00	
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft. 3 to 4 ft. bitchuiense. Yeddo Viburnum. 6' 3 to 4 ft. B&B 4 to 5 ft. B&B burejaeticum. Manchurian Viburnum. 2 to 3 ft. 3 to 4 ft. burkwoodi. Burkwood Viburnum.	12' 3.00 3.50 4.00 5.50 m. 15' 3.00 3.50 4'	3.50 5.00 2.50 3.00	5.00
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft. 3 to 4 ft. bitchuiense. Yeddo Viburnum. 6' 3 to 4 ft. B&B 4 to 5 ft. B&B burejaeticum. Manchurian Viburnum. 2 to 3 ft. 3 to 4 ft. burkwoodi. Burkwood Viburnum. 2 to 3 ft. B&B	12' 3.00 3.50 4.00 5.50 m. 15' 3.00 3.50 4' 6.00	3.50 5.00 2.50 3.00 5.50	5.00
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft. 3 to 4 ft. bitchuiense. Yeddo Viburnum. 6' 3 to 4 ft. B&B 4 to 5 ft. B&B burejaeticum. Manchurian Viburnum. 2 to 3 ft. 3 to 4 ft. burkwoodi. Burkwood Viburnum. 2 to 3 ft. B&B 3 to 4 ft. B&B	12' 3.00 3.50 4.00 5.50 m. 15' 3.00 3.50 4' 6.00 7.50	3.50 5.00 2.50 3.00 5.50 7.00	5.00
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft. 3 to 4 ft. bitchuiense. Yeddo Viburnum. 6' 3 to 4 ft. B&B 4 to 5 ft. B&B burejaeticum. Manchurian Viburnum. 2 to 3 ft. 3 to 4 ft. burkwoodi. Burkwood Viburnum. 2 to 3 ft. B&B 3 to 4 ft. B&B 4 to 5 ft. B&B	12' 3.00 3.50 4.00 5.50 m. 15' 3.00 3.50 4' 6.00 7.50	3.50 5.00 2.50 3.00 5.50	5.00
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft. 3 to 4 ft. bitchuiense. Yeddo Viburnum. 6' 3 to 4 ft. B&B 4 to 5 ft. B&B burejaeticum. Manchurian Viburnum. 2 to 3 ft. 3 to 4 ft. burkwoodi. Burkwood Viburnum. 2 to 3 ft. B&B 3 to 4 ft. B&B 4 to 5 ft. B&B Carlesi. Koreanspice Viburnum. 4'	12' 3.00 3.50 4.00 5.50 m. 15' 3.00 3.50 4' 6.00 7.50 10.00	3.50 5.00 2.50 3.00 5.50 7.00 9.00	5.00
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft. 3 to 4 ft. bitchuiense. Yeddo Viburnum. 6' 3 to 4 ft. B&B 4 to 5 ft. B&B burejaeticum. Manchurian Viburnum. 2 to 3 ft. 3 to 4 ft. burkwoodi. Burkwood Viburnum. 2 to 3 ft. B&B 4 to 5 ft. B&B 4 to 5 ft. B&B 6 to 24 in. B&B	12' 3.00 3.50 4.00 5.50 m. 15' 3.00 3.50 4' 6.00 7.50 10.00 4.00	3.50 5.00 2.50 3.00 5.50 7.00 9.00	5.00
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft. 3 to 4 ft. bitchuiense. Yeddo Viburnum. 6' 3 to 4 ft. B&B 4 to 5 ft. B&B burejaeticum. Manchurian Viburnum. 2 to 3 ft. 3 to 4 ft. burkwoodi. Burkwood Viburnum. 2 to 3 ft. B&B 3 to 4 ft. B&B 4 to 5 ft. B&B 2 to 2½ ft. B&B	12' 3.00 3.50 4.00 5.50 m. 15' 3.00 3.50 4' 6.00 7.50 10.00 4.00 5.00	3.50 5.00 2.50 3.00 5.50 7.00 9.00 3.25 4.50	5.00
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft. 3 to 4 ft. bitchuiense. Yeddo Viburnum. 6' 3 to 4 ft. B&B 4 to 5 ft. B&B burejaeticum. Manchurian Viburnum. 2 to 3 ft. 3 to 4 ft. burkwoodi. Burkwood Viburnum. 2 to 3 ft. B&B 3 to 4 ft. B&B 4 to 5 ft. B&B 3 to 4 ft. B&B 4 to 5 ft. B&B 4 to 5 ft. B&B 4 to 5 ft. B&B 5 carlesi. Koreanspice Viburnum. 4' B&B 2 to 2½ ft. B&B 2½ to 3 ft. B&B	12' 3.00 3.50 4.00 5.50 m. 15' 3.00 3.50 4' 6.00 7.50 10.00 4.00 5.00 7.50	3.50 5.00 2.50 3.00 5.50 7.00 9.00	5.00
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft. 3 to 4 ft. bitchuiense. Yeddo Viburnum. 6' 3 to 4 ft. B&B 4 to 5 ft. B&B burejaeticum. Manchurian Viburnum. 2 to 3 ft. 3 to 4 ft. burkwoodi. Burkwood Viburnum. 2 to 3 ft. B&B 3 to 4 ft. B&B 4 to 5 ft. B&B 5 to 24 in. B&B 2 to 2½ ft. B&B 2½ to 3 ft. B&B 2½ to 3 ft. B&B 2½ to 3 ft. B&B 2 to 2½ ft. B&B 2½ to 3 ft. B&B 3 to 24 in. B&B	12' 3.00 3.50 4.00 5.50 m. 15' 3.00 3.50 4' 6.00 7.50 10.00 4.00 5.00 7.50 5.00	3.50 5.00 2.50 3.00 5.50 7.00 9.00 3.25 4.50	5.00
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft. 3 to 4 ft. bitchuiense. Yeddo Viburnum. 6' 3 to 4 ft. B&B 4 to 5 ft. B&B burejaeticum. Manchurian Viburnum. 2 to 3 ft. 3 to 4 ft. burkwoodi. Burkwood Viburnum. 2 to 3 ft. B&B 3 to 4 ft. B&B 4 to 5 ft. B&B 3 to 4 ft. B&B 4 to 5 ft. B&B 4 to 5 ft. B&B 4 to 5 ft. B&B 5 carlesi. Koreanspice Viburnum. 4' B&B 2 to 2½ ft. B&B 2½ to 3 ft. B&B	12' 3.00 3.50 4.00 5.50 m. 15' 3.00 3.50 4' 6.00 7.50 10.00 4.00 5.00 7.50 5.00	3.50 5.00 2.50 3.00 5.50 7.00 9.00 3.25 4.50	5.00
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft. 3 to 4 ft. bitchuiense. Yeddo Viburnum. 6' 3 to 4 ft. B&B 4 to 5 ft. B&B burejaeticum. Manchurian Viburnum. 2 to 3 ft. 3 to 4 ft. burkwoodi. Burkwood Viburnum. 2 to 3 ft. B&B 3 to 4 ft. B&B 4 to 5 ft. B&B 3 to 4 ft. B&B 4 to 5 ft. B&B 5 carlesi. Koreanspice Viburnum. 4' B&B 2 to 2½ ft. B&B 2½ to 3 ft. B&B 18 to 24 in., own roots B&B 24 to 30 in., own roots B&B	12' 3.00 3.50 4.00 5.50 m. 15' 3.00 3.50 4' 6.00 7.50 10.00 4.00 5.00 7.50 5.00 6.00	3.50 5.00 2.50 3.00 5.50 7.00 9.00 3.25 4.50	5.00
americanum. (see trilobum) betulifolium. Birchleaf Viburnum. 2 to 3 ft. 3 to 4 ft. bitchuiense. Yeddo Viburnum. 6' 3 to 4 ft. B&B 4 to 5 ft. B&B burejaeticum. Manchurian Viburnum. 2 to 3 ft. 3 to 4 ft. burkwoodi. Burkwood Viburnum. 2 to 3 ft. B&B 3 to 4 ft. B&B 4 to 5 ft. B&B 5 to 24 in. B&B 18 to 24 in. B&B 24 to 30 in., own roots B&B Standards	12' 3.00 3.50 4.00 5.50 m. 15' 3.00 3.50 4' 6.00 7.50 10.00 4.00 5.00 7.50 6.00 10.00	3.50 5.00 2.50 3.00 5.50 7.00 9.00 3.25 4.50 6.50	5.00

	1-4 Each	5-24 Each	25 & up Each
Viburnum			
cassinoides. Witherod Viburnum. 1	2'		
2 to 3 ft	1.00	.90	.80
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50		
dentatum. Arrowwood Viburnum.	12'		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
dilatatum. Linden Viburnum. 10'			
2 to 3 ft	1.50		
3 to 4 ft	2.00		
4 to 5 ft	2.50		
d. xanthocarpum.			
Yellowberry Linden Viburnum.	10'		
4 to 5 ft	5.00		
fragrans. Fragrant Viburnum. 10'			
2 to 3 ftB&B	6.00	5.00	
3 to 4 ftB&B	7.50	6.00	
4 to 5 ftB&B	10.00	7.50	
5 to 6 ftB&B	12.50	10.00	
hupehense. Hupeh Viburnum. 6'			
2 to 3 ft	2.50	2.00	
3 to 4 ft	3.00	2.50	
lantana. Wayfaring Tree. 15'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.50	1
lantana rugosum. $Wrinkleleaf$ Wa	y faring	-tree.	<i>15</i> ′
3 to 4 ft	1.25	.85	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.60	
6 to 8 ft	2.25	2.00	

Viburnum	1-4 Each	5-24 Each	25 & up Each
lentago. Nannyberry. 20' 2 to 3 ft	0.5	C.F.	CO
	.85	.65	.60
	1.25	.85	.80
	1.50	1.25	1.10
	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
molle. Kentucky Viburnum. 10'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75
nudum. Possumhaw Viburnum. 15'			
2 to 3 ft	1.00	.90	.80
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
opulus. European Cranberrybush.	101		
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.35	1.10	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.25	2.00	1.00
8 to 10 ft	3.00	2.50	
opulus nanum. Dwarf Cranberry B			
8 to 10 in	1.25	1.10	1.00
10 to 12 in	1.50	1.35	1.25
opulus sterile. Common Snowball.	10'		
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.75	1.65	1.50
5 to 6 ft	2.25	2.00	1.75
2 32 2 2	20	2.00	x.10
opulus xanthocarpum.			
Yellowfruit Cranberrybush. 10'			
2 to 3 ft	2.50	2.25	
3 to 4 ft	3.00	2.75	
4 to 5 ft	3.50		

Viburnum	1-4 Each	5-24 Each	25 & up Each
prunifolium. Blackhaw Viburnum.	15'		
2 to 3 ft	2.00	1.75	1.50
3 to 4 ft	2.50	2.25	2.00
		3.00	2.75
	3.50	3.50	3.25
	4.00		3.23
0 00 0 100	4.50	4.00	
8 to 10 ft	6.00	5.00	
pubescens. Downy Viburnum. 6'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
0 10 0 11	0.00	0.00	
p. canbyi. Canby Downy Viburnun	n. 10'		
2 to 3 ft	1.00	.75	.65
3 to 4 ft	1.25	1.00	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
rhytidophyllum. Leatherleaf Vibur 2 to 3 ftB&B	6.00	3 ′ 5.50	
3 to 4 ftB&B	7.50		
rufidulum. Rusty Blackhaw Viburn	um. 18	5"	
3 to 4 ft	3.00		
4 to 5 ft	4.00		
sarganti Sangant Chambanatan	101		
sargenti. Sargent Cranberrybush. 1		0.00	
3 to 4 ft		2.00	
4 to 5 ft	3.00	2.50	
sieboldi. Siebold Viburnum. 10'			
2 to 3 ft	1.25	1.00	.90
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.00	2.75	
8 to 10 ft	3.50	3.25	

	1-4		25 & սր
Viburnum	Each	Each	Each
setigerum. Tea Viburnum. 12'			
2 to 3 ft	2.50		
tomentosum. Doublefile Viburnum.	8'		
2 to 3 ft	1.00	.85	.80
3 to 4 ft	1.50	1.25	1.10
4 to 5 ft	2.00		
t. sterile. (plicatum). Japanese Sne	owball.	8"	
2 to 3 ft	1.75	1.50	
3 to 4 ft	2.00		
trilobum. (americanum). American			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.35	1.10	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
trilobum compactum. 6'			
18 to 24 in	2.25	2.00	
2 to 3 ft	2.75	2.50	
3 to 4 ft	3.50	3.00	
veitchi. Veitch Viburnum 6'			
3 to 4 ft	2.00	1.75	
wrighti. Wright Viburnum 8'			
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
Vinca minor. (see Herbaceous Materia	1).		
Vitex agnuscastus. Lilac Chastetree 4'	4.00	0.0	
2 to 3 ft	1.00	.80	
3 to 4 ft	1.35	1.10	.95
a. alba. White Chastetree. 4'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.35	1.10	
a. latifolia (macrophylla). $Hardy$ L	ilac Ch	astetr	ee. 4'
2 to 3 ft	1.00	.90	
3 to 4 ft	1.35	1.10	
negundo. Negundo Chastetree. 4'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	

	1-4 Each	5-24 2 Each	5 & up Each
Vitex	Bach	Bach	224011
negundo incisa. Cutleaf Chastetree.	. 4'		
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
Vitis aestivalis. Summer Grape. 40'			
2 year	.75	.65	.60
3 year	1.00	.80	.75
amurensis. Amur Grape. 40'			
3 year	.75		
coignetiae. Gloryvine. 40'			
3 year	1.25	1.00	.90
4 year	1.50	1.25	1.00
labrusca. Fox Grape. 40'			
2 year	.75	.65	.60
3 year	1.00	.80	.75
riparia. Riverbank Grape. 40'			
2 year	.75	.65	
3 year	1.00	.80	
rotundifolia. Muscadine Grape. 40'		0.5	
3 year	.75	.65	.60
4 year	1.00	.80	.75
vulpina. Frost Grape. 40'		0.5	00
2 year	.75	.65	.60
3 year	1.00	.80	.75
4 year	1.25	1.00	.90
Weigela floribunda. Crimson Weigela.	10"		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
florida. (rosea). Oldfashioned Weig	ela. 8'		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
hendersoni. Henderson Weigela. 18	ĭ '		•
3 to 4 ft	1.25	.85	
4 to 5 ft	1.50	1.25	
horiensis rubra. 10'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
6 to 8 ft	2.25	2.00	1.75

Weigela	1-4 Each	5-24 Each	25 & up Each
japonica. Japanese Weigela. 8'	Eacn	Each	Each
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	
rosea. (see florida).			
vaniceki. Red Weigela. 6'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
wagneri Abel Carriere.			
Abel Carriere Wagner Weigela.	<i>10</i> ′		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	
w. Boule Rose. 8'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
w. Candida. Snow Weigela. 8'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.50
w. Desboisi. Desbois Weigela. 8'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
w. Eva Rathke. Eva Rathke Weige	la. 5'		
2 to 3 ft	1.25	.85	.80
3 to 4 ft	1.50	1.25	1.10
4 to 5 ft	2.00	1.75	1.50
w. Groenewegeni. Groenewegeni We	eigela.	8 '	
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
w. Gustav Mallot. Gustav Mallot	Weige	la. 8'	
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	
w. nana variegata. Dwarf Variegat			
2 to 3 ft	1.25	.85	.80
3 to 4 ft	1.50	1.25	1.10
4 to 5 ft	2.00	1.75	1.50

	1-4 Each	5-24 Each	25 & up Each
Weigela	Buon	Lucis	2300
w. sieboldi argenteomarginata.			
Siebold Silveredge Weigela. 8'			
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.75	
w. Styriaca. 8'			
3 to 4 ft	1.25	.85	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.60	
w. vanhouttei. Vanhoutte Weigela.	8'		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25	.85	.80
4 to 5 ft	1.50	1.25	1.10
5 to 6 ft	2.00	1.60	1.35
	•		
Wistaria floribunda hybrids.			
2 year	4.00		
Issai — purple			
Kyushaku — lavender			
Murasaki Noda — purple			
Naga Noda — lavender			
Penn Valley — deep purp	le		
Rosea Alabama — pink			
Royal Purple — purple	•		
Rubra — red			
Audia — 1ea			
floribunda macrobotrys (multijuga	i).		
Longcluster Japanese Wistaria.	<i>30</i> ′		
2 year	1.25	1.10	1.00
3 year	1.50	1.35	1.25
4 year	2.00	1.75	*
frutescens. American Wistaria. 30'			
2 year	1.50	1.25	1.00
sinensis. Chinese Wistaria. 40'	4.00		
2 year	1.00	.85	.75
3 year	1.25	1.10	1.00
3 year grafted flowering plants	2 50		
_	3.50		
Standards, 4 ft. stem,	10.50		
30 in. head B&I	3 12.50)	

	1-4 Each	5-24 Each	25 & up Each
Wistaria			
sinensis alba. White Chinese Wistar	ria. 40'		
2 year	1.00	.85	
3 year grafted flowering			
plants	3.50		
Zanthorhiza simplicissima. Yellowroot.	<i>3</i> ′		
12 to 15 in. clumps	1.50	1.25	1.00
15 to 18 in. clumps	1.75	1.50	1.25
18 to 24 in. clumps	2.00	1.75	1.50
Zanthoxylum americanum. Prickly Ash	n. 15'		
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
5 			
schinifolium. Peppertree Prickly As	h. 12'		
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
simulans. Flatspine Prickly Ash. 2	25'		
3 to 4 ft	2.50		
4 to 5 ft	3.50		
5 to 6 ft	4.50		
Zelkova serrata. Japanese Zelkova. 50	o '		
10 to 12 ft	10.00		

HERBACEOUS AND ALPINE MATERIAL

All kinds marked with an asterisk (*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grown.

5-24 25 & up

*Acaena buchanani. Bluish gray, Aug. 1"	Each	Each
*sanguisorbae. Bright green foliage, 2"		
*Achillea ageratifolia aizoon. White, May,		
June, 8"	.30	.25
Angel's Breath. White, summer, 18"	.50	.20
filipendulina. Yellow, June, July, 3'	.30	.25
*millefolium Cerise Queen. Rose, July, 2'	.25	.20
*nana. White, June, July, 6"	.25	.20
*nitida. White, June, July, 1'	.25	.20
*ptarmica The Pearl. White, July, 2'	.25	.20
*ptarmica Boule de Neige. White, June,		
July, 2'	.25	.20
*ptarmica Perry White. June, July, 2'	.25	.20
*tomentosa. Yellow, June, 1'	.25	.20
Aconitum autumnale. Blue, July, August, 4'	.40	
fischeri. Blue, September, 3'	.35	.30
fischeri wilsoni. Violet blue, Sept. 5'	.40	
napellus. Blue, July, Aug. 4'	.45	
napellus Spark's. Violet blue, July,		
August, 5'	.35	.30
*Actinea herbacea. Yellow, May, 6"	.30	
*Actaea alba. White, May, June, 3-4'	.25	.20
rubra. Red, May, June, 3-4'	.25	.20
Adenophora chinensis. Blue, fall, 3'	.25	
potanini. Light blue, July, August, 3'	.25	
*Adiantum pedatum. Maiden Hair Fern	.30	.22
Adonis amurensis. Yellow, March, 18"	.75	
For less than five, add five cents per plant to the 5	-24 rc	ate.

		25 & up Each
*Aegopodium podograria variegatum. Varie-		
gated foliage, 1'	.25	.20
3 3 .		
*Aethionema cordifolium. Rosy-lilac, June, 6"	.35	.30
grandiflorum. Pink, June, 12"	.35	.30
*kotschyi. Rose, July, 4"	.35	.30
*persicum. Pink, June, July, 9"	.35	.30
*pulchellum. Pink, June, 8"	.35	.30
*schistosum. Rose, June, 4"	.35	.30
*Ajuga brockbanki. Purple, June, 6"	.25	.20
*genevensis. Bright blue, May, 6"	.30	.25
*genevensis rosea. Pink, May, 6"	.30	.25
*reptans. Blue, May, 6"	.25	.20
*reptans alba. White, May, 6"	.25	.20
Topical distanting, inag, o	.20	.20
Allium		
*pulchellum. Violet, June, July, 9"	.30	
schoenoprasum. Rose purple, June,		
July, 2'	.30	.25
stellatum. Rose, June, July, 18"	.30	.25
*thibetica. Lilac mauve, June, July, 8"	.30	.25
Althon wegen Hellyhook		
Althea rosea. Hollyhock	95	90
*Double. Separate colors, July, Aug. 5'	.25	.20
*Double. Chaters' strain, separate colors	.25	.20
Fringed Allegheny. July, August, 5'.	.25	.20
Single. Mixed colors, July, August, 5'	.25	.20
Single. Separate colors, July, Aug. 5'	.25	.20
*Alyssum argenteum. Yellow, July, Aug. 6"	.25	.20
*creticum. Yellow, June, July, 1'	.25	.20
*montanum. Yellow, June, July, 8"	.30	.25
*rostratum. Yellow, June, July, 12"	.25	.20
saxatile compactum. Yellow, May, 1'	.25	
*saxatile sulphureum. Yellow, May, 1'	.30	.25
*spinosum. Pink and white, June, 3"		.30
*Amsonia tabernaemontana. Blue, May,		
June, 3'	.25	.20
Anchuca harroliari Dina May 9'	20	
Anchusa barrelieri. Blue, May, 2'	.30	95
italica Dropmorei. Blue, June, 4-5' *myosotidiflora. Bright blue, May, 1'	.30	.25
myosonamora. Dright blue, way, 1	.50	.30

	5-24 Each	25 & up Each
Anemone hupehensis. Mauve, AugSept. 1'	.35	.30
*japonica alba. White, fall, 3'	.35	.30
*japonica Alice. Rose pink, fall, 3'	.35	.30
japonica Louise Uhink. White, fall, 3'	.35	
japonica Marie Manchard. White, fall, 3'	.35	
japonica Queen Charlotte. Rose, fall, 3'	.35	.30
japonica Richard Ahrends. Shell pink,		
fall, 2'	.35	.30
japonica rubra. Red, fall, 2'	.35	.30
japonica September Charm. Silvery		
pink, fall, 2'	.35	
japonica September Sprite. Pink, fall, 2'	.35	.30
*japonica Whirlwind. Pure white, fall, 3'	.35	.30
*pennsylvanica. White, July, 18"	.35	
*pulsatilla. Blue, April, 15"	.35	.30
*pulsatilla alba. White, April, 1'	.50	
*pulsatilla rubra. Dark red, April, 12"	.40	.35
*Antennaria dioica. White, May, 6"	.25	.20
*Anthemis montana. White, July, 10"	.25	.20
Moonlight. Pale yellow, summer, 2'	.35	.30
nobilis. White, summer, 1'	.25	.20
tinctoria. Yellow, July, August, 3'	.25	.20
tinctoria E. C. Buxton. White, yellow		
eye, July, August, 3'	.30	.25
tinctoria kelwayi. Yellow, July, Aug. 3'	.25	.20
tinctoria kelwayi. White, July, 3'	.25	.20
Anthericum liliago. White, May, June, 3'	.40 -	
Anthyllis vulneraria dilleni. Red, summer, 1'	.35	
*Aquilegia alpina. Blue, May, June, 1'	.25	.20
*coerulea. Blue, May, June, 1½'	.30	.25
*canadensis. Scarlet, May, June, 2'	.25	
chrysantha. 'Yellow, June, July, 3'	.30	.25

	5-24 Each	25 & up Each
Aquilegia		
chrysantha alba. White, June, July, 3'		.25
Crimson Star. Crimson, May, June, 2'	.35	.30
*flabellata nana-alba. White, June, 10"	.25	.20
*hybrida. Mrs. Scott Elliott. Various,	0.7	-
June, 2'	.25	.20
longissima. Yellow, June, 2'	.40	.35
rosea. Long spurred pink, June, 2'	.30	.25
*skinneri. Red and yellow, May, 2'	.25	.20
*vulgaris. Purple, May, June, 2'	.25	.20
vulgaris nivea. White, May, 2'	.25	.20
*Arabis albida. White, May, 6"	.30	.25
*alpina. White, April, May, 6"	.30	.25
*alpina fl. pl. Dbl. white, April, May, 6"	.35	.30
*alpina Rosabella. Pink, April, May, 6"	.35	.30
*alpina rosea. Pink, April, May, 6"	.30	.25
*aubretioides. Pink, May, 8"	.30	.25
*cockilis. White, April, May, 6"	.30	.25
*procurrens. White, May, 1'	.30	.25
productions willies, may, i	.50	.20
*Arenaria balearica. White, July, Aug. 3"	.30	.25
*grandiflora. White, May, 4"	.30	.25
*montana. White, June, 4"	.30	.25
*verna. White, June, July, 3"	.30	.25
Arisaema triphyllum. Purple, May, 1'	.30	.25
*Armeria alpina. Pink, summer, 6"	.30	
*Bee's Ruby. Red, summer, 10"	.35	
*cephalotes rubra. Deep pink, May, June,		
6"		0.5
*laucheana. Crimson, May, June, 8" *maritima. Pink, May, June, 6"	.30	.25
*maritima alba. White, May, June, 6"	.30 .30	.25 .25
*robusta. Crimson, May, June, 10"		.25
Cimbon, May, Gane, 10	.50	. <u></u> .U
Artemesia absinthium. Wormwood, 4'	25	.20
dracunculus. White, August, 2'		

Artemesia	5-24 Each	25 & up Each
frigida. Silver foliage, 18"	.35	.30
lactiflora. White, August, 4'	.25	.20
pontica. Gray foliage, 12"	.25	.20
purshiana. Gray foliage, 3'	.25	.20
Silver King. White foliage, 3'	.30	.25
*Arundo-donax. Giant reed, 12'	.40	.35
*Asarum canadense. Chocolate, May, 6"	.25	.20
Asclepias incarnata. Red, August, 4'	.30	.25
tuberosa. Orange, July, August, 2'	.25	.20
*Asperula cynanchica. Pink, summer, 10"	.35	
hexaphylla. White, June, 1'	.30	.25
*hirta. Pink, July, August, 6"	.35	.30
*longifolia. White, summer, 8"	.30	
*odorata. White, May, 8"	.30	.25
*scutellaria. White, June, July, 6"	.35	
Asphodeline lutea. Yellow, July, 3'	.35	
*Asplenium felix faemina. Lady Fern	.30	.25
*Aster alpinus. Blue, June, July, 8" *alpinus Goliath. Bluish purple, May,	.35	.30
June, 8"	.30	
amellus Mrs. R. Wood. Rose, July, 18"	.30	
Abendrothe. Rose pink, Oct. 3'	.25	.20
Acme. Light lavender, Oct. 5'	.25	.20
Adorable. Pink, fall, 3'	.40	
Ballard's Crimson. Fall, 3'	.25	.20
Beechwood Challenger. Crimson, fall,		
18"	.30	
Blue Gem. Blue, September, 3'	.25	.20
Blue Gown. Blue, fall, 4'	.30	.25
Blue Lagoon. Blue, fall, 4'	.40	.35
Climax. Blue, September, October, 3'	.25	.20
dracunculoides. Light blue, July, 2' frikarti Wonder of Staefa. Lavender,	.30	.25
fall, 2'	.45	.40

	5-24 Each	25 & up Each
Aster		
Harrington's Pink. Fall, 3'	.30	.25
laevis. Lavender, September, 4'	.25	.20
Mauve Cushion. Mauve, October, 12"	.25	.20
Mauve Queen. Mauve, September, 3'	.25	.20
Mrs. Raynor. Crimson, Sept. 3'	.25	
Mt. Everest. White, fall, 3'	.30	.25
novae-angliae. Purple, Sept., Oct., 4'	.25	.20
Novae-angliae roseus. Rose, Sept., 4'	.25	.20
Palmyra. Pink, fall, 3'	.35	.30
Queen Mary. Blue, Sept., 3'	.25	.20
Red Cloud. Deep pink, fall, 3'	.35	.30
Red Rover. Red, fall, 3'	.30	
Robt. Parker. Lavender, Sept., Oct., 5'	.25	.20
Royal Blue. Blue, fall, 4'	.30	
Skylands Queen. Light blue, fall, 3'	.25	
Sunset. Pink, Sept. 3'	.30	.25
tartaricus. Purple, Oct. and Nov., 6'	.25	.20
Violetta. Violet, Sept., 3'	.45	
Wartberg Star. Lilac blue, spring, 1'	.35	.30
White Climax. White, fall, 4'	.25	.20
dwarf varieties		
Countess of Dudley. Clear pink,		
Sept., 9"	.30	.25
Lavenda. Lavender blue, Sept. 6"	.30	.25
Lilac Time. Lilac, Sept. 1'	.30	.25
Marjorie. Rose pink, Sept. 1'	.30	.25
Nancy. Flesh pink, Sept. 1'	.30	.25
Niobe. White, Sept. 6"	.30	.25
Astilbe arendsi Ceres. Rosy lilac, July, 2'	.50	.45
arendsi Fanal. Red, July, 18"	.50	
arendsi Gladstone. White, July, 18"	.50	
arendsi Granat. Crimson, June, 2'	.50	
arendsi Grandis rosea magnifica. Pink,		
July, 4'	.50	
arendsi Juno. Purplish pink, July, 3'	.50	.45
arendsi Kreimhilde. Rose, June, July, 2'	.50	.45
arendsi Marguerite Van Rechteren. Red, tinged lilac, August, 4'	50	45
illiged mac, August, 4	.50	.45

		25 & up Each
Astilbe	Lacu	Lacn
arendsi Moerheimi. White, July, 3'	.50	
arendsi Philadelphia. Lavender rose,		
July, 2'	.50	
arendsi Rhineland. Crimson, shaded sal-		
mon, June, 2'	.50	.45
arendsi Rose Pearl. Shell pink, July, 3'	.50	.45
arendsi Salland. Red, July, 5'	.50	.45
rosea Queen Alexandra. Deep pink,	E 0	45
July, 3'	.50	.45
July, 3'	.50	.45
rubella Vesta. Lilac rose, July, 3'	.50	.45
Astrantia major. Silvery pink, May, 2'	.25	.20
*Aubretia deltoides. Purple, April, May, 4"	.25	.20
*deltoides bougainvillei. Dark blue.	.20	.20
April, 5"	.30	.25
*deltoidea eyrei. Rosy lilac, April, 5"	.30	.25
*deltoidea Fire King. Red, May, 4"	.30	0
*deltoidea graeca. Violet, May, 4"	.30	.25
*deltoidea leichtlini. Pink, April, 5"	.30	.25
*deltoidea purpurea. Purple, April, 5"	.30	
*hybrida. Various, April, May, 6"	.25	
Baptisia australis. Indigo, June, 4'	.30	.25
tinctoria. Yellow, June, 3'	.30	.25
Belamcanda chinensis. Orange, summer, 3'	.25	.20
*Bellis perennis alba. White, April, May, 3"	.25	.20
*perennis rosea. Pink, April, May, 3"	.25	.20
*rotundifolia caerulescens. Blue, May		
2"	.35	
*Bellium bellidioeides. Bluish, summer, 4"	.30	
Bocconia cordata. Creamy white, Aug. 6'	.30	.25
Boltonia asteroides. White, Sept. 5'	.25	.20
latisquama. Lavender, Aug., 5'	.25	.20
latisquama nana. Lavender, Aug. 2'	.30	.25
Boykinia rotundifolia. White, June, 2'	.25	.20
Buphthalmum speciosum. Yellow, June, 3'	.25	.20
salicifolium. Yellow, summer, 2'	.25	.20
*Calamintha alpina. Purple, summer, 6"	.35	.30
*Calandrinia umbellata. Crimson, summer, 6"	.30	.25

	5-24 Each	25 & up Each
Calimeris incisa. Pink, summer, 2'		
*Callirhoe involucrata. Red, all summer, 6"	.25	.20
*Caltha palustris. Yellow, April, May, 12"	.25	.20
Camassia leichtlini. Blue, May, 2'	.25	.2 0
quamash. Blue, May, 2'	.25	.20
*Campanula alliariaefolia. White, June, July,		
2'	.30	.25
*bononiensis. Blue, June, 2'	.25	.20
*carpatica. Blue, July, August, 9"	.35	.30
*carpatica alba. White, July, Aug. 9"	$.35^{\circ}$.30
*cullinmore. Blue, summer, 9"	.35	.30
*garganica. Light blue, June, 6"	.35	.30
*garganica hirsuta. Blue, June, 4"	.40	
*glomerata. Purple, June, July, 2'	.35	.30
glomerata acaulis. Purple, June, 6"	.35	.30
glomerata superba. Violet, June, July, 2'	.35	.30
*grosseki. Blue, summer, 2'	.25	.20
lactiflora. Light blue, August, 4'	.35	.30
latifolia alba. White, July, 3'	.35	.30
latifolia macrantha. Purplish blue,		
July, 3'	.35	.30
medium. Mixed, June, July, 3'	.25	.20
medium. Separate colors, June, July, 3'	.30	.25
medium calycanthema. Mixed, July, 3'	.25	.20
medium calycanthema. Separate colors,		
July, 3'	.25	.20
*muralis. Blue-purple, June, 6"	.35	.30
persicifolia. Blue, June, July, 2'	.30	.25
*persicifolia alba. White, June, 2'	.35	.30
persicifolia alba fl. pl. White, sum-		
mer, 2'	.40	
persicifolia dbl. blue. Blue, summer, 2'	.40	
persicifolia Telham Beauty. Blue, sum-		
mer, 2'	.35	.30
*poscharskyana. Blue, summer, 5"	.35	
pyramidalis. Blue, July, 4-5'	.30	.25
pyramidalis alba. White, July, 4-5'	.30	.25
*raineri. Dark blue, July, 6"	.30	.25
-,,,	.00	.20

	5-24 Each	25 & up Each
Campanula		0.5
*raineri alba. White, July, 6"	.30	.25
*riverslea. Dark blue, July, 9"	.30	.25
*riverslea alba. White, July, 9"	.30	.25
*rotundifolia. Blue, June, July, 12"	.35	.30
*sarmatica. Pale blue, summer, 12"	.35	.30
*turbinata. Blue, June, July, 6"	.30	.25
*turbinata alba. White, June, July, 6"	.30	.25
*trachelium. Blue, July, 2-3'	.25	.20
*Carex morrowi. White-edged foliage, 1'	.40	
Cassia marilandica. Yellow, July, 3-4'	.25	.20
Catananche caerulea. Blue, June, July, 18"	.30	.25
Caulophyllum thalictroides	.30	.25
*Centaurea dealbata. Red, July, 1½'	.25	.20
macrocephala. Yellow, July, 3-4'	.25	.20
*montana. Blue, June, July, 2'	.30	.25
ruthenica. Straw color, July, 4'	.35	
Centranthus angustifolius. Rose, summer,		
18"	.30	
ruber. Red, summer, 3'	.30	.25
ruber albus. White, all summer, 3'	.30	.25
Cephalaria alpina. Yellow, July, 5'	.25	.20
tatarica. Cream, summer, 6'	.25	.20
,		
*Cerastium biebersteini. White, June, 6"	.25	.20
*tomentosum. White, June, 6"	.25	.20
*Ceratostigma plumbaginoides. Blue, fall, 6"	.35	.30
*Chieranthus allioni. Orange, July, 1'	20	05
*Golden Bedder. June, 1'		.25
,		.25
Chelone glabra. White, rosy tinged, July, 2'		.25
lyoni. Deep rose, August, 2'	.25	
Chrysanthemum anemone-flowered	.25	.20
Snow Queen — white.		
*arcticum. White, fall, 2'	.30	.25
*arcticum Astrid. Pink, fall, 18"	.30	.25
balsamita. Yellow, AugSept. 2'	.25	.20
coreanum. Blush, fall, 3'	.30	.25
Cushion varieties. Fall, 1'	.25	.20
(white, yellow, pink, red, bronze)		

PAINESVILLE, UNIO		171
Chrysanthemum	5-24 Each	25 & up Each
*erubescens. Pink, AugSept. 18"	.30	
hardy button varieties		.22
Baby Marguerite — pink.		
Irene — blush white.		
Mitzi — yellow.		
Mrs. H. Harrison — pink.		
Niza — delicate pink.		
Pygmy Gold — golden yellow.		
September Bronze — bronze.		
September Cloud — white.		
September Gold — gold.		
White Doty — white.		
White Gull — white.		
hardy large flowering, double, fall, 4'	30	.22
Algonquin — yellow.	.00	
Barbara Small — rose pink.		
Boston — orange.		
Brune Poitevine — deep velvety redd	ish h	ronze
Caliph — oxblood red.	1011 0	TOTIEC.
Chippewa — aster purple.		
Cydonia — Orange, overlaid mahogar	ov br	onze
Dainty Lady — pink.	19 101	onze.
Early Wonder — soft pink.		
Eugene A. Wander — golden yellow.		
Ganna — lavender, light silver shadi	nø	
Golden Cheer — golden yellow.	-151	
Harvest Home — yellow.		
James Eadie — bronze yellow.		
Lavender Lady — clear lavender.		
Magnolia — soft pink with cream tint		
Margie — dark red.	•	
Mrs. Pierre S. DuPont III — peach, w	zith r	nauve
undertone.		
Mrs. Sam Rotan — large golden yellov	V.	
Murillo — pink.		
Oconto — white.		
Ohio Gold — yellow.		
Pacific Supreme — pink.		
Pink Radiance — soft pink.		
Polar Ice — white.		
R. Marion Hatton — canary yellow.		
Royal Gem — red.		
Ski Trail — white.		
Vesuve — red.		
Vesuve — Teu.		

White Wonder — white.

Chrysanthemum, hardy, large-flowering.	5-24 Each	25 & up Each
Dazzler — Cardinal red, fall, 2'	.30	.25
Daybreak — Shell pink, fall, 2'	.30	
Dean Kay. Rose pink, SeptOct. 2'	.35	.30
Dean Ladd. Reddish bronze, Sept		
Oct. 2'	.45	
Emma Marie. Lemon yellow, fall, 2'	.30	.25
Glory of Seven Oaks. Yellow, Sept. 2'	.30	.25
Judith Anderson. Yellow, fall, 18"	.30	.25
Pale Moon. Yellow, fall, 2'	.30	.25
Peggy Ann Hoover. Lilac pink,		
fall, 2'	.30	.25
Tassiva. White, Sept. 18"	.30	.25
Yellow Spoon. Yellow, Oct. 18"	.30	.25
hardy large flowering. Single, fall, 4' Country Girl — lavender. Gypsy Girl — crimson, shading ches Mrs. Calvin Coolidge — cardinal red. Mrs. W. E. Buckingham — salmon positiver Moon — white.	tnut.	.25
Korean hybrids. October, 2-21/2'	.30	.22
Aphrodite — pale pink.		
Apollo — bronze, red and gold.		
Ceres — chamois yellow.		
Clara Curtis — salmon pink.		
Daphne — daphne pink.		
Diana — rose pink, blended lilac rose		
Indian Summer — double orange.		
Kristina — deep rose pink.		
Mars — amaranth red.		
Mercury — bronze red.		
Nancy Copeland — spectrum red.		

		25 & up Each
Chrysanthemum, Korean hybrids.	Lacn	Each
Sappho — pure yellow.		
Saturn — orange and bronze.		
Siegfried — rich yellow.		
The Moor — port wine red.		
Viking — burnt orange.		
maximum. White, all summer, 2'	.25	.20
maximum Alaska. White, July, Aug. 2'	.25	.20
maximum Chiffon. Double white, sum-		
mer, 18"	.30	
maximum Esther Reed. Double, white,		
summer, 18"	.45	.40
maximum Giant Single. White, sum-		
mer, 30"	.30	.25
maximum Mrs. C. Lothian Bell. White,		
June, July, 2'	.30	.25
maximum White Swan. Double white,		
summer, 18"	.35	.30
*morifolium. Rose, fall, 18"	.40	.35
Cimicifuga racemosa. White, July, 5'	.30	.25
Clematis davidiana. Blue, August, 3'	.45	
davidiana hybrida. Light blue, Aug. 18"	.50	.40
integrifolia. Blue, July, 2'	.30	.25
recta. White, July, 3'	.35	.30
recta mandschurica. White, July, 4'	.40	.35
*Colchicum autumnale. Rosy lilac, Sept. 1'	.40	
autumnale roseum plenum. Rosy lilac,		
September, 1'	.50	
*Convallaria majalis. Clumps, white, May, 6"	.40	.35
Coptis trifolia. White, summer, 6"	.35	.30
Coreopsis auriculata. Orange, summer, 18"	.25	.20
auriculata nana. Orange, summer, 1'	.35	
grandiflora. Yellow, summer, 3'	.25	.20
lanceolata. Yellow, summer, 2'	.25	.20
*rosea. Rose, AugSept. 1'	.30	.25
verticillata. Yellow, July-Aug. 2'	.30	.25
*Coronilla cappadoccia. Yellow, June, 6"	.35	.30
*varia. Pink, summer, 18"	.25	.20
*Corydalis cheilanthifolia. Creamy white,		
July, 2'	.30	.25
*lutea. Yellow, July, 8"	.35	.30
*Cotula squalida. White, summer, 2"	.30	.25
*Crucianella stylosa. Crimson pink, July, 8"	.30	

		25 & up
*Cynanchum acuminatifolium. White, sum-	each	each
mer, 18"	.35	.30
Cypripedium acaule. Rose-purple, May-		
June, 1'	.50	
parviflorum. Yellow, May, June, 1'	.50	
speciabile. Rose, June, 2'	.50	
Delphinium belladonna. Sky blue, all sum-		
mer, 4'	.30	.22
bellamosum. Dark blue, all summer, 4'	.30	.22
*chinense. Blue, July, 2'	.30	.22
*chinense album. White, July, 2'	.30	.22
formosum. Indigo, July, 4'	.30	.22
hybridum Blackmore and Langdon.		
Various, July, 4'	.30	.25
hybridum Gold Medal. Shades of blue,		
July, 4'	.30	.22
hybridum Wrexham's. Various, June, 5'	.35	.30
Pacific Hybrids. Various, summer, 4'	.40	.35
Pacific Hybrids. Separate colors, sum-		
mer, 4'	.50	
Black Knight — dark violet		
Blue Jay — blue		
Cameliard — soft lavender		
Galahad — white		
Guinevere — light pink lavender		
King Arthur — royal violet		
Lancelot — soft lavender		
siberica hybrids. Shades of blue, July, 3'	.30	.25
Dennstedtia punctilobula. Hay-scented Fern	.30	.25
Dianthus allwoodi. Pink, July, 1'	.30	.25
*alpinus. Rose, summer, 4"	.35	.30
*arenarius. White, July, 10"		.25
*arvernensis. Pink, June, 4"	.30	
barbatus. (Single Sweet William),		
mixed colors, June, July, 1'	.25	.20
barbatus atrococcineus. Crimson, June,		
1'	.25	.20
*barbatus Dwarf Giants. Various, June,	0.7	
8"	.25	.20
barbatus fl. pl. (Double Sweet William),	0.5	
mixed colors, June, July, 1'	.25	.20

Dianthus		25 & up each
barbatus Giant White. June, 1'	.25	90
barbatus nigricans. Dark velvety red,	.20	.20
June, 1'	.25	.20
barbatus Pink Beauty. Pink, June, 1'	.25	.20
barbatus Salamoni. Salmon, June, 1'	.25	.20
barbatus Sutton's Scarlet. Crimson,	0	.20
June, 1'	.25	.20
*caesius. Rose pink, June, July, 9"	.25	.20
*chinensis heddewigi. Mixed, June, July, 8"	95	
*deltoides. Pink, June, 9"	.25	.20
*deltoides albus. White, June, 9"	.25	.20
*deltoides Brilliant. Red, June, 9"	.30	.25
giganteus. Red, July, 2'	.30 $.25$.25
*grisebachi. Purple, June, 1'	.25	.20
hardy pinks. Single, mixed, all sum-	.40	.20
mer, 9"	.25	.20
knappi. Yellow, summer, 1'	.35	
*latifolius atrococcineus. Crimson, sum-		
mer, 1'	.25	.20
*plumarius. Mixed, summer, 8"	.25	.20
*plumarius fl. pl. Mixed, summer, 8'	.25	.20
*plumarius semperflorens. Pink, June,		
9"	.25	.20
*Beatrix. Salmon pink, June, 18"	.35	.30
*Bristol Jewel. White and crimson, June,		
18"	.35	
*Bristol Purity. White, June, 18"	.35	.30
*Elizabeth Peters. Pink, June, July, 9"	.35	
	.35	.30
· · · · · · · · · · · · · · · · · · ·	.30	
*Grenadin. Mixed, summer, 1'	.25	.20
*Grenadin. Red, summer, 1'	.25	.20
*Hardy Harvard. Red, summer, 1'	.40	
*Dhongant's Erro Divil. 114	.35	.30
"Rose Cuchiem Dinl. 7	.25 .30	.20

	5-24 25 each	& up each
Dianthus.		
*Silver Mine. White, summer, 1'	.35	.30
*Souv. de Sales. Dbl. pink, June, 9"	.25	.20
*Uncle Sam. White, red eye, June, 12"	.25	
*White Reserve. White, June-July, 9"	.25	.20
*seguieri. Carmine, summer, 1'	.25	
*subacaulis. Purple, June, July, 4"	.35	.30
*Wallace Red. Red, summer, 9"	.40	
*Dicentra eximea. Rose, all summer, 1'	.30	.25
speciabilis. Rose, May, June, 2'	.55	.50
Dictamnus albus. White, June, 2'	.55	.50
albus ruber. Red, June, 2'	.55	.50
caucasicus. Red, June, 3'	.55	.50
Digitalis ambigua. Yellow, June, July, 3'	.30	.25
gloxinaeflora. Mixed, June, July, 3'	.25	.20
lanata. Creamy, yellow, July 3'	.25	.20
lutea. Yellow, June, July, 18"	.35	.30
purpurea. Mixed, June, July, 3'	.25	.20
purpurea maculata. Spotted, June, July,		
18"	.25	.20
purpurea, rose. June, July, 3'	.25	.20
purpurea, white. June, July, 3'	.25	.20
Shirley Hybrids, mixed. June, July, 3'		.20
*Dodecatheon meadia. Rose, May, 1'	.30	.25
*latilobum. White, May, June, 1'	.30	.25
Doronicum caucasicum. Yellow, April,		
	.35	.30
May, 18"		
May, 3'		.30
Dorycnium hirsutum. Pink, summer, 2'		.25
Dorychium misutum. 1 mk, summer, 2	.00	
*Draba aizoides. Yellow, March, 4"	.35	
*bruniifolia. Orange, April, May, 4"		
*fladnizensis. White, April, May, 3"		.30
*repens. Yellow, April, 6"		.30
*Dracocephalum botryoides. Rose, July, 6'	' .30	.25
*nutans. Blue, August, 1'	30	.25
mer, 2'		.25
mer, 2		

	5-24 each	25 & up each
Dryopteris spinulosum. Wood Ferm		.25
thelypteris. Shield Fern	.30	.25
Echinacea purpurea. Purple, July-Aug. 3'	.25	.20
Echinops humilis. Blue, July, 2'	.30	.25
ritro. Deep steel blue, July, 3'	.30	.25
sphaerocephalus. Pale blue, July, 5'	.30	.25
*Edraianthus dinaricus. Lilac, July, 3"	.35	
Elymus glaucus. Blue Lime Grass, 3'	.25	.20
*Epigaea repens. Pink, April, May, 4"	.50	
Epilobium angustifolium. Rose, Aug. 4'	.30	
*Epimedium alpinum. Red, May, June, 1'	.50	.45
niveum. White, May, June, 1'	.50	.45
macranthum lilacina. Lilac, May,		
June, 1'	.50	.45
sulphureum. Yellow, May, 1'	.50	1.00
Eremurus himalaicus. White, June, 6' Erianthus ravennae. Plume Grass, 10'	1.25	1.00
	.40	35
*Erigeron elatior. Purple, July, 2'	.30	.25
*glabellus. Violet, June, July, 1'	.30	.25
glabratus roseus. Pink, June, 1'	.30	.25
*speciosus. Rich purple, June, July, 2'	.30 . 3 0	.25
		.25
*Erinus alpinus albus. White, May, 4"	.35	.30
*alpinus roseus. Rosy purple, May, 4"	.35	.30
*Erodium corsicum. Pink, summer, 2"	.35	
Eryngium alpinum. Blue, July, 2'	.25	.20
amethystinum. Blue, summer, 18"	.35	.30
*Franciscon ashrolous Wellow Walley 1/	.25	.20
*Erysimum ochroleucum. Yellow, May, 1' Eulalia gracillima. Japan Rush, 4-6'	.25	.20
japonica variegata. 4-6'	.40	.35 .35
zebrina. Zebra Grass, 4-6'	.40	.35
*Eupatorium ageroides. White, Aug. 3'	.25	.20
*coelestinum. Blue, SeptOct. 18"	.30	.25
purpureum. Purple, AugSept. 5'	.25	.20
Euphorbia corollata. White, July-Aug. 2'	.30	.25
*cyparissias. Yellow, May, 10"	.30	.25
*epithymoides. Yellow, May, June, 1'	.30	.20
*myrsinites. Yellow, May, June, 6"		.25
	_	

	5-24 2 each	5 & up each .20
Festuca glauca. Fescue Grass, June, 10"	.25 .25	.20
	.25	.20
*Fragaria indica. White, May, 6"	.40	.20
*Fuchsia magellanica. Red, summer, 3'	.40	
Funkia. (see Hosta).		
*Gaillardia grandiflora. Yellow and crimson, all summer, 2'	.25	.20
Burgundy. Red, summer, 2'	.35	.30
Goblin. Yellow and red, summer, 1'	.25	.20
Mr. Sherbrook. Yellow, summer, 2'	.35	.30
*Galax aphylla. White, June, 10"	.30	.25
Galega officinalis. Blue, June, July, 3'	.25	.20
officinalis hartlandi. Bluish white,		
July, 3'	.25	.20
Galium boreale. White, July, 1½'	.30	.25
*purpureum. Dark brown, Aug. 1'	.30	.25
*verum. Yellow, June, July, 6"	.30	.25
*Gentiana acaulis. Dark blue, Aug. 4"	.35	.30
andrewsi. Blue, August, 2'	.30	.25
*cruciata. Deep blue, June, July, 1'	.30	.25
*Purdomi. Blue, July, Aug. 6"	.30	.25
*septemfida. Deep blue, summer, 12"	.35	
*Geranium endressi. Rose, summer, 18"	.50	
*Buxton's Blue. Blue, summer, 10"	.50 .40	.35
*grandiflorum. Lilac, June, July, 15" *grevilleanum. Mauve, June, July, 6"	.40	.35
*ibericum. Purple, May, June, 2'	.35	.30
*maculatum. Pink, May, June, 1'	.30	.25
*pratense alubum. White, July, Aug. 2'	.35	.30
*sanguineum. Red, June, July, 2'	.35	.30
*Geum atrosanguineum. Dark red, sum-		
mer, 1½'	.35	.30
Lady Strathedon. Orange, summer, 15"	.35	.30
*montana. Yellow, July, 1'	.35	.30
*Mrs. Bradshaw. Double red, summer, 1'	.35	.30
*Orange Queen. Orange, summer, 15"	.35	.30
*urbanum. Yellow, July, 15"	.25	.20
*Gillenia trifoliata. White, July, 4'	.25	.20
*Globularia cordifolia. Pale blue, June, 4"	.30	.25
*nana. Pale blue, June, 2"	.30	.25
*trichosantha. Blue, May, June, 6"	.30	.25

Gypsophila acutifolia. Pink, July, 2-3'	$\begin{array}{c} 5\text{-}24\\ \text{each}\\ .25\end{array}$	25 & up each .20
*cerastoides. White, summer, 4"	.35	.30
Flamingo. Pink, summer, 2'	.50	
paniculata. White, July, Aug. 2-3'	.25	.20
paniculata Bristol Fairy. Double white,		
summer, 3'	.45	.40
paniculata fl. pl. Double white, July,		
August, 3'	.45	.40
*repens. Bluish white, all summer, 6"	.25	.20
*repens bodgeri. Dbl. white, summer, 2'	.40	.35
*repens rosea. Pink, summer, 6"	.40	.3 5
Rosy Veil. Pink, summer, 2'	.40	.35
Helenium autumnale. Yellow, AugSept. 5'	.30	.25
autumnale superbum. Yellow, Sept. 5'	.35	.30
bigelovi. Yellow, Sept. 4'	.30	.25
Gartensonne. Yellow, AugSept. 3'	.30	.25
hoopesi. Orange, June, July, 3'	.30	.25
*pumilum. Yellow, Aug. 15"	.30	
Riverton Beauty. Lemon, AugSept. 5'	.30	.25
Riverton Gem. Old Gold, SeptOct. 4'	.30	.25
rubrum. Brick red, Sept. 4'	.30	.25
*Helianthemum citrinum. Yellow, summer, 6"	.30	.25
*croceum. Saffron, June, July, 9"	.30	.25
*cupreum. Copper, June, July, 6"	.30	.25
*Fire Ball. Red, July, Aug. 12"	.30	.25
*mutabile. Flesh, May, June, 12"	.30	.25
*perfoliatum roseum. Salmon, sum-		
mer, 6"	.30	.25
*purpureum. Bright pink, June, 6"	.30	
*The Bride. White, June, July, 6"	.30	
Helianthus atrorubens. Yellow, fall, 6'	.25	.20
maximiliana. Yellow, Sept. 6'	.25	.20
Miss Mellish. Yellow, AugSept. 6'	.25	.20
mollis grandiflorus. Yellow, August,		
September, 4'	.25	.20
multiflorus fl. pl. Yellow, summer, 4'	.30	.25
orgyalis. Bright yellow, Sept. 6-8'	.25	.20
rigidus. Yellow, August, 3'	.25	.20
Wolly Dod. Deep yellow, Sept. 7'	.25	.20
Heliopsis excelsa. Double yellow, Aug. 3'	.25	.20
incomparabilis. Gold, summer, 30"	.30	.25
pitcheriana. Orange, July, Aug. 3'	.25	.20

*** 11 1	5-24 2 each 1.00	25 & up each
*Helleborus niger. White, FebMar. 1'		.20
Hemerocallis Apricot. Apricot color, June, 2'	.25	.20
aurantiaca. Orange, June, July, 2½'	.20	.20
Dauntless. Yellowish orange, July, Aug.	.50	
Dr. Regal. Orange yellow, May, 18"	.30	.25
flava. Lemon yellow, June, 3'	.30	.25
florham. Golden yellow, June, 3'	.30	.25
fulva. Bronze, August, 3'	.25	.20
Gold Dust. Indian yellow, June, 2½'.	.25	.20
gracilis. Yellow, June, 2'	.25	.20
Hyperion. Lemon, July, 4'	.55	.50
J. A. Crawford. Apricot yellow, July, 4'	.35	.30
kwanso fl. pl. Reddish orange, June, 2½'	.25	.20
luteola. Light orange, June, 2'	.25	.20
Leonian hybrids. Various, summer, 3'	.50	
Mikado. Red orange, June, July, 3'	.40	
May Queen. Orange, May, 4'	.25	
minor. Yellow, June, 2'	.25	.20
Ophir. Orange, July, 3'	.40	
Patricia. Pale yellow, July, 3'	.50	
Sovereign. Rich orange, June, 1½'	.25	.20
thunbergi. Lemon yellow, June, 2-3'	.25	.20
Vesta. Golden orange, July, 30"	.50	
hybrids. Named varieties, 2-3'	.40	.35
Bay State. Deep yellow, August.		
Gypsy. Deep orange, July.		
Harvest Moon Orange, July.		
Lemona. Pale lemon yellow, August.		
Mrs. W. H. Wyman. Pale lemon, Augu	st.	
The Gem. Deep orange, June, July.		
*Hepatica triloba. Light blue, March, Apr. 4"	.25	.20
*Herniaria glabra. Green, summer, 4"	.25	
*Hesperis matronalis. Purple, June, July, 3'	.25	.20
*matronalis alba. White, June, July, 3'	.25	.20
Heuchera americana. Greenish white, 3'	.25	.20
*brizoides. Pink, June, July, 2'	.30	.25
*Fire King. Red, May, June, 15"	.35	
*Grenadier. Red, summer, 15"	.35	
*Perry's White. White, summer, 15"	.35	.30
*Pleu de Feu. Red, May, June, 2'	.35	.30
*Red Pimpernell. June, 1'	.35	

Heuchera	5-24 2	5 & սթ
*rosamundi. Coral, summer, 18"	$^{ m each}_{.30}$	$^{ m each}_{.25}$
*sanguinea. Coral red, June, 1'	.30	
*sanguinea hybrids. Various summer, 18"	.30	.25
*villosa. White, summer, 12"	.25	
Hibiscus Mallow Marvels. Mixed, July,		
August, 5'	.25	.20
Mallow Marvels. Separate colors,		
August, 5'	.35	.30
Mallow Marvels. Giant red, Aug. 5'	.35	.30
moscheutos. Rose, June, July, 5'	.25	.20
moscheutos crimson eye. White, red	.25	.20
eye, August, 5'		.20
*Hieracium aurantiacum. Orange, summer, 6" *alpinum. Yellow, May, June, 9"	.25	.20
	.35	.30
Hosta caerulea. Blue, July, 1½'	.25	.20
lancifolia. Blue, July, 2'	.25	.20
sieboldiana. Silvery foliage	.35	.30
sub-cordata grandiflora. White, Aug.		
18"	.45	.40
undulata variegata. White foliage, 2'	.35	.30
*Houstonia serpyllifolia. Blue, April, 2"	.30	.25
Hyacinthus candicans. White, Aug. 3'	.25	.20
*Hypericum calycinum. Yellow, July-Aug. 1'	.30	.25
*Coris. Yellow, summer, 4"	.30	.25
*fragile. Yellow, July-Aug. 1'	.30	.25
moserianum. (see Shrubs).	.30	.25
*polyphyllum. Yellow, summer, 8" *repens. Yellow, July, 4"		.25
*rhodopaeum. Yellow, July, 4"		.25
*Hyssopus officinalis. Purple, Aug. 18"	.30	.25
		.25
*Iberis gibraltarica. Delicate lilac, May, 1½' *jordani. Rose, May, June, 6"		.25
*sempervirens. White, May, June, 8"	.35	.30
*sempervirens Climax. White, May, 6"	.35	.30
*sempervirens Little Cushion. White,		
May, June, 4"	.40	.35
*sempervirens Little Gem. White,	0.5	00
April, 6"	.35	.30
*sempervirens Snowflake. White, May, 9	" .35	.30
*tenoreana. Purplish white, June, 6"	.30	

*Incarvillea delavayi. Rosy purple, June,	5-24 2	
July, 2'	each .50	each
*Inula ensifolia. Yellow, July, Aug. 8"	.30	.25
*Iris cristata. Light blue, May, June, 6"	.30	.25
dichotoma. Purple, August, 1'	.25	.20
*ensata. Lilac, June, 10"	.30	.25
*ensata alba. White, June, 10"	.30	.20
*flavissima. Yellow, May, 6"	.30	.25
fall blooming. Spring and fall, 1½-2'	.30	.25
Autumn King — blue-purple		
Autumn Queen — snow white		
Jean Siret — yellow		
Lt. Chavagnac — violet		
Olive White — cream		
Ultra — ultramarine-blue		
germanica. May, June, 1½-2'		
Afterglow. Soft lavender shading		
yellow	20	.15
Ambassadeur. Bronze, purple ma-		
roon falls	.20	.15
Anjelus. Pink, shaded lavender	.40	
Aphrodite. Lilac pink	.20	.15
Archiveque. Purple	.20	
Asia. Smoky blue	.20	.15
Ballerine. Violet with deeper falls	.20	.15
Blue Peter. Dark blue purple	.30	
Blue Triumph. Pale blue	.40	
Bruno. Bronze, red purple falls	.20	.15
Cecil Minturn. Pink	.20	.15
China Maid. Pink	.40	.35
China Rose. Orchid pink		
Cluny. Lilac blue	.20	.15
Crystal Beauty. Tall white	.30	
Depute Nomblot. Coppery red,		
flushed bronze	.25	
Dorothea. Pearl gray	.20	.15
Dream. Light pink	.20	
E. B. Williamson. Coppery red	.40	. 3 5
Elmohr. Purple	.40	
Elsa Sass. Lemon yellow	.40	
Florenting Pole blue	.20	.15
Florentina. Pale blue Florentina alba. White	.20	.15
Frieds Mohr Distr bission	.20	.15
Frieda Mohr. Pink bicolor	.30	

	5-24 2 each	
Iris germanica.		
Gold Imperial. Golden yellow	20	.15
Golden Majesty. Golden yellow	35	
Golden Treasure. Cream	35	
Grand Canyon. Plum and gold	60	
Indian Chief. Velvety red	30	
Labor. Electric blue	25	
Leonidas. Lavender, mauve falls.	25	.20
Lent A. Williamson. Violet, rich		
purple falls with yellow beard	20	.15
Lord of June. Lavender blue, viole	:t	
falls	20	.15
Lucrezia Bori. Soft yellow	60	
Mad. Henri Cayeau. Dark purple.	20	.15
Mary Barnet. Lavender blue	20	.15
Mary Geddes. Pink, overlaid		
Pomeranian red		
Midnight. Dark blue	20	.15
Missouri. Deep blue	50	
Moonlight. Silvery white	20	.15
Moonlight Madonna. Light yellow.		
Morocco Rose. Pink		.20
Opera. Violet red, purple falls		
Pallida Dalmatica. Lavender		.20 .15
Pallida speciosa. Light blue Pink Opal. Pink lilac		.10
Pluie d'Or. Yellow		
Pocahonias. White, edged blue		.20
Prairie Gold. Yellow		.15
Prospero. Lavender and purple	20	.15
Robt. W. Wallace. Violet purple		.15
Shekinah. Pale yellow, shading to buff		.20
Snowking. Large white		,
Snow White. White		
Souv. de Mad. Gaudichau. Deep		
velvety purple		.15
Taj Mahal. White	20	.15

	5-24 25 each	
*Iris germanica True Delight. Pure pink		
Victorine. White, mottled blue Wedgewood. Blue		.15 .15
intermedia hybrids. May, 18". Gerda. Creamy yellow, darker falls. Halfdan. Creamy white. Ingeborg. Ivory white. Helge. Light citron. Walhalla. Light blue, purple falls.	.25	.20
kaempferi. Japanese Iris. July, 2-3' Awaji. Large white overlaid lavender. Bandai-San. White standards and fall bordered lavender. Blue Bird. Single dark blue. Eumee. Double lavender blue. Florence. Amaranth purple. Fukushima. Reddish purple, veined war Gold Bound. White, yellow shadings. Iso-no-namie. Double soft blue. Kagaribi. Double pink lavender. Kumonoobi. Clear purple, white halo Mahogany. Double rich dark red. Oyodo. Double wine red. Patrocle. Single reddish violet. Purple Emperor. Large deep violet purple & Gold. Violet purple, golden Pyramid. Double violet purple, veine Seacrest. Foam white. Tacoma Beauty. Pure white. Thais. Rich royal purple, welvety she Uchiu. Crimson purple, white veins.	r blue. ls, white. crple. throat. d white	.25
Warei-hotei. Lavender blue, light blu	e halo.	
prismatica. Violet, May, June, 2'	.25	.20
	.25	.20
•	.25	.20
*pumila Bride. White, April, 6" pumila Cyanea. Crimson purple, April	.25	.20
6 "	.25	.20
*pumila Curiosa. Yellow, April, May, 9"	.30	.25

Iris	5-24 25	5 & up each
*pumila Fairy. Pale blue, April, 6"	each .30	.25
*pumila lutea. Pale yellow, April, 6"	.25	.20
*pumila Midget. Purplish red, April, 6"	.25	
*pumila Schneecuppe. White, April, 6"	.25	.20
*pumila Sambo. Violet, April, 9"	.25	.20
sibirica. Purplish blue, June, 3'	.25	.20
sibirica alba. White, June, 3'	.25	.20
sibirica Emperor. Clear blue, May, 2'	.25	.20
sibirica Snow Queen. White, May, 2'	.25	.20
spuria Dorothy Foster. Violet standards,	,	
lighter falls, June, 2'	.50	.40
*Stewart. Dwarf, yellow, April, 9"	.30	.25
*tectorum. Blue, June, 1'	.30	.25
*tectorum alba. White, June, 10"	.35	
*verna. Blue, May, June, 6"	.25	.20
versicolor. Blue, June, 2'	.25	.20
Isatis tinctoria. Yellow, May, June, 6'	.30	.25
*Jasione humilis. Blue, July, Aug. 6"	.30	.25
*perennis. Blue, June, July, 6"	.30	.25
*Jeffersonia diphylla. White, May, 8"	.40	
*Kniphofia pfitzeri. Coral, AugSept. 4'		.25
Chromatella. Orange, summer, 3'		
Red and Gold. July, 3'		
White Giant. White, summer, 3'		
*Lactuca perennis. Blue, June, 15"		.20
*Lamium maculatum. Purple red, summer, 8	″ .50	.45
*maculatum album. White, summer, 8"	.50	
*Lathyrus latifolius. Pink to red, July, 6'	.30	.25
*Lavandula officinalis. (Sweet Lavender).		
July, 2'	.35	.30
officinalis alba. White, July, 2'	.30	.25
*nana. Lavender, Aug. 9"	30	.25
*Leontopodium alpinum. Yellow, summer, 5	" .35	.30
Liatris pycostachya. Purple, AugSept. 4	.30	.25
punctata. Purple, Sept., 2'	40	
August Glory. Purple, Aug., 3'	.40	
September Glory. Purple, Sept., 3'	40	
spicata. Purple, Aug. 3'	25	.20
Ligularia clivorum. Yellow, AugSept. 3'	30	.25
Lilium auratum. White, gold band, summe	er,	
3'	. 1.00	
batemanniae. Salmon red, July, 3'	45	
canadense. Yellow to red, June-July,	3' .25	.20
candidum. White, June, 3'	60	.50

Lilium	5-24 each	25 & ur each
concolor. Scarlet, July, 1'	FO	
elegans. Orange, July, 1'	.50	
hansoni. Orange, June, July, 4'	1.00	
henryi. Yellow, July, 2'	75	
pardalinum. Scarlet and yellow, 2'	.10	20
phillippinense formosanum. White, Jun	.35	.30
July, 2'	.50	
philadelphicum. Orange red, June, July	.00	
3'	45	.40
regale. White, July, 4'	40	.35
speciosum album. White, Aug. 2'	1.00	.00
speciosum rubrum. Pink carmine,		
August, 2'	1.00	.90
superbum. Orange, July, Aug. 5'	.30	.25
*tenuifolium. Scarlet, June, 18"	.40	.35
festaceum. Apricot, June, July, 5'	2.50	
tigrinum. Orange, spotted, Aug. 4'	.50	
tigrinum fl. pl. Orange, spotted, Aug. 4'	.50	
umbellatum. Scarlet red, July, 2'	.45	.40
willmottiae. Orange, July, 4'	1.00	
*Limonium auriculaefolium. Blue, June,		
July, 6"	.30	.25
gmelini. Purplish blue, Aug. 18"	.30	.25
*latifolium. Blue, July, Aug. 2'	.35	.30
*Linaria aequitriloba. Pale mauve, June, 1"	.35	.30
*alpina. Blue, summer, 6"	.35	.30
*alpina rosea. Rose, summer, 6"	.35	
cymbalaria. Lavender, summer, 4"	.30	.25
*origanifolia. Purple, June, 10"	.35	
*purpurea. Purple, summer, 3'	.30	.25
*Linum austriacum. Blue, summer, 3'	.30	.25
*alpinum. Blue, June, 10"	.30	.25
*flavum. Yellow, June, July, 1'	.30	.25
*narbonnense. Blue, June, July, 2'	.30	.25
*perenne. Blue, June, July, 1½'	.30	.25
Liriope graminifolia. Violet, summer, 1'	.50	.45
muscari. Lilac, summer, 15"	.50	
*Lithospermum purpureo-caeruleum. Blue		
May, 10"	.60	
Lobelia cardinalis. Scarlet, AugSept. 3'	30	.25
siphilitica. Blue, Sept. 3'	.30	.25
	.00	.20

	5-24 each	25 & up each
Lupinus polyphyllus. Blue, June, July, 3'	.30	.25
polyphyllus albus. White, June, July, 3'	.30	.25
polyphyllus roseus. Pink, June, July, 3'	.30	.25
Russell hybrids. Various, June, July, 3'	.30	.25
*Lychnis alpina. Rose color, June, 1'	.30	.25
arkwrighti. Scarlet, summer, 15"	.30	.25
chalcedonica. Scarlet, July, 3'	.25	.20
coronaria. Crimson, July, 2'	.25	.20
coronaria alba. White, July, 2'	.25	.20
flos jovis. Pink, June, 18"	.25	.20
*haageana. Scarlet, June, July, 1'	.30	.25
*viscaria splendens fl pl. Red, June, 1'	.35	.30
Lysimachia clethroides. White, July, Aug. 3'	.30	.25
*nummularia. Yellow, June, July, 6"	.25	.20
*nummularia aurea. Yellow leaves, 3"	.25	
punctata. Yellow, June, 3'	.30	.25
vulgaris. Yellow, July, Aug. 3'	.30	.25
Lythrum alatum. Magenta, July-Aug. 3'	.25	.20
salicaria roseum. Rose, July, 4'	.25	.20
superbum The Beacon. Rose, July, 3'	.35	.30
virgatum. Deep rose, July-Aug. 1½'	.25	.20
Malva alcea. Rosy purple, July-Aug. 3'	.25	.20
moschata: Rose, July, Aug. 2'	.25	.20
moschata alba. White, July, Aug. 2'	.25	.20
Marrubium vulgare. White, summer, 3'	.35	
Matricaria Golden Ball. Yellow, summer, 1'	.30	.25
*parthenoides. White, May, 1'	.30	.25
Silver Ball. Dbl. white, summer, 1'	.30	
*Mazus reptans. Lilac, April, 4"	.30	.25
Melissa officinalis. White, Aug. 2"	.30	.25
Mentha crispa. Curly mint, 12"	.25	
piperita. Peppermint, purple, 2'	.25	.20
rotundifolia. Apple mint, 30"	.25	
spicata. Spearmint, 2'	.25	.20
*Mertensia virginica. Purplish blue, March,		
April, 2'	.30	.25
*Micromeria rupestris. White, fall, 10"	.30	.25
Mimulus luteus. Yellow, summer, 1'	.35	.30
Mitchella repens. White shaded pink, March,	.55	.00
4"	30	25

	5-24 each	25 & up each
Monarda didyma. Red, July, Aug., 3'	.30	.25
didyma alba. White, summer, 3'	.30	.25
didyma Cambridge. Scarlet, July, Aug.		
3'	.30	.25
didyma Salmonea. Salmon, July, Aug. 3'	.30	.25
didyma Sunset. Mahogany, July, Aug., 3'	.30	.25
didyma splendens. Scarlet, July, Aug. 3'	.30	.25
didyma violacea. Violet, July, Aug., 3'	.30	.25
fistulosa. Lilac, July, 3'	.25	.20
Mulgedium Bourgaei. Lilac, symmer, 5'	.30	.25
*Myosotis alpestris. Blue, April, May, 8"	.25	.20
*alpestris alba. White, May, June, 8"	.25	.20
*alpestris pink. May, June, 8"	.25	.20
*palustris. Blue, all summer, 6"	.25	.20
*palustris Pink Beauty. All summer, 6"	.30	.25
Narcissus poeticus. White, May, 1'	.15	.12
*Nepeia hederacea. Blue, May, 2"	.25	.20
macrantha. Lavender, summer, 2'	.30	.25
*mussini. Blue, June, July, 1'	.30	.25
nuda. Violet, August, 3'	.35	
*Six Hills Giant. Blue, summer, 1' *Souv. de Andre Chaudron. Blue, sum-	.30	.25
mer, 1'	.35	.30
*Nierembergia rivularis. Creamy white, sum-		
mer, 4"	.35	.30
Oenothera fraseri. Yellow, summer, 1'	.35	
fruiticosa youngi. Lemon, June, July, 2'	.30	.25
lamarckiana. Yellow, July, Aug. 4'	.30	.25
missouriensis. Yellow, July, Aug. 6"		.25
rosea. Rose summer, 15"		.25
speciosa. White, July, Aug. 1½'	.35	.30
Onoclea sensibilis. Sensitive Fern	.30	.22
struthiopteris. Ostrich Fern		.22
Onopordon bracteatum. Pink, July, 5'	.25	.20
Origanum vulgare. Pink, summer, 2'	.35	
*Orobus vernus. Rose purple, May, 1'	.35	

	5-24 each	25 & up each
Osmunda cinnamonea. Cinnamon Fern		
regalis. Royal Fern		
Pachysandra terminalis. White, May, 3"		
2 year from pots	.30	.25
Paeonia officinalis rosea. Rose pink	.60	.50
officinalis rubra. Red	.60	.50
sinensis. Strong plants, 3-5 eyes.		
Albert Crousse. Salmon pink	.75	
August Dessert. Velvety rose	1.00	
Beauty of France. Pale rose	.60	
Claire Dubois. Satiny pink	.65	
Dr. Vandertak. Crimson	.65	
Duc de Wellington. White		.55
Duchess de Nemours. Creamy white		.55
Edulis. Deep rose	.50	
Felix Crouse. Brilliant red	.80	
Festiva maxima. Finest early white		.75
Karl Rosenfield. Early red		
Lady Alexandra Duff. Pale pink.	1.00	
Longfellow. Red		
Marie Crousse. Salmon pink		
Marie Lemoine. Creamy white		.60
Marquise of Lansdowne. Large, pink	.75	
Mons. Martin Cahuzac. Dark pur-		
ple garnet	1.25	
Mons. Jules Elie. Pink with darker		,
guard petals		
Mrs. Van Leeuwen. Light crimson		
Roem von Boskoop. Deep rose	.50	.45
Solange. White petals, golden		
brown center		
Souv. de Louis Bigot. Bengal rose		
Therese. Violet rose		
Triumph de Paris. Light pink, yel-		
low center		
Virginie. Lilac rose		
Walter Faxon. Pure pink		
Wm. Mesman. White	.60	.50
single Japanese. Named varieties Alba Grandiflora. White.	1.25	
Cleopatra. Red.		
Eva. Bright lilac-crimson.		
Jacqueline. Pure white.		
OUCG WOMEN'S T WE'D TO THE TOP		

5-24 25 & up

	each	each
Paeonia single Japanese		
L'Etincelante. Bright light red.		
Mikado. Dark red.		
Oitmatsu. Light pink changing to wh	ite.	
Shi-pen-kue. Nearest to blue in Peon	ies.	
*Papaver alpinum. Various, summer, 6"	.35	
*nudicaule. All colors, summer, 8"	.25	.20
*orientale bracteatum. Red, June, 2'	.25	.20
oriental. Orange scarlet, June, 2'	.25	.20
Beauty of Livermore. Crimson.		
June, 3'	.40	
Fairy. Pale pink, June, 2'	.35	.30
Giant Mulberry, Mulberry, June, 2'	.60	.50
Helen Elizabeth. Pink, June, 2'	.40	.35
Indian Chief. Mahogany, June, 2'	.50	.45
Lulu A. Neeley. Ox-blood red,		
June, 3'	.40	
May Sadler. Salmon, June, 2'	.40	
Mrs. Perry. Salmon pink, June, 3'	.40	.35
Olympia. Scarlet, June, 3'	.35	.30
Perry's White. White, June, 3'	.50	.00
Wurtembergia. Rose-red, June, 2'	.40	
pilosum. Brick red, June, 3'	.30	.25
prosum. Brick rea, barre, b	.00	.20
Pardanthus. (see Belamcanda).		
*Pennisetum japonicum. Fountain Grass	.35	.30
*Dentstamen alninus Divish numle Tune 1/	0.5	90
*Pentstemon alpinus. Bluish purple, June, 1'	.25	.20
*arizonicus. Purple, June, July, 8"	.25	.20
barbatus. Scarlet, July, 3'	.25	.20
barbatus coccineus. Scarlet, July, Aug. 4'	.25	.20
barbatus Pink Beauty. Pink, summer, 2'	.35	.30
	.30	.25
Garnet. Red, summer, 18"	.35	.30
glaber. Blue, summer, 2'	.25	
grandiflora. Blue, summer, 3'	.35	
hirsutus. Rosy purple, July, Aug. 2'	.35	
ovatus. Blue, July, Aug. 3'	.35	
*pygmaeus. Purplish blue, summer, 6"	.35	
unilateralis. Blue, June, 2'	.30	.25
Phalaris arundinacea variegata. Ribbon Grass	.25	.20

Phlox amoena. Pink, May, 4"	5-24 each .25	
*divaricata. Lavender, May, June, 1'	.30	.25
*divaricata laphami. Violet, June, 1'	.35	
glaberrima. Pink, June, 18"	.35	.30
maculata. Purplish red, May, June, 4'	.25	.20
*ovata. Red, May, June, 1'	.25	
paniculata. 2-3'		
Africa. Carmine, red eye	.30	.25
Antonin Mercie. Lilac, white center	.25	.20
America. Rose pink	.25	.20
B. Compte. Rich French purple	.30	.25
Baron von Dedem. Salmon red	.25	.20
Border Queen. Dwarf pink	.30	.25
Caroline Vandenburg. Lavender blue	.3 0	
Champs Elysees. Rich purple		
crimson	.25	.20
Chas. Curtis. Red	.40	.30
Colonial. Light blue	.25	.20
Commander. Crimson	.25	.20
Count Zeppelin. White, red eye	.30	
Daily Sketch. Salmon pink, car-		
mine eye	.30	
Enchantress. Salmon pink, dark eye	.25	.20
Elizabeth Arden. Pink	.40	
Elizabeth Campbell. Salmon pink	.25	
Ethel Pritchard. Mauve	.25	
Feuerbrand. Orange scarlet	.25	
Fiancee. White	.25	
George Stipp. Salmon, lighter eye	.30	
Gustave Lind. Deep salmon	.30	
Jules Sandeau. Large pink		
Karl Foerster. Orange scarlet		
Lavender Beauty. Lavender		
Louis Abbema. Dwarf white		
Leo Shlageter. Bright scarlet	.35	
Lilian. Fine light pink		
Mad. Paul Dutrie. Soft pink	.30	
Maid Marian. Soft lavender	.30	
Mary Louise. Pure waxy white	.30	
Mia Ruys. White		
Mrs. Jenkins. Pure white		
Mrs. Milly van Hoboken. Soft pink	.40	.20

Phlox paniculata		25 & up
Mrs. W. Van Bueningen. Salmon red	each .30	$^{ m each}_{.25}$
Miss Lingard. White	.35	.30
Miss Verboom. Rose	.35	
Morgenrood. Bright rose, deeper eye	.30	.25
P. D. Williams. Apple blossom pink	.30	
Peachblossom. Shell pink	.25	.20
Rheinlander. Salmon pink, claret		
eye	.30	.25
R. P. Struthers. Carmine, claret eye	.25	.20
Salmon Glow. Salmon pink	.30	
Special French. Soft pink	.25	.20
Spitfire. Salmon red	.35	.30
Splendour. Pink	.30	.25
Thor. Deep salmon pink	.25	.20
Von Hockberg. Velvety red	.30	.25
Widar. Light reddish violet, white		
eye	.25	.20
*pilosa. Lavender, May, 1'	.25	.20
*reptans. Lilac, May, 6-12"	.25	.20
*stellaria. Creeping, May, 4"	.25	.20
*subulata alba. White, April, May, 4"	.30	.25
*subulata atropurpurea. Purple, Apr. 4"	.30	.25
*subulata Blue Hills. Light blue, April, 4"	.30	
*subulata Camla. Pink, May, 4"	.50	
*subulata Dixie Brilliant. Red, May, 4"	.30	.25
*subulata Fairy. Blue, purple eye, April	•	0.5
4"	.30	.25
*subulata G. F. Wilson. Lilac, May 6"	.30	.25
*subulata lilacina. Light blue, April	0.0	0.5
May, 4"	.30	.25
*subulata Little Dot. Lilac, April, 4"	.30	.25
*subulata nelsoni. White, May, 4"	.30	.25
*subulata Perfection. Rose, pink eye,	20	0.5
April, 4"	.30	.25
*subulata The Bride. White, pink eye,	.30	.25
May, 5"		95
*subulata Vivid. Pink, red eye, April, 4"	.30	.25
, , , , , , , , , , , , , , , , , , , ,		.30
Physelius capensis. Red, AugSept. 3'	.50	
Physalis francheti. Red pods, Oct. 2'	.25	.20
Physostegia virginiana. Rose, Aug. 3'	.25	.20
virginiana alba. White, Aug. 3'	.25	.20
virginiana Vivid. Deep pink, Aug. 2'	.30	.25
For less than five, add five cents per plant to the 5-	24 rai	e.

```	each	25 & up each
*Phyteuma orbiculare. Purple, June, July, 2'	.30	
Platycoden grandiflorum. Blue, summer, 2'	.30	.25
grandiflorum. Pink, summer, 2'	.40	
grandiflorum album. White, summer, 2'	.30	.25
*mariesi. Deep blue, summer, 1'	.30	.25
*mariesi album. White, summer, 1'	.30	.25
mariesi. Dbl. blue, summer, 18"	.40	
mariesi. Dbl. white, summer, 18"	.40	
*Plumbago larpentae. (see Ceratostigma).  Podophyllum peltatum. White, May, June, 1'	.25	.20
*Polemonium caeruleum. Deep blue, June,		0
July, 1½'	.25	.20
*caeruleum album. White, June, July,		.20
1½'	.25	
*reptans. Blue, May, June, 6"	.25	.20
richardsoni. Sky blue, May, June, 6"	.25	.20
*Polygonum compactum. White, AugSept.,		
1½′	.25	.20
cuspidatum. White, AugSept. 5'	.25	.20
oxyphyllum. Creamy white, Sept. 3'	.30	.25
reynoutria. Pink, Sept. 1'	.40	.35
spaethi. Pink, Sept. 6'	.50	
Polystichum acrostichoides. Christmas Fern	.30	.25
*Potentilla atrosanguinea. Red, summer, 18"	.30	.25
*argentea. Yellow, summer, 18"	.25	.20
*crinita. Yellow, summer, 1'	.25	.20
*nepalensis. Showy red, May, June, 2'	.30	.35
*nepalensis Miss Willmott. Salmon pink,		
summer, 12"	.30	.25
*pyrenaica. Yellow, summer, 18"	.25	.20
*tridentata. White, summer, 1'	.30	.25
*Primula acaulis. Yellow, May, 9"		.25
*auricula alpina. Various, May, 6"	.35	.30
	.35	.30
*bulleyana. Apricot, June, 18"	.35	.30
*bulleyana hybrids. Various, May, 18"	.35	.30
*cashmiriana. Light lilac, May, 8"	.35	.30
*denticulata. Purple, yellow eye, May, 6"	.35	.30
*denticulata alba. White, May, 6"	.40	.35
*elatior. Yellow, May, 8"	.45	
*elatior atrocoerulea. Dark blue, May, 8"	.45	
florindae. Yellow, May, 4'	.40	.35

		25 & up each
*Primula		
*japonica atrosanguinea. Red, May,	0.5	0.0
June, 1'	.35	.36
*j ponica pink. May, June, 1'	.35	.30
*polyanthus. White, or yellow, May, 10"	.30	.25
•veris. Yellow, April, May, 9"	.30	.25
*veris Giant Munstead. Various, May, 1'	.30	.25
*veris Gold Laced. Various, May, 9"	.35	.30
*veris lilacina fl. pl. Lilac, May, 4"	.50	
*Pulmonaria angustifolia. Blue, April, May, 8"	.35	.30
*saccharata. Pink, April, May, 8"	.35	.30
*Prunella grandiflora. Violet, summer, 8"	.35	
*incisa rubra. Red, summer, 6"	.35	
Pyrethrum James Kelway. Sgl. red, June, 1'	.35	
*Princess Margaret. Crested pink,		
June, 1'	.35	
Rose Glory. Dbl. rose, June, 1'	.35	
roseum. Various, May, June, 1'	.30	.25
roseum double. Various, May, June, 2'	.35	
roseum Rosy Morn. Pink, June, 2'	.30	.25
roseum single scarlet. Summer, 1'	.35	
uliginosum. White, Sept. 5'	25	.20
Ranunculus acris fl. pl. Yellow, June, 3'	.35	.30
*repens. Yellow, June, 4"	.25	.20
repens fl. pl. Yellow, June, 1'	.25	.20
Rosmarinus officinalis. Light blue, April, 4"	.35	.30
Rudbeckia Autumn Glory. Yellow, Aug		
Sept. 6'	.25	.20
hirta. Yellow, AugSept. 3'	.25	.20
laciniata. (Golden Glow). Yellow, Aug. 6		.20
nitida. Single yellow, AugSept. 6'	.25	.20
Rayon d'Or. Yellow, Aug. 5'	.25	.20
speciosa. Yellow, July, Aug. 2'	.25	.20
subtomentosa. Lemon yellow, Aug	0.5	
Sept. 4'	.25	.20
*Ruia graveolens. Yellow, summer, 21/2'	.30	.25
*Sagina subulata. White, July, Aug. 3"	.30	.25
Salvia argentea. Pinkish white, June, 3'	.25	.20
azurea. Blue, Aug. 4'	.25	.20
azurea grandiflora. Blue, Aug. 4'		.30
farinacea. Blue, July, 2-3'	.25	.20
glutinosa. Yellow, June, July, 3'	.25	.20

		5 & up each
Salvia	040-	
officinalis. Blue, summer, 18"	.25	.20
pitcheri. (See azurea grandiflora)		
pratensis. Deep blue, June, 3'	.25	.20
pratensis alba. White, June, 3'	.35	
pratensis rubicunda. Rose, June, July, 3'	.35	
viscosa. Pink, July, 3'	.25	.20
VISCOSA: I IIII, VALJ, V		
*Sanguinaria canadensis. White, April, 8"	.30	.25
*Santolina chamaecyparissus. Gray foliage, 1'	.30	.25
*Saponaria ocymoides. Pink, summer, 9"	.25	.20
officinalis rosea pl. Pink, summer, 18"	.25	.20
Officialis Tosed pr. 1 mm, butteres, and		
*Saxifraga aizoides. Yellow, Aug. 4"	.35	
*altissima. White, May, June, 2'	.35	
*caespitosa. Various, June, July, 6"	.35	
*cochlearis. White, May, June, 9"	.35	.30
cordifolia. Rose pink, May, June, 1'	.35	.30
*cotyledon. White, May, June, 18"	.35	.30
*crassifolia. Rosy pink, April 1'	.35	.30
*decipiens. White, May, June, 4"	.35	.30
*haussmani. Yellow, May, June, 8"	.30	
*lantoscana. White, May, June, 1'	.35	.30
*lingulata rosea. Pink, April, 1'	.35	.30
*lingulata leichtlini. Rose, April, 1'	.35	.30
*longifolia. White, May, June, 2'	.35	
*marginata. White, May, June, 3'	.35	
*McNabiana. White, May, June, 12"	.35	.30
*purpurea. Rosy purple, April, 1'	.35	
*sarmentosa. White, summer, 2'	.30	.25
Scabiosa caucasica. Lavender, all sum-		
mer. 1'	.30	
*caucasica alba. White, summer, 1'	.35	
caucasica House's Hybrids. Various,		
summer, 1'	.35	
fischeri. Blue purple, summer, 2'	.25	.20
japonica. Lavender, AugSept. 18"	.25	.20
*Scutellaria alpina. Purple and white, sum-		
mer, 6"	.35	.30
*coelestina. Blue, summer, 1'	.30	.25

		25 & up each
*Scutellaria		
*orientalis. Yellow, June, July, 8"	.35	
*Sedum acre. Yellow, June, July, 4"	.25	.20
*album. White, July, 4"	.25	.20
*altissimum. Yellow, July, Aug. 9"	.25	.20
*dasyphyllus. White, tinged pink, June, 2"		
*douglasi. Yellow, July, 2"	.25	.20
*ewersi. Pink, AugSept. 6"	.30	.25
*glaucum. Blue foliage, 2"	.30	.25
*kamtschaticum. Yellow, July, 6"	.25	.20
*maximum. Pink, SeptOct. 18"	.25	.20
*murale. Pink, July, 1'	.25	.20
*obtusatum. Yellow, July, Aug. 3"	.25	.20
*sarmentosum. Yellow, July, 3"	.25	.20
*sexangulare. Yellow, June, July, 6"	.25	.20
*sieboldi. Pink, July, Aug. 1'	.35	.30
*spectabile. Pink, Aug. Sept. 1½'	.25	.20
spectabile Brilliant. Crimson, Sept. 1½'	.25	.20
*spurium album. White, July, Aug. 6"	.25	.20
*spurium splendens. Rosy crimson,		
August, 6"	.25	.20
*stoloniferum. Pink, July, Aug. 6"	.25	.20
*stoloniferum coccineum. Crimson,		
August, 6"	.25	.20
*ternatum. White, May, June, 4"	.30	.25
*Sempervivum arachnoideum. Red, June, 4"		.30
*atroviolaceum. Reddish purple, 8"	.35	
*brauni. Bronze, July, 6"	.35	
*funcki. Brown, June, July, 6"	.35	.30
*glaucum. Pink, July, Aug. 6"	.35	.30
*globiferum. Yellow, June, 12"	.35	.30
*tectorum violaceum. Violet red, June, 4"	.35	.30
*Shortia galacifolia. White, June, 8"	.40	.35

Sidalcea Rose Queen. Rose pink, July,	5-24 28 each	
August, 4'	.30	.25
*Silene alpestris. White, May, June, 6"	.30	.25
*maritima. White, summer, 1'	.25	.20
*maritima rosea. Pink, summer, 1'	.25	.20
orientalis. Pink, July, 2'	.30	.25
*r^emeri. White, July, Aug. 1'	.30	•
*saxifraga. White, summer, 6"	.35	
*schafta. Bright pink, July, 6"	.30	.25
Silphium perfoliatum. Yellow, July, 6'	.35	.30
	.00	
*Sisyrinchium angustifolium. Blue, June,		
July, 6"	.30	.25
Smilacina racemosa. White, April, 2-3'	.30	.25
Solidago canadensis. Yellow, fall, 4-5'	.25	.20
rigida. Yellow, fall, 3-4'	.25	.20
shorti. Yellow, fall, 4'	.25	.20
Spigelia marilandica. Red, June, July, 2'	.50	
*Spirea aruncus. White, June, July, 3-5'	.30	.25
camtschatica. White, July, 6'	.30	.25
chinensis. Silvery pink, June, July, 2'	.30	.25
eximea. Pink, June, July, 2'	.30	.25
filipendula. Single, white, June, July, 1'	.30	.25
filipendula fl. pl. White, summer, 15"	.30	
lobata. Pink, July, 4'	.30	.25
palmata. Rosy crimson, June, July, 2'	.30	.25
ulmaria fl. pl. White, June, 3-4'	.30	.25
venusta magnifica. Deep pink, July, 3'	.35	.30
Stachys lanata. Purple, June, July, 18"	.30	.25
Statice. (see Limonium)		
*Stellaria holostea. White, May, June, 1½'	.30	.25
Stokesia laevis. Lavender, AugSept. 1'	.25	.20
laevis alba. White, AugSept. 1'	.30	.25
laevis Blue Moon. Blue, AugSept. 1'	.35	.30
Tanacetum vulgare. Yellow, summer, 3'	.25	.20
	.30	.25
Teucrium chamaedrys. Rose, Aug. 1' orientale. Blue, Aug. 10"	.30	.25
Thalictrum adiantifolium. Yellow, June, 4'	.30	.25
	.35	.30
aquilegifolium. White, June, 5'	.00	.00
June, 3'	.30	.25
dipterocarpum. Lilac, Aug., 3'		.35
For less than five, add five cents per plant to the S	9-24 rat	e.

		25 & up each
Thalictrum	eacn	eacn
glaucum. Golden-yellow, June, 4'	.30	.25
minus. Greenish yellow, June, July, 2'	.30	.25
Thermopsis caroliniana. Yellow, June, 6'	.35	.30
Thymus odoratissimus. Lilac, summer, 6"	.35	.30
*nitidus. Rose, June, July, 3"	.35	.30
*serpyllum. White, June, 4"	.35	.30
*serpyllum citriodorus. Purple, June,		
July, 3-5"	.35	.30
*serpyllum coccineus. Scarlet, June, 4"	.35	.30
*serpyllum lanuginosus. Rosy purple,		
June, July, 5"	.35	.30
*serpyllum roseus. Rose, summer, 8"	.35	.30
vulgaris. Lilac, June, July, 8"	.35	.30
*Tiarella cordifolia. Creamy white, June, 8"	.30	.25
Tradescantia virginiana. Blue, all summer, 2'	.30	.25
James Stratton. Deep blue, summer, 1'	.40	.35
Purple Dome. Purple, summer, 1'	.40	.35
Pauline. Cattleya mauve, summer, 1'	.40	.35
James C. Weguelin. Blue, summer, 1'	.35	.30
	.25	.20
Trillium erectum. Purple, May, 1'	.25	.20
*grandiflorum. White, May, 1'	.20	.20
Tritoma. (see Kniphofia)		
*Trollius europeus. Citron yellow, July, Aug.		
1'	.45	
europeus Orange Globe. Orange, sum-		
mer, 18"	.50	
*ledebouri. Orange, summer, 18"	.45	
*ledebouri Golden Queen. Orange, sum-	4.5	
mer, 18"	.45	
*Tunica saxifraga. Light pink, June, July, 6"	.35	.30
*saxifraga alba. White, summer, 6"	.30	
*saxifraga rosea fl. pl. Pink, summer, 6"	.35	.30
Valeriana officinalis. Rose, June, July, 5'	.30	.25
Verbascum chaixi. White, summer, 3'	.25	.20
*Cotswold Gem. Amber, June, 4'	.35	.30
olympicum. Yellow, July, Aug. 5'	.25	.20
phoeniceum. Various, May, June, 3'	.25	.20
willmottiae. White, summer, 5'		.20
For less than five, add five cents per plant to the	5-24	rate.

	5-24 2 each	25 & up each
*Verbena canadensis. Purple, Aug. 18"	.30	.25
hastata. Blue, AugSept. 3'	.30	.25
Vernonia noveboracensis. Purple, Aug.		
Sept. 5'	.30	.25
*Veronica allioni. Violet, June, 2"	.30	.25
*alpestris. Pale blue, June, 18"	.30	.25
amethystina Royal Blue. June, July, 12"	.35	.30
*Blue Spires. Blue, summer, 18"	.35	.30
caucasica. White, July, 6"	.30	.25
*chamaedrys. Blue, May, June, 18"	.30	.25
*elegantissima. Blue, July, Aug. 2'	.30	.25
*erica. Pink, summer, 10"	.30	.25
*filiformis. Blue, May, 2"	.30	.25
*incana. Pale blue, July, Aug. 11/2'	.25	.20
*longifolia subsessilis. Blue, AugSept. 2'	.40	.35
*orchidea. Blue, July, 18"	.30	.25
*pectinata rosea. Pink, May, June, 6"	.30	.25
*peduncularis. White, June, 6"	.30	.25
*pulchella. Blue, May, 1'	.30	.25
*repens. Pale blue, May, June, 2"	.30	.25
*rupestris. Blue, June, 6'	.30	.25
*rupestris alba. White, June, 4"	.30	.25
*rupestris nana. Dark blue, June, 2"	.30	.25
*rupestris pink. June, 4"	.30	.25
*spicata. Blue, July, Aug. 2'	.30	.25
*spicata alba. White, Aug. 18"	.30	
*spicata nana. Blue, June, 6"	.30	
*spuria. Blue, June, 18"	.30	.25
*teucrium prostrata. Blue, June, 1'	.30	.25
*True Blue. June, July, 12"	.30	.25
virginica. Pale blue, August, 4'	.30	.25
*Vesicaria utriculata. Yellow, April, May, 8"	.30	.25
Vinca minor. Blue, all summer, 6"	.25	.18
minor alba. White, all summer, 6"	.40	.35
minor Bowles. Blue, summer, 6"	.30	.25
minor rubra plena. Red, all summer, 6"	.45	.40
*Viola alba. White, May, 6"	.25	.20
*cornuta Admiration. Purple, all sum.		
mer, 6"	.25	.20
*cornuta alba, type. White, all summer, 6"		.20
*cornuta Apricot. Apricot, summer, 6"	.30	.25

		25 & up each
*Viola		
*cornuta Arkwright Beauty. Red, sum-		
mer, 6"	.35	
*cornuia airopurpurea type. Purple, 6"	.25	.20
*cornuta Blue Perfection. Blue, all		
summer, 6"	.25	.20
*cornuta Catherine Sharp. Blue, sum-		
mer, 6"	.35	.30
*cornuta Chantryland. Apricot, sum-		
mer, 6"	.35	
*cornuta florariensis. Pale blue, sum-		
mer, 6"	.35	
cornuta G. Wermig. Violet, all sum-		
mer, 6"	.25	.20
*cornuta White Wermig. White, sum-		
mer, 8"	.30	.25
*cornuta Lutea Splendens. Yellow, all		
summer, 6"	.25	.20
*cornuta Mauve Queen. Mauve, all		
summer, 6"	.30	.25
*cornuta Papilio. Violet, all summer, 6"	.30	.25
*cornuta Primrose Dame. Yellow, sum-		
mer, 6"	.35	
*cornuta White Perfection. White, all		
summer, 6"	.25	.20
*Double Russian. Blue, June, 4"	.40	.35
*gracilis. Deep violet, summer, 1'	.35	
*Jersey Gem. Rich violet, summer, 6"	.30	.25
*odorata. Blue, April, May, 6"	.25	.20
*odorata Gov. Herrick. Blue, May, 6"	.25	.20
*odorata Princess of Wales. Violet, May,		
6"	.25	.20
*odorata Rosina. Pink, May, 4"		.30
*odorata Royal Robe. Violet, summer, 8"	.30	.25
*pedata. Violet, May, June, 6"	.25	.20
*primulifolia. Pale blue, summer, 6"	.30	.25
*Rohrbach's Everblooming. Violet, 4"	.30	.25
*tricolor. Purple and yellow, summer, 6"	.30	.25
*wellsiana. Various, all summer, 6"	.30	.25
Yucca filamentosa. White, June, July, 7'	.50	•=0
2 year	.25	.20
3 year	.35	.30
*glauca. White, June, July, 3'	.50	.00
general transvey outstop outs of outstands	.00	

## FRUIT GARDEN MATERIAL

### We are able to supply all the leading varieties

		1-4 each	5-24 each	25 & up each
Apples, Crab	5 to 7 ft	1.50	1.35	
Standard	, 5 to 7 ft	1.50	1.35	
Cherry, Sour,	5 to 7 ft	2.25	2.00	
Sweet,	5 to 7 ft	3.00	2.75	
Peaches,	5 to 7 ft	2.00	1.75	
Pears, Dwarf,	5 to 6 ft	3.00		
Standard	, 5 to 7 ft	2.25	2.00	
Plums,	5 to 7 ft	2.25	2.00	
Quinces,	4 to 5 ft	2.50		
Asparagus			.15	.12
Blackberries			.20	.18
Grapes, 3 yr. st	rong	.50	.45	
Raspberries			.20	.18
Rhubarb			.25	.22
Strawberries			.30	.25

### CONIFEROUS EVERGREENS

J. v. globosa J. v. keteleeri Abies alba A. alba pyramidalis J. v. kosteri J. v. pendula A. balsamea A. cephalonica J. v. plumosa J. v. schotti A. concolor
A. c. violocea
A. firma J. v. tripartita J. v. venusta A. homolepis Picea abies A. lasiocarpa arizonica P. a. aurea A. nordmanniana A. pinsapo P. a. clanbrasiliana P. a. maxwelli A. procera glauca P. a. parviformis
P. a. pendula
P. a. pygmaea
P. a. nana
P. a. remonti A. veitchi Cedrus deodara C. libani Chamaecyparis lawsoniana C. I. alumi
C. I. Triomphe de Boskoop
C. nootkatensis
C. n. pendula P. asperata P. bicolor P. engelmanni P. glauca C. obtusa compacta P. g. aurea o. nana P. g. conica pisifera C. p. aurea P. g. densata P. mariana C. p. filifera C. p. filifera aurea
C. p. filifera aurea variegata
C. p. plumosa P. m. doumeti P. omorika P. orientalis P. polita C. p. plumosa aurea
C. p. plumosa argentea
C. p. plumosa sulphurea
C. p. squarrosa P. pungens
P. p. glauca
P. p. kosteri
P. p. moerheimi Cryptomeria japonica lobbi Pinus banksiana Juniperus chinensis P. cembra P. densiflora J. c. albovariegata J. c. columnaris P. flexilis J. c. globosa J. c. mas P. jefferyi P. koraiensis J. c. neaboriensis P. mugo P. m. mughus J. c. oblonga J. c. pfitzeriana
J. c. sargenti
J. c. smithi P. nigra P. parviflora P. peuce
P. ponderosa
P. resinosa
P. rigida J. communis J. c. depressaJ. c. depressa aureo-spicaJ. c. hibernica J. c. suecica J. c. suecica nana P. strobus P. sylvestris P. thunbergi J. conferta Pseudotsuga taxifolia J. excelsa J. e. stricta J. horizontalis Taxus baccata T. b. erecta
T. b. fastigiata J. h. alpina T. b. repandens T. b. washingtoni J. h. glauca J. h. plumosa T. canadensis J. japonica J. j. aurea T. cuspidata T. c. aurescens
T. c. densa
T. c. nana J. recurva J. rigida J. Sabina T. c. nana compacta J. s. tamariscifolia T. c. capitata
T. hunnewelliana
T. Jeffrey's pyramidal J. s. von ehron J. scopulorum J. sphaerica J. squamata T. m. andersoni T. m. browni T. m. hatfieldi J. s. meyeri J. virginianaJ. v. canaerti T. m. hicksi T. m. kelseyi J. v. elegantissima

J. v. glauca

## **Coniferous Evergreens Continued**

T. m. wellesleyana Thuja occidentalis T. o. aurea douglasi
T. o. columbia
T. o. compacta
T. o. cristata
T. (o. elegantissima

T. o. ellwangeriana

T. o. ericoides
T. o. globosa
T. o. hoveyi T. o. nigra

T. o. pymila
T. o. pyramidalis
T. o. douglasi pyramidalis
T. o. reevesi

T. o. reidi

T. o. riversi T. o. rosenthali

T. o. spiralis

T. o. umbraculifera

T. o. vervaeneana
T. o. wareana
T. o. woodwardi

T. orientalis

T. o. conspicua T. o. elegantissima

T. o. nana aurea T. o. sieboldi

T. plicata T. standishi Tsuga canadensis

T. caroliniana

### **BROAD - LEAVED EVERGREENS**

Arctostaphylos uva-ursi Azalea obtusa amoena

A. o. j. hinodegiri A. rosmarinifolia A. r. sekidera Berberis sargentiana

B. triacanthophora
B. verruculosa Bruckenthalia spiculifolia

Buxus microphylla koreana B. sempervirens glauca
B. s. handsworthi
B. s. suffruticosa

Calluna vulgaris

Caltuna vulgari
C. v. alba
C. v. alporti
C. v. aurea
C. v. carnea
C. v. compacta
C. v. rubra
C. v. searlei
C. v. searlei

Chamaedaphne calyculata

Daphne cneorum Erica carnea E. darleyensis

E. vagans

Euonymus fortunei

E. f. argenteo-marginatus

E. f. carrieri E. f. colorata E. f. kewensis

E. f. minima

E. f. radicansE. f. vegetusE. kiautschovicus

Ilex cornuta I. c. burfordi

I. crenata I. c. bullata I. c. latifolia

I. c. microphylla I. c. rotundifolia

I. glabra I. opaca

Kalmia latifolia Leucothoe catesbaei Lonicera nitida

L. pileata

Mahonia aquifolium

M. repens

Pachistima canbyi Pieris floribunda P. japonica Pyracantha lalandi

P. coccinea P. yunnanensis

Rhododendron carolinianum

R. catawbiense R. maximum

Stranvaesia davidiana Viburnum rhytidophyllum

## **DECIDUOUS SHADE TREES**

Acer compestre

A. cappadocicum A. negundo A. nigrum

A. platanoides
A. p. columnare
A. p. schwedleri

A. pseudoplatanus
A. rubrum
A. r. columnare A. saccharinum

A. s. pyramidale A. s. wieri

A. saccharum Aesculus carnea A. glabra

A. hippocastanum A. h. baumanni

A. octandra Ailanthus altissima

A. vilmoriniana Alnus cordata

A. glutinosa A. g. laciniata A. hirsuta

A. incana A. japonica

Aralia elata Betula fontinalis B. maximowicziana

### **Deciduous Shade Trees Continued**

B. lenta B. lutea B. maximowicziana B. nigra B. papyrifera B. p. cordifolia
B. pendula
B. p. fastigiata
B. p. laciniata
B. p. p. laciniata B. populifolia Carpinus betulus C. b. fastigata C. caroliniana C. cordataC. tschonoski Carya ovata Castanea crenata C. mollissima Catalpa ovata C. speciosa Cedrela sinensis Celtis occidentalis Cercidiphyllum japonicum Eucommia ulmoides Fagus grandiflora F. sylvatica F. s. fastigiata
F. s. heterophylla F. s. pendula
F. s. purpurea
F. s. riversi
F. s. tricolor
F. Zlatia Fraxinus americana F. excelsior F. mandshurica
F. nigra
F. pennsylvanica
F. p. lanceolata
F. quadrangulata F. quadrangulata Ginkgo biloba G. b. fastigiata Gleditsia elegantissima G. japonica
G. triacanthos
G. t. inermis Gymnocladus dioica Juglans cineria J. nigra J. regia J. sieboldiana Larix decidua L. laricina L. leptolepis Liquidambar formosana L. styraciflua L. s. aurea Liriodendron chinense L. tulipifera L. t. fastigiatum Magnolia acuminata M. denudata M. fraseri M. obovata M. tripetala Morus alba tatarica Ostrya virginica Paulownia tomentosa Phellodendron amurense P. lavallei

Platanus occidentalis P. orientalis Populus alba P. a. bolleana
P. a. nivea
P. berolinensis P. candicans P. maximowiczi
P. nigra italica
P. nigra betulifolia P. simoni P. suaveolens P. tremuloides P. trichocarpa Prunus serotina Ptelia trifoliata Quercus alba Q. bicolor Q. borealis Q. cerris Q. coccinea Q. imbricaria Q. lyrata Q. macrocarpa Q. palustris Q. phellos Q. prinus Q. robur Q. r. fastigiata Q. rubra Q. stellata Q. texana Q. variabilis Q. velutina Robinia pseudoacacia R. p. bessoniana
R. p. decaisneana
Salix alba chermesina
S. a. vitellina
S. a. pendula
S. b. crispa S. blanda S. elegantissima S. fragilis S. mandshurica S. niobe S. pentandra S. sepulcralis S. sieboldiana S. wentworthi Sassafras albidum Sorbus aria latifolia S. aucuparia S. a. fastigiata S. thuringiaca S. torminalis Taxodium distichum Tilia americana T. cordata T. euchlora T. europea
T. henryana
T. heterophylla
T. oliveri T. platyphyllos T. p. pyramidalis
T. tomentosa Ulmus alatus U. americana U. a. columnaris

### **Deciduous Shade Trees Continued**

U. a. moline U. a. urni

U. carpinifolia sarniensis
U. c. cornubiensis
U. hollandica belgica
U. h. klemmeri
U. h. vegata

U. procera
U. p. monumentalis
U. p. purpurea

U. fulva

U. glabra

U. g. camperdowni U. g. nana U. japonica

U. parvifolia U. pumila U. thomasi

Zelkova serrata

# **DECIDUOUS SMALL TREES**

Acer buergerianum

A. ginnala A. glabrum

A. griseum
A. japonicum aureum
A. nikoense
A. palmatum

A. p. atropurpureum
A. p. filicifolium
A. pennsylvanicum A. platanoides globosum

A. sieboldianum
A. spicatum
A. tartaricum

Albizzia julibrissin rosea

Alnus pendula Aralia spinosa Asimina triloba

Broussonetia papyrifera

Cercis canadensis

C. c. alba

Cladrastis lutea Cornus florida

C. f. plena C. f. rubra C. f. welchi

C. kousa C. k. chinensis C. mas

C. officinalis

Cotinus coggygria Crataegus aprica

C. arkansana C. arnoldiana

C. cocciniodes

C. crusgalli C. cuneataC. hupehensis

C. intricata
C. lavallei
C. macracantha
C. mollis

C. monogyna C. m. stricta

C. nitida
C. oxyacantha
C. o. plena
C. o. pauli
C. o. pauli

C. o. punicea C. o. rosea plena

C. o. rosea piena
C. peregrina
C. persistens
C. phaenopyrum
C. pinnatifida major
C. pruniosa
C. prunifolia
C. punctata
C. succulenta succulenta

C. tomentosa

C. viridis

Diospyros virginiana Euptelea polyandra Franklinia alatamaha Halesia tetraptera

H. monticola

Idesia polycarpa Kalopanax pictus K. p. maximowiczi Koelreuteria paniculata

Laburnum alpinum

L. anagyroides L watereri

Maackia amurensis Maclura pomifera Magnolia kobus M. salicifolia

M. soulangeana
M. s. nigra
M. s. lennei M. virginiana

Malus angustifolia M. arnoldiana M. adstringens

M. atrosanguinea
M. baccata
M. b. mandshurica

M. brevipes M. coronaria M. c. Charlotte M. dolga

M. Elisa Rathke
M. florentina
M. floribunda
M. fusca

M. glaucescens
M. halliana
M. h. parkmani
M. hopa

M. hupehensis M. h. rosea M.ioensis M. i. plena M. micromalus

M. niedzwetzkyana M. Oekonemurat Echtermeyer M. purpurea

M. p. aldenhamensis
M. p. eleyi
M. p. lemoinei
M. prunifolia rinki
M. robusta

M. r. erecta M. r. leucocarpa M. r. persicifolia M. sargenti M. scheideckeri

#### Deciduous Small Trees Continued

M. sieboldiM. spectabilisM. s. alba plena M. sublobata M. toringoides M. tschonoski M. yunnanensis veitchi M. zumi M. z. calocarpa Morus alba pendula Nyssa aquatica N. sylvatica N. s. pendula Oxydendrum arboreum Prunus americana P. a. Newport P. armeniaca sibirica P. avium plena P. cerasifera pissardi P. cistena P. davidiana
P. d. alba
P. hortulana P. incisa P. maacki P. moseri fl. pl. P. mume P. mume fl. pl.

P. padus
P. pennsylvanicum
P. persica P. p. alboplena
P. p. Clara Meyer
P. p. rubroplena
P. gargonti P. sargenti P. serrulata P. s. Amanogawa P. s. Gioiko P. s. Hata-zakura

P. s. Horaisan
P. s. Hosokawanioi
P. s. Higantakura
P. s. Hisakura
P. s. Jas. H. Veitch

P. s. Jonioi
P. s. Kuramayami
P. s. Kwanzan
P. s. lannesiana P. s. Miyako
P. s. Shirofugen
P. s. Shogetsu P. s. sirotae P. s. Sumizome
P. sieboldi syn. Naden
P. spinosa

P. s. purpurea
P. subhirtella
P. s. ascendens
P. s. autumnalis P. s. pendula P. virginiana
P. yedoensis
P. y. taizanfukun

Pterostyrax corymbosa Pyrus calleryana P. betulaefolia P. salicifolia P. serrulata Rhus chinensis Robinia fertilis

R. globosa R. hispida R. holdti R. Margaretta Salix amygdaloides S. caprea S. matsudana

S. m. tortuosa S. regalis Sophora japonica S. viciifolia Sorbus americana S. commixta S. spuria Styrax japonica S. obassia

Syringa amurensis japonica S. pekinensis

Azalea calendulacea

A. nudiflora
A. viscosa
A. yedoensis
A. y. poukhanensis

Baccharis halimifolia Berberis beaniana

A. canescens

A. kaempferi
A. lutea
A. mollis
A. mucronulata

# **DECIDUOUS SHRUBS**

Abelia chinensis A. grandiflora A. schumanni Acanthopanax sieboldianus A. henryi Aesculus parviflora Alnus rugosa A. viridis Amelanchier alnifolia A. asiatica A. canadensis A. laevis A. grandiflora rubescens A. oblongifolia A. ovalis A. sanguinea A. stolonifera

Amorpha brachycarpa

A. canescens A. fruticosa Aronia arbutifolia A. melanocarpa A. m. elata A. prunifolia Artemisia abrotanum

B. candidula B. circumserrata
B. horvathi B. koreana B. thunbergi
B. t. atropurpurea B. t. minor B. t. pluriflora
B. t. erecta Berchemia racemosa Bischoffia javanica Buddleia Charming B. alternifolia

B. davidi B d. superba B. d. veitchiana B. farquhari
B. Ile de France
B. intermedia
B. lindleyana B. microphylla B. Orchid Beauty B. paniculata
B. Royal Purple
B. White Cloud
Callicarpa americana C. dichotoma C. giraldiana C. japonica Calycanthus floridus C. occidentalis Caragana arborescens C. a. lorbergi C. boisi
C. decorticans
C. sophoraefolia Caryopteris incana Ceanothus americanus Cephalanthus occidentalis Cercis chinensis Chaenomeles japonica C. l. cathayensis
C. l. Falconet Charlet
C. l. kermesing samin C. l. kermesina semiplena C. l. moerloosi C. l. nivalis
C. l. nivalis
C. l. pygmaea
C. l. rosea grandiflora
C l. rosea plena
C l. rubra
C l. semperflorens
C l. semperflorens C. l. umbilicata C. l. Vermilion Chionanthus virginicus C. retusus Clerodendron trichotomum Clethra alnifolia C. a. paniculataC. barbinervisC. tomentosa Colutea arborescens C. cilicica C. media Comptonia asplenifolia Cornus alba C. a. elegantissima C. a. sibirica C. a. spaethi C. alternifolia C. amomum C. baileyi C. paucinervis C. pubescens
C. racemosa
C. rugosa
C. sanguinea

C. s. viridissimatolonifera

C. s. flaviramea Corylopsis sinensis Corylus americana C. avellana C. a. atropurpurea C. a. aurea C. colurna
C. heterophylla setchuenensis
C. rostrata Cotoneaster acutifolia C. a. villosula
C. adpressa
C. ambigua C. apiculata C. dammeri C. dielsiana C. divaricata C. foveolata C. francheti
C. himalaicus
C. horizontalis C. h. perpusilla
C. h. wilsoni
C. hupehensis
C. integerrima
C. lucida C. lucida C. melanocarpa C. microphylla C. moupinensis C. multiflora C. nitens C. obscura C. racemiflora soongarica C. rotundifolia C. rosea C. s. floccosa C. simonsi C. tenuipes C. zabeli Cudrania tricuspidata Cytisus elongatus C. nigricans C. scoparius
C. s. andreanus
C. supinus Daphne mezereum D. m. alba Deutzia gracilis D. hypoglauca D. lemoinei
D. l. compacta
D. myriantha Boule Rose
D. ningpoense D. parviflora
D. rosea
D. rosea companulata
D. r. carminea D. r. venusta D. scabra
D. s. Pride of Rochester D. s. rosea plena D. s. watereri D. s. wellsi D. schneideriana laxiflora D. vilmorinae Diervilla sessilifolia D. lonicera

Dirca palustris Eleagnus angustifolia

E. commutata

E. multiflora E. umbellata
E. u. parvifolia Elsholtzia stauntoni Enkianthus campanulatus Euonymus alatus E. a. compacta E. americanus E. atropurpureus E. bungeanus
E. europaeus
E. e. fructu-coccineus
E. latifolius E. maacki E. nanus E. obovatus E. oxyphyllus E. yedoensis Evodia danieli E. hupehensis Exochorda racemosa E. g. wilsoni Fontanesia fortunei Forsythia europea F. intermedia
F. i. primulina
F. i. spectabilis
F. ovata F. suspensa
F. s. atrocaulis
F. s. fortunei
F. s. sieboldi
F. viridissima Fothergilla gardeni Gaylussacia baccata Genista juncea G. pilosa
G. sagittalis
G. tinctoria Hamamelis japonica H. j. rubra H. mollis H. vernalis
H. v. tomentella
H. virginiana Helwingia japonica Hibiscus syriacus H. variegatus H. v. meehani Hippophae rhamnoides Hovenia dulcis Hydrangea arborescens H. a. grandiflora
H. cineria sterilis
H. m. Otaksa
H. m. Nikko Blue H. paniculata
H. p. grandiflora
H. p. praecox H. quercifolia
H. radiata
H. x. Thos. Hogg
Hypericum arnoldiana H. bucklei H. densiflorum
H. frondosum
H. kalmianum
H. lobocarpum
H. moserianum
H. patulum

H. p. henryi H. prolificum H. vanfleeti Ilex geniculata I. laevigata I. montana I. serrata syn. sieboldi I. verticillata I. v. chrysocarpa Indigofera amblyantha I. kirilowi I. potanini Itea virginica Jasminum nudiflorum J. stephanense Kerria japonica K. j. pleniflora Kolkwitzia amabilis Lagerstroemia indica rubra Leptodermis oblonga Lespedeza bicolor L. thunbergi L. japonica Ligustrum acuminatum L. a. macrocarpum L. amurense L. ibolium L. obtusifolium L. o. nanum L. o. nanum
L. o. regelianum
L. ovalifolium
L. o. variegatum
L. vulgare
L. v. buxifolium
L. v. foliosum
L. v. leucocarpum
L. v. nanum L. v. nanum L. v. pyramidale Lindera benzoin Lonicera amoena L. a. arnoldiana
L. bella albida
L. bella atrorosea
L. billardi L. chrysantha
L. conjugialis
L. dioica
L. fragrantissima L. gracilipes L. orientalis longifolia L. kohneana L. korolkowi floribunda L. ledebouri L. maacki L. m. podocarpa L. morrowi L. muendeniensis L. quinquelocularis L. ruprechtiana L. saccata L. spinosa alberti L. Standishi L. syringantha L. s. wolfi L. tataricaL. t. albaL. t. lutea L. t. rosea L. t. sibirica

L. t. virginalis

L. xylosteum Lycium chinense L. halimifolium Lyonia ligustrina L. mariana Magnolia sieboldi M. stellata M. s. rosea Myrica pennsylvanica M. cerifera M. gale Nandina domestica Neillia longeracemosa N. sinensis Nemopanthus mucronata Neviusia alabamensis Paeonia suffruticosa Perowskia atriplicifolia Philadelphus coronarius P. c. aureus P. c. multiflorus plenus P. c. manus
P. c. nanus
P. c. ymosus Banniere
P. c. Norma
P. c. Voie Lactee
P. falconeri
P. gordonianus
P. grandiflorus P. grandiflorus P. incanus
P. inodorus
P. lemoinei Avalanche
P. l. erectus
P. l. erectus P. l. Dame Blanche P. l. Pyramidale P. lewisi P. magdalenae P. nepalensis P. nivalis P. polyanthus Favorite
P. p. Gerbe de Neige
P. p. Pavillon Blanc P. purpureo mac. Ophelia P. p. Sybille P. sericanthus P. splendens
P. virginalis Albatre
P. v. Argentine
P. v. Boquet Blanc P. v. Glacier P. v. Virginal P. zeyheri Photinia villosa P. v. laevis intermedius Physocarpus P. i. parvifolius P. monogynus P. opulifolius P. o. luteus P. o. nanus Potentilla fruticosa P. Gold Drop Prinsepia sinensis Prunus besseyi P. dunbari P. glandulosa P. g. albiplena
P. g. sinensis
P. japonica
P. maritima

P. pumila P. tenella

P. tomentosa triloba P. t. plena P. v. demissa Rhamnus caroliniana R. cathartica R. dahurica R. frangula
R. f. asplenifolia
R. koraiensis R. purshiana R. spathulaefolia R. wilsoni Rhodotypos scandens Rhus aromatica R. copallina R. glabra R. trilobata R. typhina
R. t. laciniata
Ribes alpinum R. aureum R. fasciculatum R. gordonianum R. sanguineum Robinia Ellioti R. Kelseyi R. viscosa Rosa acicularis R. alba R. blanda R. carolina R. canina R. coriifolia froebeli R. damascena R. d. versicolor R. davurica R. ecae R. eglanteria
R. e. hybrids
R. foetida
R. f. persiana R. fuiisanensis R. helenae R. hugonis R. humilis R. laevigata R. marreti
R. maximowicziana jacki
R. moyesi R. multiflora
R. m. cathayensis
R. nitida
R. omiensis R. o. pteracantha R. palustris R. pendulina R. rouletti R. rubrifolia R. rugosa R. r. alba R. r. hybrids R. r. repens R. sericea R. setigera R. spinosissima altaica

R. s. hispida
R. s. hybrids
R. suffulta
R. virginiana

R. watsoniana

S. veitchi

### **Deciduous Shrubs Continued**

R. wichuraiana S. wilsoni Staphylea bumalda R. w. hybrids R. hybrid perpetuals
R. hybrid tea S. colchica S. pinnata S. trifolia  $\mathbf{R}$ . climbing R. polyantha hybrids
R. woodsi
R. xanthina allard Stephanandra incisa Stewartia ovata S. o. grandiflora S. serrata R. x. spontanea Rubus deliciosus Symphoricarpos chenaulti R. nemorosus S. albus R. odoratus R. phoenicolasius Salix discolor S. mollis S. occidentalis S. o. heyeri S. doniana S. orbiculatus S. elaeagnos S. irrorata Symplocos paniculata Syringa amurensis japonica S. jessoensis S. chinensis S. lucida S. c. alba S. mutabilis S. myricoides rigida S. c. metensis S. c. saugeana S. nigricans cotinifolia S. emodi S. patula S. henryi eximea S. purpurea nana
S. purpurea
S. purpurea gracilis S. h. lutece S. josikea S. microphylla Sambucus canadensis S. oblata S. c. acutiloba S. c. maxima S. o. dilatata S. o. giraldi S. coerulea S. persica S. nigra S. p. alba S. prestoniae S. pubescens S. n. aurea S. n. albo-variegata S. pubens S. reflexa S. velutina S. villosa S. vulgaris S. p. xanthocarpa S. racemosus Shepherdia argentea S. v. alba
S. v. hybrids
S. yunnanensis S. canadensis Smilax rotundifolia Sorbaria aitchisoni Tamarix africana S. arborea glabrata T. gallica
T. g. indica
T. juniperina
T. odessana S. sorbifolia S. tomentosa Spirea arguta S. billiardi T. pentandra T. tetandra S. bumalda S. b. Anthony Waterer S. b. walluffi Ulex europeus S. cantoniensis Vaccinium corymbosum Viburnum acerifolium S. c. lanceata S. chamaedryfolia ulmifolia S. douglasi V. bitchuiense V. betulifolium V. burejaeticum V. burkwoodi S. froebeli S. japonica S. japonica fortunei S. j. ovalifolia V. carlesi V. cassinoides S. j. ruberrima V. dentatum S. latifolia
S. margaritae
S. nipponica rotundifolia V. dilitatum V. d. xanthocarpum V. fragrans S. prunifolia V. hupenhense S. pubescens S. salicifolia V. lantana V. l. rugosum V. lentago S. superba S. syringiflora V. molle S. thunbergi S. tomentosa S. trichocarpa V. nudum V. opulus V. o. nanum S. van houttei V. o. sterile

V. o. xanthocarum

V. prunifolium V. pubescens V. p. canbyi V. rufidulum V. sargenti V. sieboldi
V. setigerum
V. tomentosum
V. t. sterile
V. trilobum
V. veitchi wrighti

Vitex agnus castus V. a. c. alba
V. a. c. latifolia
V. negundo incisa Weigela floribunda

W. florida

W. f. nana variegata

W. hendersoni

W. hortensis rubra

W. japonica W. vaniceki W. w. Abel Carriere

W. w. candida W. w. desboisi W. w. Eva Rathke W. w. Groenewegeni W. w. Gustav Mallot

sieboldi argenteomarginata

W. w. styriaca W. w. vanhouttei

Zanthorhiza simplicissima Zanthoxylum americanum

Z. schinifolium Z. simulans

#### VINES

Actinidia arguta Akebia trifoliata A. quinata

Ampelopsis acontifolia A. brevipedunculata

A. b. elegans A. b. maximowiczi Aristolochia durior A. tomentosa Campsis grandiflora

C. r. Mme. Galen
C. r. speciosa Celastrus gemmata

C. orbiculatus C. scandens

Clematis apiifolia C. chrysocoma sericea

C. crispa
C. fargesi
C. hybrids
C. ligusticifolia

C. montana rubens C. m. undulata C. m. wilsoni C. paniculata
C. serratifolia
C. tangutica
C. texensis syn. coccinea

C. viorna C. virginiana C. vitalba
C. viticella Decumaria barbara

Hedera helix

H. h. Albany H. h. baltica H. h. Emerald Gem

H. h. gracilis H. h. Hahns H. h. lobata

Hydrangea petiolaris

Lonicera alseusmoides
L. browni plantierensis

caprifolium

L. caprifolius L. fuchsoides L. heckrotti L. henryi

L. hirsuta L. japonic japonica

L. j. chinensis
L. j. halleana
L. j. aurea reticulata
L. periclymenum belgica
L. prolifera syn. sullavanti

L. sempervirens L. tellmanniana L. thibetica

Parthenocissus henryana

P. quinquefolia
P. q. engelmanni
P. q. saintpauli P. tricuspidata lowi P. t. veitchi Perpiloca graeca

P. sepium

Polygonum auberti Pueraria thunbergiana Schizophragma hydrangoides

Solanum dulcamara Tripterygium regeli

Vinca minor V. m. alba V. m. rubra plena Vitis aestivalis V. amurensis V. coignetae V. labrusca V. rotundifolia V. vulpina

vulpina Wistaria frutescens

W. floribunda macrobotrys
W. macrostachya
W. sinensis
W. s. alba

LARGE SPECIMEN MATERIAL

We have a large collection of specially grown, heavy specimen plants in a wide range of sizes. Prices will be quoted on application. We are prepared to deliver B&B on platforms where necessary.

#### PLANTS FOR SPECIAL PURPOSES

In the following pages we understake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

#### WOODY PLANTS FOR AUGUST AND SEPTEMBER FLOWERING

Baccharis halimifolia Buddleia in variety Campsis grandiflora Clematis paniculata Elscholtzia stauntoni Hamamelis virginiana Hibiscus syriacus in variety

Hydrangea in variety Hypericum in variety Lonicera heckrotti Spirea tomentosa Tamarix pentandra Vitex agnus castus Vitex agnus castus latifolia

## Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter.

Aronia arbutifolia

Aronia arbutinona
Aronia prunifolia
*Betula papyrifera
*Betula populifolia
*Betula luta
*Cornus in variety
*Crataegus in variety
Euonymus in variety
*Wynericum prolificum

*Hypericum prolificum *Juniperus virginiana *Juniperus communis

*Ligustrum in variety Lindera benzoin Lonicera in variety Morus alba

*Myrica pennsylvanica Nyssa sylvatica

Parthenocissus quinquefolia P. tricuspidata vetichi *Pinus in variety Photinia villosa Prunus besseyi

Prunus padus
Prunus pennsylvanicum
Prunus serotina

*Rhamnus in variety

*Rhus capallina *Rhus glabra

*Rhus typhina
Ribes in variety
Sambucus in variety Symphoricarpus in variety Vaccinium corymbosum Viburnum in variety

Vitis in variety *Weigela hybrida in variety

# Low Woody Plants for Rock Gardens

Chamaecyparis obtusa compacta Hypericum henryi Chamaecyparis obtusa nana Cotoneaster adpressa Cotoneaster horizontalis Cotoneaster horizontalis perpusilla Juniperus suecica nana Cotoneaster rotundifolia Juniperus sabina tamariscifolia Daphne cneorum Daphne mezereum Euonymus fortunei minimus

Jasminum nudiflorum Juniperus horizontalis Juniperus horizontalis glauca Lonicera spinosa alberti Lonicera syringantha Lonicera thibetica

## Woody Plants Enduring Shade

#### For Dry Soil

Ailanthus altissima Celastrus scandens Gleditsia triacanthos Hamamelis virginiana Ligustrum amurense Ligustrum obtusifolium Ligustrum vulgare Rhus aromatica Ribes alpinum Rubus odoratus Symphoricarpus orbiculatus Vinca minor

#### For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants:

Acer pennsylvanicum
Acer spicatum
Alnus glutinosa
Alnus incana
Cornus florida
Euonymus fortunei in variety
Fagus grandiflora
Hedera helix
Kalmia latifolia

Amelanchier in variety
Lindera benzoin
Carpinus in variety
Cercis canadensis
Ostrya virginica
Pachysandra terminalis
Rhododendron in variety
Tsuga canadensis
Viburnum acerifolium
Zanthorhiza simplicissima

### **Woody Plants for Bank Planting**

Those kinds marked with an asterisk are excellent binders for a steep bank.

Ailanthus altissima
Celastrus scandens
Cornus alba
Cornus amomum
Cornus stolonifera
Euonymus fortunei
*Lonicera halleana
*Lonicera japonica
Lonicera tatarica
Physocarpus opulifolius

*Rhus typhina
Robinia pseudacacia
*Rosa setigera
*Rosa wichuraiana
*Rubus odoratus
Salix caprea
Salix discolor
Salix elaeagnos
*Symphoricarpus orbiculatus
Vinca minor
Vitis vulpina

### Plants for the Herb Garden

Achillea millefolum
Allium schoenoprasum
Anthemis nobilis
Artemisia abrotanum
Artemisia absinthium
Artemisia dracunculus
Artemisia pontica
Artemisia stelleriana
Asarum canadense
Asperula odorata
Calamintha alpina
Cedronella cana
Chrysanthemum balsamita
Foeniculum atrosanguineum
Hyssopus officinalis
Lavandula officinalis
Marrubium vulgare

Melissa officinalis
Mentha piperita
Mentha requieni
Monardi didyma
Monardi fistulosa
Nepeta hederacea
Origanum vulgare
Rosmarinus officinalis
Ruta graveolens
Salvia officinalis
Santolina chamaecyparissus
Tanecetum vulgare
Thymus serpyllum
Thymus serpyllum
Thymus vulgaris
Valeriana officinalis

### SCHEDULE OF B & B CHARGES

Schedule of charges for balling and burlapping deciduous trees and shrubs of various sizes, including those marked by an (*) asterisk. Where items are listed "B&B" this charge is included in the printed price.

18-24	<b>"</b>		 	\$ <b>.</b> 75
2-3'			 	1.10
3-4'			 	1.50
4-5'			 	1.90
5-6'			 	<b>2.25</b>
				Diameter of Ball
6-8' 1"	Shrubs Trees	{.	 \$	3.00 16"
8-10 11/4"	' Shrubs ' Trees	{	 	4.25 18"
11/2'	' Trees		 	5.50 20"
13/4"	' Trees		 	7.50 22"
2"	Trees		 	9.00 24"
21/2'	' Trees		 1	3.50 30"
3"	Trees		 2	2.50 36"
31/2'	' Trees		 3	2.50 42"
4"	Trees		 4	5.00 48"
41/2"	' Trees		 6	5.00 54"
5"	Trees		 9	0.00 60"

The depth of the ball will be no less than two thirds of the given diameter. The larger balls may be mounted on platforms. An extra charge will be made for the platforms but this will be cancelled upon their return to us by prepaid freight.

# **MEMORANDA**

# MEMORANDA



